HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4B.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.10B		1	SGL	DOOR	MDF COIL DAMPER ROOM 1.02.A.09 FROM MECHANICAL ROOM 1.02.A.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.A.10C		1	SGL	DOOR	MDF COIL ROOM 1.02.A.13 FROM MECHANICAL ROOM 1.02.A.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.A.18B		1	SGL	DOOR	MDF EVAPORATOR ROOM 1.02.A.17 FROM EVAPORATOR ROOM 1.02.A.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.A.22B		1	SGL	DOOR	MDF FAN ROOM 1.02.A.21 TO FAN ROOM 1.02.A.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LH	110
1.02.B.10B		1	SGL	DOOR	MDF COIL DAMPER ROOM 1.02.B.09 FROM MECHANICAL ROOM 1.02.B.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.B.10C		1	SGL	DOOR	MDF COIL ROOM 1.02.B.13 FROM MECHANICAL ROOM 1.02.B.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	90
1.02.B.18B		1	SGL	DOOR	MDF EVAPORATOR ROOM 1.02.B.17 FROM EVAPORATOR ROOM 1.02.B.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.22B		1	SGL	DOOR	MDF FAN ROOM 1.02.B.21 TO FAN ROOM 1.02.B.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LH	110
1.02.C.10B		1	SGL	DOOR	MDF COIL DAMPER ROOM 1.02.C.09 FROM MECHANICAL ROOM 1.02.C.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.10C		1	SGL	DOOR	MDF COIL ROOM 1.02.C.13 FROM MECHANICAL ROOM 1.02.C.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.18B		1	SGL	DOOR	MDF EVAPORATOR ROOM 1.02.C.17 FROM EVAPORATOR ROOM 1.02.C.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.22B		1	SGL	DOOR	MDF FAN ROOM 1.02.C.21 TO FAN ROOM 1.02.C.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RH	110
1.02.D.10B		1	SGL	DOOR	MDF COIL DAMPER ROOM 1.02.D.09 FROM MECHANICAL ROOM 1.02.D.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4B.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.D.10C		1	SGL	DOOR	MDF COIL ROOM 1.02.D.13 FROM MECHANICAL ROOM 1.02.D.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.18B		1	SGL	DOOR	MDF EVAPORATOR ROOM 1.02.D.17 FROM EVAPORATOR ROOM 1.02.D.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.D.22B		1	SGL	DOOR	MDF FAN ROOM 1.02.D.21 TO FAN ROOM 1.02.D.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RH	110

Arch Set Name: 4B

16 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4B.1A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.08		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM E. COIL DAMPER VESTIBULE 1.02.A.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.A.12		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM E. COIL VESTIBULE 1.02.A.12	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.A.15		1	SGL	DOOR	CORRIDOR 1.02.A.03 FROM W. MECHANICAL VESTIBULE 1.02.A.15	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.A.16		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM E. EVAPORATOR VESTIBULE 1.02.A.16	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.A.19		1	SGL	DOOR	CORRIDOR 1.02.A.03 FROM W. EVAPORATOR VESTIBULE 1.02.A.19	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.A.23		1	SGL	DOOR	CORRIDOR 1.02.A.03 TO W. FAN VESTIBULE 1.02.A.23	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	100
1.02.B.08		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM E. COIL DAMPER VESTIBULE 1.02.B.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.B.12		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM E. COIL VESTIBULE 1.02.B.13	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.B.15		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM W. MECHANICAL VESTIBULE 1.02.B.15	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.16		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM E. EVAPORATOR VESTIBULE 1.02.B.16	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.19		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM W. EVAPORATOR VESTIBULE 1.02.B.19	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.08		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM W. COIL DAMPER VESTIBULE 1.02.C.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.12		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM W. COIL VESTIBULE 1.02.C.12	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4B.1A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.C.15		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM E. MECHANICAL VESTIBULE 1.02.C.15	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.16		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM W. EVAPORATOR VESTIBULE 1.02.C.16	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.19		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM E. EVAPORATOR VESTIBULE 1.02.C.19	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.20		1	SGL	DOOR	CORRIDOR 1.02.E.04 TO W. FAN VESTIBULE 1.02.C.20	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RH	100
1.02.D.08		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM W. COIL DAMPER VESTIBULE 1.02.D.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.12		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM W. COIL VESTIBULE 1.02.D.12	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.15		1	SGL	DOOR	CORRIDOR 1.02.D.03 FROM E. MECHANICAL VESTIBULE 1.02.D.15	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.D.16		1	SGL	DOOR	CORRIDOR 1.02.D.03 FROM W. EVAPORATOR VESTIBULE 1.02.D.16	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.D.19		1	SGL	DOOR	CORRIDOR 1.02.D.03 FROM E. EVAPORATOR VESTIBULE 1.02.D.19	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.D.23		1	SGL	DOOR	CORRIDOR 1.02.D.03 TO E. FAN VESTIBULE 1.02.D.23	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	100
1.02.E.01A		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM MECHANICAL INTAKE ROOM 1.02.E.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.E.01B		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM MECHANICAL INTAKE ROOM 1.02.E.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.E.08A		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM MECHANICAL INTAKE ROOM 1.02.E.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	100

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4B.1A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.E.08B		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM MECHANICAL INTAKE ROOM 1.02.E.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100

Arch Set Name: 4B

27 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE PASSAGE	L9010 X 803N/03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.04		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM E. FILTER VESTIBULE 1.02.A.04	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.A.07		1	SGL	DOOR	CORRIDOR 1.02.A.03 FROM W. FILTER VESTIBULE 1.02.A.07	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.B.04		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM E. FILTER VESTIBULE 1.02.B.04	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.07		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM W. FILTER VESTIBULE 1.02.B.07	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.04		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM W. FILTER VESTIBULE 1.02.C.04	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.07		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM E. FILTER VESTIBULE 1.02.C.07	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.04		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM W. FILTER VESTIBULE 1.02.D.04	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.D.07		1	SGL	DOOR	CORRIDOR 1.02.D.03 FROM E. FILTER VESTIBULE 1.02.D.07	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

Arch Set Name: 4B

8 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE PASSAGE	L9010 X 803N/03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 48 X 84		SN	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL48		C	PEM

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4C.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.05B		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.A.04 FROM MDF FILTER ROOM 1.02.A.05	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	100
1.02.A.06C		1	SGL	DOOR	MDF FILTER ROOM 1.02.A.05 FROM FILTER ROOM 1.02.A.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	100
1.02.A.06D		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.A.07 FROM FILTER ROOM 1.02.A.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	100
1.02.B.05B		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.B.04 FROM MDF FILTER ROOM 1.02.B.05	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	90
1.02.B.06C		1	SGL	DOOR	MDF FILTER ROOM 1.02.B.05 FROM FILTER ROOM 1.02.B.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.06D		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.B.07 FROM FILTER ROOM 1.02.B.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	90
1.02.C.05B		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.C.04 FROM MDF FILTER ROOM 1.02.C.05	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	90
1.02.C.06C		1	SGL	DOOR	MDF FILTER ROOM 1.02.C.05 FROM FILTER ROOM 1.02.C.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.06D		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.C.07 FROM FILTER ROOM 1.02.C.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.05B		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.D.04 FROM MDF FILTER ROOM 1.02.D.05	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100
1.02.D.06C		1	SGL	DOOR	MDF FILTER ROOM 1.02.D.05 FROM FILTER ROOM 1.02.D.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100
1.02.D.06D		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.D.07 FROM FILTER ROOM 1.02.D.06	3-0 x 3-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	100

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name: 4C

12 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 36 X 36		SN	PEM
1	EA	THRESHOLD	159AT X 36 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4C.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.25A		1	SGL	DOOR	CORRIDOR 1.02.A.03 FROM RELIEF FAN ROOM 1.02.A.25	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	90
1.02.D.25A		1	SGL	DOOR	CORRIDOR 1.02.D.03 FROM RELIEF FAN ROOM 1.02.D.25	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	90

Arch Set Name: 4C

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE PASSAGE	L9010 X 803N/03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	THRESHOLD	159AT X 42 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.06B		1	SGL	DOOR	MDF FILTER ROOM 1.02.A.05 FROM FILTER ROOM 1.02.A.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.06B		1	SGL	DOOR	MDF FILTER ROOM 1.02.B.05 FROM FILTER ROOM 1.02.B.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.06B		1	SGL	DOOR	MDF FILTER ROOM 1.02.C.05 FROM FILTER ROOM 1.02.C.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.D.06B		1	SGL	DOOR	MDF FILTER ROOM 1.02.D.05 FROM FILTER ROOM 1.02.D.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

Arch Set Name: 4C

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 48 X 84		SN	PEM
1	EA	THRESHOLD	159AT X 48 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4D.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.E.01C		1	SGL	DOOR	MECHANICAL ROOM 1.02.E.03 FROM MECHANICAL ROOM 1.02.E.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	90
1.02.E.08C		1	SGL	DOOR	MECHANICAL ROOM 1.02.E.07 FROM MECHANICAL INTAKE ROOM 1.02.E.08	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	100

Arch Set Name: 4D

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		630	IVE
1	EA	MORTISE PASSAGE PASSAGE	L9010 X 803N/03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	THRESHOLD	252X226AFGV X 42 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4D.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.01		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM MDF INTAKE ROOM 1.02.A.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.A.02A		1	SGL	DOOR	CORRIDOR 1.02.A.03 FROM INTAKE ROOM 1.02.A.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.A.26		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM MDF EXHAUST ROOM 1.02.A.26	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100
1.02.B.01		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM MDF INTAKE ROOM 1.02.B.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	100
1.02.B.02A		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM INTAKE ROOM 1.02.B.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.26		1	SGL	DOOR	CORRIDOR 1.02.E.02 FROM MDF EXHAUST ROOM 1.02.B.26	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.B.27A		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM EXHAUST ROOM 1.02.B.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.01		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM MDF INTAKE ROOM 1.02.C.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.02A		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM INTAKE ROOM 1.02.C.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	90
1.02.C.26		1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM MDF EXHAUST ROOM 1.02.C.26	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.C.27A		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM EXHAUST ROOM 1.02.C.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.01		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM MDF INTAKE ROOM 1.02.D.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.D.02A		1	SGL	DOOR	CORRIDOR 1.02.D.03 FROM INTAKE ROOM 1.02.D.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4D.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.D.26		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM MDF EXHAUST ROOM 1.02.D.26	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

Arch Set Name: 4D

14 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		630	IVE
1	EA	MORTISE PASSAGE	L9010 X 803N/03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	THRESHOLD	252X226AFGV X 42 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4D

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.02B		1	SGL	DOOR	MDF INTAKE ROOM 1.02.A.01 FROM INTAKE ROOM 1.02.A.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.A.27A		1	SGL	DOOR	RELIEF FAN ROOM 1.02.A.25 TO EXHAUST ROOM 1.02.A.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	90
1.02.A.27B		1	SGL	DOOR	MDF EXHAUST ROOM 1.02.A.26 FROM EXHAUST ROOM 1.02.A.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100
1.02.B.02B		1	SGL	DOOR	MDF INTAKE ROOM 1.02.B.01 FROM INTAKE ROOM 1.02.B.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.02.B.27B		1	SGL	DOOR	MDF EXHAUST ROOM 1.02B.26 FROM EXHAUST ROOM 1.02.B.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.02.C.02B		1	SGL	DOOR	MDF INTAKE ROOM 1.02.C.01 FROM INTAKE ROOM 1.02.C.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100
1.02.C.27B		1	SGL	DOOR	MDF EXHAUST ROOM 1.02.C.26 FROM EXHAUST ROOM 1.02.C.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	100
1.02.D.02B		1	SGL	DOOR	MDF INTAKE ROOM 1.02.D.01 FROM INTAKE ROOM 1.02.D.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	100
1.02.D.27A		1	SGL	DOOR	RELIEF FAN ROOM 1.02.D.25 TO EXHAUST ROOM 1.02.D.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	100
1.02.D.27B		1	SGL	DOOR	MDF EXHAUST ROOM 1.02.D.26 FROM EXHAUST ROOM 1.02.D.27	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name: 4D

10 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		630	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	THRESHOLD	252X226AFGV X 42 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4E.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.10A		1	SGL	DOOR	W. MECHANICAL VESTIBULE 1.02.A.15 FROM MECHANICAL ROOM 1.02.A.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.A.18A		1	SGL	DOOR	W. EVAPORATOR VESTIBULE 1.02.A.19 FROM EVAPORATOR ROOM 1.02.A.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.A.22A		1	SGL	DOOR	W. FAN VESTIBULE 1.02.A.23 TO FAN ROOM 1.02.A.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	110
1.02.D.10A		1	SGL	DOOR	E. MECHANICAL VESTIBULE 1.02.D.15 FROM MECHANICAL ROOM 1.02.D.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.D.18A		1	SGL	DOOR	E. EVAPORATOR VESTIBULE 1.02.D.19 FROM EVAPORATOR ROOM 1.02.D.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.D.22A		1	SGL	DOOR	E. FAN VESTIBULE 1.02.D.23 TO FAN ROOM 1.02.D.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	110

Arch Set Name: 4E

6 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
1	EA	CONTINUOUS HINGE (WICKET)	FM-300 X KMPSS X 14 OA		630	MAR
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	PASSAGE SET (WICKET)	ND10S X TLR X 13-248 X 10-025		626	SCH
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	THRESHOLD	159AT X 42 W		A	PEM
1	EA	HINGE PIN STOP	73		Z-619E	IVE

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4E

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.06A		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.A.07 FROM FILTER ROOM 1.02.A.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.D.06A		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.D.07 FROM FILTER ROOM 1.02.D.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

Arch Set Name: 4E

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
1	EA	CONTINUOUS HINGE (WICKET)	FM-300 X KMPSS X 14 OA		630	MAR
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	PASSAGE SET (WICKET)	ND10S X TLR X 13-248 X 10-025		626	SCH
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 48 X 84		SN	PEM
1	EA	THRESHOLD	159AT X 48 W		A	PEM
1	EA	HINGE PIN STOP	73		Z-619E	IVE

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4F.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.09		1	SGL	DOOR	E. COIL DAMPER VESTIBULE 1.02.A.09 FROM MDF COIL DAMPER ROOM 1.02.A.09	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.A.13		1	SGL	DOOR	E. COIL VESTIBULE 1.02.A.12 FROM MDF COIL ROOM 1.02.A.13	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.A.17		1	SGL	DOOR	E. EVAPORATOR VESTIBULE 1.02.A.16 FROM MDF EVAPORATOR ROOM 1.02.A.17	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.A.21		1	SGL	DOOR	E. FAN VESTIBULE 1.02.A.20 TO MDF FAN ROOM 1.02.A.21	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	110
1.02.B.09		1	SGL	DOOR	E. COIL DAMPER VESTIBULE 1.02.B.08 FROM MDF COIL DAMPER ROOM 1.02.B.09	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.B.10A		1	SGL	DOOR	W. MECHANICAL VESTIBULE 1.02.B.15 FROM MECHANICAL ROOM 1.02.B.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.B.13		1	SGL	DOOR	E. COIL VESTIBULE 1.02.B.13 FROM MDF COIL ROOM 1.02.B.13	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.B.17		1	SGL	DOOR	E. EVAPORATOR VESTIBULE 1.02.B.16 FROM MDF EVAPORATOR ROOM 1.02.B.17	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.B.18A		1	SGL	DOOR	W. EVAPORATOR VESTIBULE 1.02.B.19 FROM EVAPORATOR ROOM 1.02.B.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.B.21		1	SGL	DOOR	E. FAN VESTIBULE 1.02.B.20 TO MDF FAN ROOM 1.02.B.20	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	110
1.02.B.22A		1	SGL	DOOR	W. FAN VESTIBULE 1.02.B.23 TO FAN ROOM 1.02.B.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4F.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.C.09		1	SGL	DOOR	W. COIL DAMPER VESTIBULE 1.02.C.08 FROM MDF COIL DAMPER ROOM 1.02.C.09	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.C.10A		1	SGL	DOOR	E. MECHANICAL VESTIBULE 1.02.C.15 FROM MECHANICAL ROOM 1.02.C.10	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.C.13		1	SGL	DOOR	W. COIL VESTIBULE 1.02.C.12 FROM MDF COIL ROOM 1.02.C.13	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.C.17		1	SGL	DOOR	W. EVAPORATOR VESTIBULE 1.02.C.16 FROM MDF EVAPORATOR ROOM 1.02.C.17	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.C.18A		1	SGL	DOOR	E. EVAPORATOR VESTIBULE 1.02.C.19 FROM EVAPORATOR ROOM 1.02.C.18	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.C.21		1	SGL	DOOR	W. FAN VESTIBULE 1.02.C.20 TO MDF FAN ROOM 1.02.C.21	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	110
1.02.C.22A		1	SGL	DOOR	E. FAN VESTIBULE 1.02.C.23 TO FAN ROOM 1.02.C.22	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	110
1.02.D.09		1	SGL	DOOR	W. COIL DAMPER VESTIBULE 1.02.D.08 FROM MDF COIL DAMPER ROOM 1.02.D.09	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.D.13		1	SGL	DOOR	W. COIL VESTIBULE 1.02.D.12 FROM MDF COIL ROOM 1.02.D.13	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.D.17		1	SGL	DOOR	W. EVAPORATOR VESTIBULE 1.02.D.16 FROM MDF EVAPORATOR ROOM 1.02.D.17	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.D.21		1	SGL	DOOR	W. FAN VESTIBULE 1.02.D.20 TO MDF FAN ROOM 1.02.D.21	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name: 4E

22 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
1	EA	CONTINUOUS HINGE (WICKET)	FM-300 X KMPSS X 14 OA		630	MAR
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	PASSAGE SET (WICKET)	ND10S X TLR X 13-248 X 10-025		626	SCH
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, MORTISE	4301CRL42		C	PEM
1	EA	HINGE PIN STOP	73		Z-619E	IVE

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4F

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.05A		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.A.04 FROM MDF FILTER ROOM 1.02.A.05	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.B.05A		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.B.04 FROM MDF FILTER ROOM 1.02.B.05	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.B.06A		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.B.07 FROM FILTER ROOM 1.02.B.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.02.C.05A		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.C.04 FROM MDF FILTER ROOM 1.02.C.05	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.C.06A		1	SGL	DOOR	E. FILTER VESTIBULE 1.02.C.07 FROM FILTER ROOM 1.02.C.06	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.02.D.05A		1	SGL	DOOR	W. FILTER VESTIBULE 1.02.D.04 FROM MDF FILTER ROOM 1.02.D.05	4-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

Arch Set Name: 4E

6 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
1	EA	CONTINUOUS HINGE (WICKET)	FM-300 X KMPSS X 14 OA		630	MAR
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	PASSAGE SET (WICKET)	ND10S X TLR X 13-248 X 10-025		626	SCH
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 48 X 84		SN	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, MORTISE	4301CRL48		C	PEM
1	EA	HINGE PIN STOP	73		Z-619E	IVE

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 4G

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.A.20		1	SGL	DOOR	CORRIDOR 1.02.B.03 TO E. FAN VESTIBULE 1.02.A.20	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LH	100
1.02.B.20		1	SGL	DOOR	CORRIDOR 1.02.E.02 TO E. FAN VESTIBULE 1.02.B.16	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LH	90
1.02.B.23		1	SGL	DOOR	CORRIDOR 1.02.B.03 TO W. FAN VESTIBULE 1.02.B.23	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RH	100
1.02.C.23		1	SGL	DOOR	CORRIDOR 1.02.C.03 TO E. FAN VESTIBULE 1.02.C.23	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LH	100
1.02.D.20		1	SGL	DOOR	CORRIDOR 1.02.C.03 TO W. FAN VESTIBULE 1.02.D.20	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RH	100

Arch Set Name: 4C

5 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5		652	IVE
1	EA	MORTISE PASSAGE PASSAGE	L9010 X 803N/03N X 10-072		630	SCH
1	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-436		630	RIX
1	EA	CLOSER, REGULAR ARM	4040XP X REG X SRI X SRT X 4040XP-18G X [ST-2708]		AL	LCN
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 5B.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.E.04B		1	PR	DOORS	BDF 2 1.01.E.06 FROM BDF 1 1.01.E.04	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110

Arch Set Name: 5B

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	652	IVE
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072	BOTH	630	SCH
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB2 X MB2(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30	BOTH	AL	LCN
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
1	EA	ASTRAGAL	178SA X 108	ACT	A	NAT
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 5B.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.02.A.24		1	PR	DOORS	CORRIDOR 1.02.B.03 FROM MDF RELIEF FAN ROOM 1.02.A.24	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.02.B.24		1	PR	DOORS	CORRIDOR 1.02.E.02 FROM MDF RELIEF FAN ROOM 1.02.B.24	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110
1.02.B.25A		1	PR	DOORS	CORRIDOR 1.02.B.03 FROM RELIEF FAN ROOM 1.02.B.25	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	100/110
1.02.C.24		1	PR	DOORS	CORRIDOR 1.02.E.04 FROM MDF RELIEF FAN ROOM 1.02.C.24	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110
1.02.C.25A		1	PR	DOORS	CORRIDOR 1.02.C.03 FROM RELIEF FAN ROOM 1.02.C.25	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	100/110
1.02.D.24		1	PR	DOORS	CORRIDOR 1.02.C.03 FROM MDF RELIEF FAN ROOM 1.02.D.24	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110

Arch Set Name: 5B

6 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	652	IVE
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	MORTISE PASSAGE	L9010 X 803N/03N X 10-072	BOTH	630	SCH
1	EA	COORDINATOR, BAR	COR42 X FL20 X MB2 X MB2(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30	BOTH	AL	LCN
1	EA	WEATHER STRIPPING	303AS X 60 X 108		A	PEM
1	EA	ASTRAGAL	178SA X 108	ACT	A	NAT
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL24	BOTH	C	PEM
1	EA	GLASS	9-1/4 X 37-1/4 3/16 FIRELITE NT 60 MIN			INS

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 5B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.02.A.25B		1	PR	DOORS	MDF RELIEF FAN ROOM 1.02.A.24 FROM RELIEF FAN ROOM 1.02.A.25	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	90/110
1.02.B.25B		1	PR	DOORS	MDF RELIEF FAN ROOM 1.02.B.24 FROM RELIEF FAN ROOM 1.02.B.25	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/90
1.02.C.25B		1	PR	DOORS	MDF RELIEF FAN ROOM 1.02.C.24 FROM RELIEF FAN ROOM 1.02.C.25	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/90
1.02.D.25B		1	PR	DOORS	MDF RELIEF FAN ROOM 1.02.D.24 FROM MDF RELIEF FAN ROOM	3-0/2-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	90/110

Arch Set Name: 5B

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	652	IVE
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072	BOTH	630	SCH
1	EA	COORDINATOR, BAR	COR42 X FL20 X MB2 X MB2(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT X 4040XP-30	BOTH	AL	LCN
1	EA	WEATHER STRIPPING	303AS X 60 X 108		A	PEM
1	EA	ASTRAGAL	178SA X 108	ACT	A	NAT
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL24	BOTH	C	PEM
1	EA	GLASS	9-1/4 X 37-1/4 3/16 FIRELITE NT 60 MIN			INS

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 5C.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.02.E.03A		1	PR	DOORS	CORRIDOR 1.02.E.02 TO MECHANICAL ROOM 1.02.E.03	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHA	90/110
1.02.E.03B		1	PR	DOORS	CORRIDOR 1.02.E.04 TO MECHANICAL ROOM 1.02.E.03	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHA	110/90
1.02.E.07A		1	PR	DOORS	CORRIDOR 1.02.E.02 TO MECHANICAL ROOM 1.02.E.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHA	110/90
1.02.E.07B		1	PR	DOORS	CORRIDOR 1.02.E.04 TO MECHANICAL ROOM 1.02.E.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHA	90/110

Arch Set Name: 5C

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	630	IVE
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	MORTISE PASSAGE PASSAGE	L9010 X 803N/03N X 10-072	BOTH	630	SCH
1	EA	COORDINATOR, BAR	COR52 X FL20		US28	IVE
2	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-336	BOTH	630	RIX
2	EA	CLOSER, REGULAR ARM	4040XP X REG X SRI X SRT X 4040XP-18G X [ST-2708]	BOTH	AL	LCN
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 72 X 108		SN	PEM
1	EA	ASTRAGAL	178SA X 108	ACT	A	NAT
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 5C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.02.E.06A		1	PR	DOORS	CORRIDOR 1.02.E.02 TO CORRIDOR 1.02.E.06	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHA	110/110
1.02.E.06B		1	PR	DOORS	CORRIDOR 1.02.E.04 TO CORRIDOR 1.02.E.06	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHA	110/110

Arch Set Name: 5C

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	630	IVE
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	MORTISE PASSAGE	L9010 X 03N X 10-072	BOTH	630	SCH
1	EA	COORDINATOR, BAR	COR52 X FL20		US28	IVE
2	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-336	BOTH	630	RIX
2	EA	CLOSER, REGULAR ARM	4040XP X REG X SRI X SRT X 4040XP-18G X [ST-2708]	BOTH	AL	LCN
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	322CSN X 72 X 108		SN	PEM
1	EA	ASTRAGAL	178SA X 108	ACT	A	NAT
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 8C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.B.10		1	SGL	DOOR	CORRIDOR 1.01.A.05 TO TOILET ROOM 1.01.B.10	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LH	100
1.01.C.10		1	SGL	DOOR	CORRIDOR 1.01.D.05 TO TOILET ROOM 1.01.C.10	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RH	100

Arch Set Name: 8C

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5		652	IVE
1	EA	MORTISE PRIVACY	L9040 X 03N X 10-072 X L283-722 X L583-363		630	SCH
1	EA	CLOSER, REGULAR ARM	4040XP X REG X SRT		AL	LCN
1	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WALL STOP	409		US32D	ROC
1	EA	GASKETING	S88BL17		BL	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 10A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.B.07C	AA8	1	DE	DOORS	ELECTRICAL ROOM B 1.01.B.08 FROM CORE IT ELECTRICAL ROOM 1.01.B.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR,RHR	90/90
1.01.C.07B		1	DE	DOORS	ELECTRICAL ROOM C 1.01.C.08 FROM CORE IT ELECTRICAL ROOM 1.01.C.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR,LHR	90/90

Arch Set Name: 10A

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	652	IVE
2	EA	CVR EXIT DEVICE EXIT ONL - FIRE EXIT DEVICE	9847EO-F X 338 X LBR X 3-0 X 10-0	BOTH	US32D	VON
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT X 4040XP-30	BOTH	AL	LCN
2	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
2	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 10B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.06A		1	PR	DOORS	VESTIBULE 1.01A.06 FROM CORRIDOR 1.01A.0	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.B.06A		1	PR	DOORS	VESTIBULE 1.01.B.06 FROM CORRIDOR 1.01.B.05	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.C.06A		1	PR	DOORS	VESTIBULE 1.01.C.06 FROM CORRIDOR 1.01.C.05	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.D.06A		1	PR	DOORS	VESTIBULE 1.01.D.06A FROM CORRIDOR 1.01.D.05	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110

Arch Set Name:

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	652	IVE
1	EA	FLUSH BOLT, AUTOMATIC, EXTENSION	FB51T-36-MD	BOTH	US32D	IVE
1	EA	MORTISE EXIT DEVICE	9875L-BE X 996L-BE(#03) X 575-2 X 3-0	BOTH	US32D	VON
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB1 X MB1(SP28)		US28	IVE
2	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-336	BOTH	630	RIX
2	EA	CLOSER, PARALLEL ARM	4040XP X RW/PA X SRT	BOTH	AL	LCN
2	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 10D

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.C.03B		1	PR	DOORS	CORRIDOR 1.01.C.03 FROM CORRIDOR 1.01.E.02	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR,LHR	110/110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5	BOTH	652	IVE
2	EA	CVR EXIT DEVICE LEVER, BLANK ESCUTCHEON - FIRE EXIT DEVICE	9847L-BE-F X 996L-BE(#03) X 338 X LBR X 3-0 X 10-0	BOTH	US26D	VON
2	EA	CLOSER, PARALLEL ARM	4040XP X EDA X SRI X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
2	EA	WALL STOP	409		US32D	ROC
2	EA	ELECTROMAGNETIC HOLDER	SEM7850.689		689	LCN
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
1	EA	GASKETING	S88BL17		BL	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading 12C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.B.S5		1	SGL	DOOR	CORRIDOR 1.02.B.03 FROM STAIR 5 1.02.B.S5	3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	100
1.02.C.S2		1	SGL	DOOR	CORRIDOR 1.02.C.03 FROM STAIR 2 1.02.C.S2	3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	90

Arch Set Name: 12B

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
4	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5		652	IVE
1	EA	MORTISE EXIT DEVICE LEVER, BLANK ESCUTCHEON - FIRE EXIT DEVICE	9875L-BE-F X 996L-BE(#03) X 575 X 3-0		US32D	VON
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	303AS X 36 X 96		A	PEM
1	EA	DOOR BOTTOM	209AV X 36 W		A	PEM

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading E1A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.B.03A	AB1	1	SGL	DOOR	EXTERIOR FROM CORRIDOR 1.01.B.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.B.03B	AB1	1	SGL	DOOR	EXTERIOR FROM CORRIDOR 1.01.B.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.C.03A	AB1	1	SGL	DOOR	EXTERIOR FROM CORRIDOR 1.01.C.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.C.03C	AB1	1	SGL	DOOR	EXTERIOR FROM CORRIDOR 1.01.C.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

Arch Set Name: E1A

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		630	IVE
1	EA	MORTISE LOCK	L9025 X 03N X 10-072		630	SCH
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	WEATHER STRIPPING	303AS X 36 X 84		A	PEM
1	EA	DOOR BOTTOM	216APK X 36 W		A	PEM
1	EA	THRESHOLD	252X2AFG X 36 W		A	PEM
1	EA	LATCH GUARD	320-RKW		US32D	ROC

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S1B.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.01E	AA3	1	PR	DOORS	MDF A 1.01.A.02 FROM DATA HALL A 1.01.A.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110
1.01.A.02B	AA2	1	PR	DOORS	CORRIDOR 1.01.B.04 FROM MDF A 1.01.A.02	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.B.01E	AA4	1	PR	DOORS	MDF B 1.01.B.02 FROM DATA HALL B 1.01.B.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110
1.01.B.02B	AA2	1	PR	DOORS	CORRIDOR 1.01.E.03 FROM MDF B 1.01.B.02	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.C.01E	AA5	1	PR	DOORS	MDF C 1.01.C.02 FROM DATA HALL C 1.01.C.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110
1.01.C.02B	AA2	1	PR	DOORS	CORRIDOR 1.01.E.05 FROM MDF C 1.01.C.02	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.D.01E	AA6	1	PR	DOORS	MDF D 1.01.D.02 FROM DATA HALL D 1.01.D.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHRA	110/110
1.01.D.02B	AA2	1	PR	DOORS	CORRIDOR 1.01.C.04 FROM MDF D 1.01.D.02	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name:

8 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	CONTINUOUS HINGE	HG-305 X KMPSS X CTP X 107 OA	BOTH	630	MAR
2	EA	ELECTRIC POWER TRANSFER	EPT 10 X CON	ACT	SP28	VON
1	EA	ELECTRIC CVR EXIT DEVICE LEVER - FIRE EXIT DEVICE	QEL-9447L-F X 940L(#03) X 338 X LBR X 9-11	ACT	US26D	VON
1	EA	ELECTRIC CVR EXIT DEVICE EXIT ONLY - FIRE EXIT DEVICE	QEL-9447EO-F X 338 X LBR X 9-11	INACT	US26D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	2 CLOSER - AUTO OPERATOR, PULL SIDE	9563 X STD2 (PULL PAIR) X 72 HDR LENGTH X SF X MS	ACT	ANCLR	LCN
2	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 35		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
2	EA	ASTRAGAL	303AS X 108	ACT	A	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)	BOTH		B/O
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM
2	EA	ACTUATOR	507			NOR
1	EA	MISCELLANEOUS	9560-18 X 75.5			LCN
1	EA	BLOCKING RING	36-082 X 025		626	SCH
2	EA	PUSH SIDE ARM	9560-3077.628		628	LCN
1	EA	POWER SUPPLY	PS904 X 900-4RL			VON

ACCESS CONTROL BY OTHERS.
FIRE EXIT DEVICE WILL BE PROVIDED WITH FIRE PINS

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S1B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.B.01C	AA4	1	PR	DOORS	CORRIDOR 1.01.B.04 FROM DATA HALL B 1.01.B.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.C.01C	AA5	1	PR	DOORS	CORRIDOR 1.01.C.04 FROM DATA HALL C 1.01.C.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110

Arch Set Name:

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	CONTINUOUS HINGE	HG-305 X KMPSS X CTP X 107 OA	BOTH	630	MAR
2	EA	ELECTRIC POWER TRANSFER	EPT 10 X CON	ACT	SP28	VON
1	EA	CVR EXIT DEVICE	QEL-9447L X 940L(#03) X 338 X LBR X 9-11	ACT	US26D	VON
1	EA	ELECTRIC CVR EXIT DEVICE EXIT ONLY	QEL-9447EO X 338 X LBR X 9-11	INACT	US26D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	2 CLOSER - AUTO OPERATOR, PULL SIDE	9563 X STD2 (PULL PAIR) X 72 HDR LENGTH X SF X MS	ACT	ANCLR	LCN
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
2	EA	ASTRAGAL	303AS X 108	ACT	A	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)	BOTH		B/O
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM
2	EA	ACTUATOR	507			NOR
1	EA	MISCELLANEOUS	9560-18 X 75.5			LCN
1	EA	BLOCKING RING	36-082 X 025		626	SCH
2	EA	PUSH SIDE ARM	9560-3077.628		628	LCN
1	EA	POWER SUPPLY	PS904 X 900-4RL			VON

ACCESS CONTROL BY OTHERS.

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S3A.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.08A	AA8	1	PR	DOORS	VESTIBULE 1.01A.09 FROM ELECTRICAL ROOM A 1.01.A.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.A.08B	AA8	1	PR	DOORS	CORRIDOR 1.01.A.05 FROM ELECTRICAL ROOM A 1.01.A.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/100
1.01.B.07A	AA8	1	PR	DOORS	CORRIDOR 1.01.B.05 FROM CORE IT ELECTRICAL ROOM 1.01.B.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/100
1.01.B.08A	AA8	1	PR	DOORS	CORRIDOR 1.01.A.05 FROM ELECTRICAL ROOM B 1.01.B.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	100/110
1.01.C.07A	AA8	1	PR	DOORS	CORRIDOR 1.01.C.05 FROM CORE IT ELECTRICAL ROOM 1.01.C.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	100/110
1.01.C.08A	AA8	1	PR	DOORS	CORRIDOR 1.01.D.05 FROM ELECTRICAL ROOM C 1.01.C.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/100
1.01.D.08A	AA8	1	PR	DOORS	CORRIDOR 1.01.D.05 FROM ELECTRICAL ROOM D 1.01.D.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	100/110
1.01.D.08B	AA8	1	PR	DOORS	VESTIBULE 1.01.D.09 FROM ELECTRICAL ROOM D 1.01.D.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name:

8 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	652	IVE
1	EA	ELECTRIC POWER TRANSFER	EPT 10 X CON	ACT	SP28	VON
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER - FIRE EXIT DEVICE	9875L-F X E996L (FSE-24VDC)(#03) X 575-2 X 3-0 X CON	BOTH	US32D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB1 X MB1(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH)	BOTH		B/O
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH

ACCESS CONTROL BY OTHERS.

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S3C.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.B.04	AA7	1	PR	DOORS	CORRIDOR 1.01.A.05 FROM CORRIDOR 1.01.B.04	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.C.04	AA7	1	PR	DOORS	CORRIDOR 1.01.D.05 FROM CORRIDOR 1.01.C.04	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.E.03	AA7	1	PR	DOORS	CORRIDOR 1.01.E.07 FROM CORRIDOR 1.01.E.03	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.E.05	AA7	1	PR	DOORS	CORRIDOR 1.01.E.07 FROM CORRIDOR 1.01.E.05	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110

Arch Set Name:

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
8	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	652	IVE
1	EA	ELECTRIC POWER TRANSFER	EPT 10 X CON	ACT	SP28	VON
1	EA	FLUSH BOLT, AUTOMATIC, EXTENSION	FB51T-36-MD	INACT	US32D	IVE
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER	RX-LC-9875L X E996L (FSE-24VDC)(#03) X 575-2 X 3-0 X CO	BOTH	US32D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB1 X MB1(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH)	BOTH		B/O
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S4B.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.D.07A	AA8	1	SGL	DOOR	CORRIDOR 1.01.D.05 FROM WATER TREATMEN 1.01.D.07	3-6 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE, HVY	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK	L9092JEU-RX X 03N X 10-072 X CON		630	SCH
1	EA	ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 40.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 36 X 108		A	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S4B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.S6	AA7	1	SGL	DOOR	VESTIBULE 1.01.A.04 FROM STAIR 6 1.01.A.S6	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.B.11	AA7	1	SGL	DOOR	CORRIDOR 1.01.A.05 FROM JANITOR 1.01.B.11	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.C.11	AA7	1	SGL	DOOR	CORRIDOR 1.01.D.05 FROM JANITOR ROOM 1.01.C.11	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

Arch Set Name:

3 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU-RX X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 36 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S4C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.B.12	AA8	1	SGL	DOOR	CORRIDOR 1.01.A.05 TO FIRE PROTECTION RISER ROOM 1.01.B.12	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LH	100
1.01.C.12	AA8	1	SGL	DOOR	CORRIDOR 1.01.D.05 TO FIRE PROTECTION RISER ROOM 1.01.C.12	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RH	90

Arch Set Name:

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU-RX X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, REGULAR ARM	4040XP X REG X SRT		AL	LCN
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	303AS X 36 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S4G

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.E.05	AA8	1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM ELEV. MACHINE ROOM 1.02.E.05	4-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE, HVY	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU-RX X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-536		630	RIX
1	EA	CLOSER, REGULAR ARM	4040XP X REG X SRT X 4040XP-18G X [ST-2708]		AL	LCN
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 46.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 48 X 108		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-44			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S7B.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.B.02C	AA2	1	SGL	DOOR	CORRIDOR 1.01B.05 FROM MDF B 1.01.B.02	3-6 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK	L9092JEU X 03N X 10-072 X CON		630	SCH
1	EA	ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 40.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 42 X 108		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-38			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S7B.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.02A	AA2	1	SGL	DOOR	CORRIDOR 1.01.A.03 FROM MDF A 1.01.A.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.01.A.02C	AA2	1	SGL	DOOR	CORRIDOR 1.01.A.05 FROM MDF A 1.01.A.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.01.B.02A	AA2	1	SGL	DOOR	CORRIDOR 1.01.E.02 FROM MDF B 1.01.B.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.01.C.02A	AA2	1	SGL	DOOR	CORRIDOR 1.01.E.02 FROM MDF C 1.01.C.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110
1.01.C.02C	AA2	1	SGL	DOOR	CORRIDOR 1.01.C.05 FROM MDF C 1.01.C.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.01.D.02A	AA2	1	SGL	DOOR	CORRIDOR 1.01.D.03 FROM MDF D 1.01.D.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110
1.01.D.02C	AA2	1	SGL	DOOR	CORRIDOR 1.01.D.05 FROM MDF D 1.01.D.02	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name:

7 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 40.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 42 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-38			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S7B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.01A	AA3	1	SGL	DOOR	CORRIDOR 1.01.A.03 FROM DATA HALL A 1.01.A.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.A.01B	AA3	1	SGL	DOOR	CORRIDOR 1.01.A.03 FROM DATA HALL A 1.01.A.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.A.01D	AA3	1	SGL	DOOR	CORRIDOR 1.01.A.05 FROM DATA HALL A 1.01.A.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	100
1.01.B.01A	AA4	1	SGL	DOOR	CORRIDOR 1.01.B.03 FROM DATA HALL B 1.01.B.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.B.01B	AA4	1	SGL	DOOR	CORRIDOR 1.01.B.03 FROM DATA HALL B 1.01.B.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.C.01A	AA5	1	SGL	DOOR	CORRIDOR 1.01.C.03 FROM DATA HALL C 1.01.C.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	90
1.01.C.01B	AA5	1	SGL	DOOR	CORRIDOR 1.01.C.03 FROM DATA HALL C 1.01.C.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.D.01A	AA6	1	SGL	DOOR	CORRIDOR 1.01.D.03 FROM DATA HALL D 1.01.D.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.D.01B	AA6	1	SGL	DOOR	CORRIDOR 1.01.D.03 FROM DATA HALL D 1.01.D.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.D.01D	AA6	1	SGL	DOOR	CORRIDOR 1.01.D.05 FROM DATA HALL D 1.01.D.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name:

10 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 40.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 42 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-38			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S7C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.B.01D	AA4	1	SGL	DOOR	CORRIDOR 1.01.A.05 FROM DATA HALL B 1.01.B.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.C.01D	AA5	1	SGL	DOOR	CORRIDOR 1.01.D.05 FROM DATA HALL C 1.01.C.01	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

Arch Set Name:

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X RW/PA X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 40.5		US32D	IVE
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	303AS X 42 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM
1	EA	WIRING HARNESS	CON-38			SCH
1	EA	WIRING HARNESS	CON-192P			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S7F

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.E.09	AA2	1	SGL	DOOR	CORRIDOR 1.02.E.04 FROM COMM CLOSET 1.02.E.09	3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE, HVY	5BB1HW X 4.5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK	L9092JEU X 03N X 10-072 X CON		630	SCH
1	EA	ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X RW/PA X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WALL STOP	409		US32D	ROC
1	EA	WEATHER STRIPPING	303AS X 36 X 108		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36		C	PEM
1	EA	WIRING HARNESS	CON-38			SCH
1	EA	WIRING HARNESS	CON-192P			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S8A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.07A	AA8	1	SGL	DOOR	CORRIDOR 1.01.A.05 FROM WATER TREATMEN 1.01.A.07	3-6 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	LHR	110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE, HVY	5BB1HW X 5 X 4.5 X TW8 X CON		652	IVE
1	EA	ELECTRIC MORTISE LOCK	L9092JEU-RX X 03N X 10-072 X CON		630	SCH
1	EA	ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 40.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 42 X 108		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-38			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S8B

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.10A	AA7	1	PR	DOORS	VESTIBULE 1.01A.09 TO STORAGE 1.01.A.10	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHA	110/110
1.01.B.09	AA7	1	PR	DOORS	CORRIDOR 1.01.A.05 TO FACILITY STORAGE 1.01.B.09	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHA	110/110
1.01.C.09	AA7	1	PR	DOORS	CORRIDOR 1.01.D.05 TO FACILITY STORAGE 1.01.C.09	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHA	110/110
1.01.D.10A	AA7	1	PR	DOORS	VESTIBULE 1.01.D.09 TO STORAGE 1.01.D.10	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHA	110/110

Arch Set Name:

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
7	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON	ACT	652	IVE
1	EA	FLUSH BOLT, AUTOMATIC, EXTENSION	FB51T-36-MD	BOTH	US32D	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY LOCKED	L9092JEL-RX X 03N X 10-072 X CON	BOTH	630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20		US28	IVE
2	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-336	BOTH	630	RIX
2	EA	CLOSER, REGULAR ARM	4040XP X REG X SRT X 4040XP-18G X [ST-2708]	BOTH	AL	LCN
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35.5		US32D	IVE
2	EA	WEATHER STRIPPING	303AS X 108		A	PEM
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY) DPS LOCATE @ 4-7/8" FROM DOOR EDGE	ACT		B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)

450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S9C.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.01C	AA3	1	PR	DOORS	VESTIBULE 1.01.A.09 FROM DATA HALL A 1.01.A.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.D.01C	AA6	1	PR	DOORS	VESTIBULE 1.01.D.09 FROM DATA HALL D 1.01.D.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110

Arch Set Name:

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
7	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON	ACT	652	IVE
1	EA	FLUSH BOLT, AUTOMATIC, EXTENSION	FB51T-36-MD	BOTH	US32D	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON	BOTH	630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB1 X MB1(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35.5		US32D	IVE
2	EA	WEATHER STRIPPING	303AS X 108		A	PEM
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)	BOTH		B/O
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S9C

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.E.01A	AA2	1	PR	DOORS	CORRIDOR 1.01.E.02 FROM MPOE 1.1 1.01.E.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.E.01B	AA2	1	PR	DOORS	CORRIDOR 1.01.E.02 FROM MPOE 1.1 1.01.E.01	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.E.04A	AA2	1	PR	DOORS	CORRIDOR 1.01.E.02 FROM BDF 1 1.01.E.04	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.E.06	AA2	1	PR	DOORS	CORRIDOR 1.01.E.07 FROM BDF 2 1.01.E.06	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.E.08A	AA2	1	PR	DOORS	CORRIDOR 1.01.E.07 FROM MPOE 1.2 1.01.E.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110
1.01.E.08B	AA2	1	PR	DOORS	CORRIDOR 1.01.E.07 FROM MPOE 1.2 1.01.E.08	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame 60PP Door/60PP Frame	RHRA	110/110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name:

6 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
7	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON	ACT	652	IVE
1	EA	FLUSH BOLT W/ FIRE BOLT, AUTO, EXTENSION	FB52	BOTH	US32D	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON	BOTH	630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB1 X MB1(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
2	EA	WEATHER STRIPPING	303AS X 108		A	PEM
1	EA	WEATHER STRIPPING	303AS X 72 X 108		A	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)	BOTH		B/O
2	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36	BOTH	C	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S10D.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.D.04B	AA7	1	SGL	DOOR	VESTIBULE 1.01.D.04 FROM CORRIDOR 1.01.D.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

Arch Set Name: S10D

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		652	IVE
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER	RX-9875L X E996L (FS-24VDC)(#03) X 575 X 3-0		US32D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-336		630	RIX
1	EA	CLOSER, PARALLEL ARM	4040XP X RW/PA X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 36 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH
1	EA	GLASS BEAD KIT	98/99GBK-R/M		SP28	VON

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S10D

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.04B	AA7	1	SGL	DOOR	VESTIBULE 1.01.A.04 FROM CORRIDOR 1.01.A.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		652	IVE
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER	RX-9875L X E996L (FS-24VDC)(#03) X 575 X 3-0		US32D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	OVERHEAD STOP/HOLDER, CONCEALED	1-336		630	RIX
1	EA	CLOSER, PARALLEL ARM	4040XP X RW/PA X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 36 X 84		A	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading S10E

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.B.S5	AA7	1	SGL	DOOR	CORRIDOR 1.01.A.05 FROM STAIR 5 1.01.B.S5	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.C.S2	AA7	1	SGL	DOOR	CORRIDOR 1.01.D.05 FROM STAIR 2 1.01.C.S2	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.D.S1	AA7	1	SGL	DOOR	VESTIBULE 1.01.D.04 FROM STAIR 1 1.01.D.S1	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.E.S3	AA7	1	SGL	DOOR	CORRIDOR 1.01.E.07 FROM STAIR 3 1.01.E.S3	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.E.S4	AA7	1	SGL	DOOR	CORRIDOR 1.01.E.07 FROM STAIR 4 1.01.E.S4	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

Arch Set Name:

5 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		652	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		652	IVE
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER	RX-9875L X E996L (FS-24VDC)(#03) X 575 X 3-0		US32D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT050SP		SP	PEM
1	EA	KICK PLATE	8402 X B-CS X TK-TX X 24 X 34.5		US32D	IVE
1	EA	WEATHER STRIPPING	303AS X 36 X 84		A	PEM
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE4A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.04A	AB1	1	SGL	DOOR	EXTERIOR FROM VESTIBULE 1.01.A.04	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.A.08C	AA8	1	SGL	DOOR	EXTERIOR FROM ELECTRICAL ROOM A 1.01.A.08	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.A.09	AB1	1	SGL	DOOR	EXTERIOR FROM VESTIBULE 1.01A.09	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.B.07B	AA8	1	SGL	DOOR	EXTERIOR FROM CORE IT ELECTRICAL ROOM 1.01.B.07	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.B.08B	AA8	1	SGL	DOOR	EXTERIOR FROM ELECTRICAL ROOM B 1.01.B.08	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.C.07C	AA8	1	SGL	DOOR	EXTERIOR FROM CORE IT ELECTRICAL ROOM 1.01.C.07	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.C.08B	AA8	1	SGL	DOOR	EXTERIOR FROM ELECTRICAL ROOM C 1.01.C.08	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.D.04A	AB1	1	SGL	DOOR	EXTERIOR FROM VESTIBULE 1.01.D.04	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.D.08C	AA8	1	SGL	DOOR	EXTERIOR FROM ELECTRICAL ROOM D 1.01.D.08	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110
1.01.D.09	AB1	1	SGL	DOOR	EXTERIOR FROM VESTIBULE 1.01.D.09	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Arch Set Name:

10 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		630	IVE
1	EA	ELECTRIC POWER TRANSFER	EPT 10 X CON		SP28	VON
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER	9875L X E996L (FSE-24VDC)(#03) X 575 X 3-0 X CON		US26D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 36 X 84		SN	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM	216APK X 36 W		A	PEM
1	EA	THRESHOLD	252X2AFG X 36 W		A	PEM
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH
1	EA	LATCH GUARD	320-RKW		US32D	ROC

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE5A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.01.A.10C	AA7	1	SGL	DOOR	EXTERIOR FROM STORAGE 1.01.A.10	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110
1.01.D.10C	AA7	1	SGL	DOOR	EXTERIOR FROM STORAGE 1.01.D.10	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	110

Arch Set Name:

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		630	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		630	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON		630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 36 X 84		SN	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM	216APK X 36 W		A	PEM
1	EA	THRESHOLD	252X2AFG X 36 W		A	PEM
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	LATCH GUARD	320-RKW		US32D	ROC

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE7A.1

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.03.B.S5	AA8	1	SGL	DOOR	ROOF FROM STAIR 5 DOGHOUSE 1.03.B.S5	4-0 x 8-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	90
1.03.C.S2	AA8	1	SGL	DOOR	ROOF FROM STAIR 2 DOGHOUSE 1.03.C.S2	4-0 x 8-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	90
1.03.E.02	AA8	1	SGL	DOOR	ROOF FROM ELEV. MACHINE ROOM 1.03.E.02	4-0 x 8-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	110

Arch Set Name:

3 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
3	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		630	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 5 X 4.5 X TW8 X CON		630	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (INSIDE AND OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9095JEU X 03N X 10-072 X CON		630	SCH
2	EA	CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 48 X 96		SN	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL48		C	PEM
1	EA	THRESHOLD	252X3AFG X 48 W		A	PEM
1	EA	WIRING HARNESS	CON-44			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	LATCH GUARD	320-RKW		US32D	ROC

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE7A.2

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.B.03B	AA8	1	SGL	DOOR	ROOF FROM CORRIDOR 1.02.B.03	3-6 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	90

Arch Set Name:

Opening to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 5, HVY WT	5BB1HW X 5 X 4.5 X NRP		630	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 5 X 4.5 X TW8 X CON		630	IVE
1	EA	ELECTRIC MORTISE LOCK	L9095JEU X 03N X 10-072 X CON		630	SCH
2	EA	ELECTRIFIED LOCK (INSIDE AND OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 42 X 84		SN	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL42		C	PEM
1	EA	THRESHOLD	252X3AFG X 42 W		A	PEM
1	EA	WIRING HARNESS	CON-38			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	LATCH GUARD	320-RKW		US32D	ROC

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE7A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Degree
1.02.C.03	AA8	1	SGL	DOOR	ROOF FROM CORRIDOR 1.02.C.03	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	90
1.02.E.02A	AA8	1	SGL	DOOR	ROOF FROM CORRIDOR 1.02.E.02	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	90
1.02.E.02B	AA8	1	SGL	DOOR	ROOF FROM CORRIDOR 1.02.E.02	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHR	90
1.02.E.04	AA8	1	SGL	DOOR	ROOF FROM CORRIDOR 1.02.E.04	3-0 x 7-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHR	90

Arch Set Name:

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
2	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP		630	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON		630	IVE
1	EA	ELECTRIC MORTISE LOCK	L9095JEU X 03N X 10-072 X CON		630	SCH
2	EA	ELECTRIFIED LOCK (INSIDE AND OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED CYLINDER CORE	322201		626	MED
1	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRI X SRT		AL	LCN
1	EA	MOUNTING BRACKET	BKT1532SP		SP	PEM
1	EA	WEATHER STRIPPING	322CSN X 36 X 84		SN	PEM
1	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)			B/O
1	EA	DOOR BOTTOM, AUTOMATIC, SURFACE	4301CRL36		C	PEM
1	EA	THRESHOLD	252X3AFG X 36 W		A	PEM
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	LATCH GUARD	320-RKW		US32D	ROC

ELECTRIC HINGE 2ND FROM BOTTOM.

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER

Control No.38429 (JOB021886)
450

Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE8A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.07B	AA8	1	PR	DOORS	EXTERIOR FROM WATER TREATMENT 1.01.A.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHRA	110/110
1.01.D.07B	AA8	1	PR	DOORS	EXTERIOR FROM WATER TREATMENT 1.01.D.07	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110

Arch Set Name:

2 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
7	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	630	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON	BOTH	630	IVE
1	EA	FLUSH BOLT, AUTOMATIC, EXTENSION	FB51T-36-MD	BOTH	US32D	IVE
1	EA	ELECTRIC MORTISE LOCK ELECTRIFIED LOCK (OUTSIDE CYLINDER) - ELECTRICALLY UNLOCKED	L9092JEU X 03N X 10-072 X CON	BOTH	630	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB2 X MB2(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35.5		US32D	IVE
2	EA	WEATHER STRIPPING	322CSN X 108		SN	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)	BOTH		B/O
2	EA	DOOR SWEEP	345AV X 36 W		A	PEM
1	EA	THRESHOLD	252X2AFG X 72 W		A	PEM
1	EA	GASKETING	S88BL17		BL	PEM
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1

Heading SE10A

Mark	KeyGroup	Qty	Mode	Description	Location	Size / Material / Rating	Hand	Deg Act/InAct
1.01.A.06B	AB1	1	PR	DOORS	EXTERIOR FROM VESTIBULE 1.01A.06	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHRA	110/110
1.01.B.06B	AB1	1	PR	DOORS	EXTERIOR FROM VESTIBULE 1.01.B.06	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110
1.01.C.06B	AB1	1	PR	DOORS	EXTERIOR FROM VESTIBULE 1.01.C.06	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	LHRA	110/110
1.01.D.06B	AB1	1	PR	DOORS	EXTERIOR FROM VESTIBULE 1.01.D.06A	3-0/3-0 x 9-0 x 1 3/4 HMD Door/ HMF Frame NON-RTD Door/NON-RTD Frame	RHRA	110/110

Arch Set Name:

4 Openings - Each to receive:

Qty	UM	Type	Description	Attached To	Finish	Mfgr
7	EA	HINGE, 4 1/2, HVY WT	5BB1HW X 4.5 X 4.5 X NRP	BOTH	630	IVE
1	EA	ELECTRIC HINGE	5BB1HW X 4.5 X 4.5 X TW8 X CON	BOTH	630	IVE
1	EA	FLUSH BOLT, AUTOMATIC, EXTENSION	FB51T-36-MD	BOTH	US32D	IVE
1	EA	MORTISE ELECTRIC EXIT DEVICE LEVER	9875L X E996L (FSE-24VDC)(#03) X 575-2 X 3-0 X CON	BOTH	US26D	VON
1	EA	MORTISE CYLINDER	26-064 X 112		626	SCH
1	EA	CYLINDER CORE	322201		626	MED
1	EA	COORDINATOR, BAR	COR52 X FL20 X MB2 X MB2(SP28)		US28	IVE
2	EA	CLOSER, PARALLEL ARM	4040XP X SCUSH X SRT	BOTH	AL	LCN
2	EA	KICK PLATE	8400 X B-CS X TK-TX X 24 X 35.5		US32D	IVE
2	EA	WEATHER STRIPPING	322CSN X 108		SN	PEM
2	EA	DOOR POSITION SWITCH	SD-72C (3/4 DIAMETER SWITCH) (B/O, FOR REF ONLY)	BOTH		B/O
2	EA	DOOR SWEEP	345AV X 36 W		A	PEM
1	EA	THRESHOLD	252X2AFG X 72 W		A	PEM
1	EA	GASKETING	S88BL17		BL	PEM
1	EA	WIRING HARNESS	CON-32			SCH
1	EA	WIRING HARNESS	CON-192P			SCH
1	EA	BLOCKING RING	36-082 X 025		626	SCH

ACCESS CONTROL BY OTHERS.

DHPACE
Everything Doors Since 1926

DH Pace Company
1901 E. 119th St.
Olathe KS 66061
Tel: (816) 480-2600 Fax: (816) 221-3495

WOOLHAWK DATA CENTER
Control No.38429 (JOB021886)
450
Submitted By: SAVANNA BREEN

HARDWARE SCHEDULE

(s): 1-1A1, 1-1A2, 1-1B1, 1-1B2, 1-1C1, 1-1C2, 1-1D1, 1-1D2, 1-1E1, 1-1E2, 2-1A1, 2-1B1, 2-1C1, 2-1D1, 2-1E1, 2-1E2, 3-1A

End of Schedule