Archives of Computational Methods in Engineering (2025) 32:255–267
https://doi.org/10.1007/s11831-024-10134-2

REVIEW ARTICLE

A Comprehensive Review of Bias in Deep Learning Models: Methods, Impacts, and Future Directions

Milind Shah[1] · **Nitesh Sureja**[1]

Received: 24 January 2024 / Accepted: 22 April 2024 / Published online: 8 May 2024
© The Author(s) under exclusive licence to International Center for Numerical Methods in Engineering (CIMNE) 2024

Abstract

This comprehensive review and analysis delve into the intricate facets of bias within the realm of deep learning. As artificial intelligence and machine learning technologies become increasingly integrated into our lives, understanding and mitigating bias in these systems is of paramount importance. This paper scrutinizes the multifaceted nature of bias, encompassing data bias, algorithmic bias, and societal bias, and explores the interconnectedness among these dimensions. Through an exploration of existing literature and recent advancements in the field, this paper offers a critical assessment of various bias mitigation techniques. It examines the challenges faced in addressing bias and emphasizes the need for an intersectional and inclusive approach to effectively rectify disparities. Furthermore, this review underscores the importance of ethical considerations in the development and deployment of deep learning models. It highlights the necessity of diverse representation in data, fairness-aware algorithms, and interpretability as key elements in creating bias-free AI systems. By synthesizing existing research and providing a holistic overview of bias in deep learning, this paper aims to contribute to the ongoing discourse on mitigating bias and fostering equity in artificial intelligence systems. The insights presented herein can serve as a foundation for future research and as a guide for practitioners, policymakers, and stakeholders to navigate the complex landscape of bias in deep learning.

1 Introduction

The proliferation of artificial intelligence and deep learning has ushered in a new era of technological advancement, revolutionizing various aspects of our lives, from healthcare and finance to transportation and entertainment [1, 2]. However, as these systems increasingly shape our world, the spectre of bias within them looms large [3, 4]. In [5, 6], the paper embarks on a journey to unravel the intricate layers of bias in deep learning, aiming to provide a comprehensive review and analysis that sheds light on the multifaceted nature of this issue.

Figure 1 shows Bias in AI within various forms: data bias, algorithmic bias, and societal bias, each interconnected with the others [7–9]. Data bias arises from the inherent prejudices embedded in training data, which can lead to skewed and unfair predictions. Algorithmic bias, on the other hand, stems from the design and structure of machine learning models, often perpetuating existing biases [10, 11]. Societal bias is the outcome of the broader socio-cultural context within which these systems operate, reflecting and amplifying the inequities prevalent in society [12].

The recognition of bias in AI and machine learning is not a novel revelation; however, it has gained an unprecedented level of prominence in recent years. This heightened awareness is partly due to the growing influence of AI systems in decision-making processes, affecting everything from job applications to criminal justice. As such, the need to address bias in deep learning has never been more pressing.

It undertakes a critical examination of existing literature [13, 14, 18], synthesizing research findings, and identifying gaps in our understanding of bias in deep learning. It reviews the latest advancements and discusses the various techniques and strategies developed to mitigate bias within AI systems. The challenges inherent in addressing bias are

✉ Milind Shah
phdscholar231001@kpgu.ac.in

Nitesh Sureja
nmsureja@gmail.com

[1] Department of Computer Science & Engineering, Krishna School of Emerging Technology & Applied Research (KSET), Drs. Kiran & Pallavi Patel Global University (KPGU), Vadodara, Gujarat, India



Fig. 1 Bias in AI [1]

brought into focus, and the critical role of ethics in AI development and deployment is underscored.

In an era where data-driven decisions are becoming the norm, the emphasizes the necessity of fair, ethical, and unbiased AI systems [19, 21]. To achieve this, it advocates for diverse representation in training data, the implementation of fairness-aware algorithms, and the promotion of model interpretability.

Bias mitigation techniques face several limitations, including the quality and representativeness of training data, the intersectionality of biases, the dynamic nature of biases, a lack of transparency in advanced methods, resource intensity, ethical considerations, regulatory variations, a performance vs. fairness trade-off, limited scope, and continuous evolution. These challenges highlight the need for ongoing research and development in this area to effectively identify and remove biases from deep learning models.

1.1 Research Questions

1. What are the common types of biases encountered in deep learning models, and how do they manifest across different application domains?
2. What are the existing methods and techniques used to detect and mitigate bias in deep learning models?
3. How do biases in training data affect the performance and fairness of deep learning models, particularly in sensitive domains such as healthcare or criminal justice?
4. What are the ethical implications of biased deep learning models, and how can ethical considerations be integrated into the development and deployment of these models?
5. What are the challenges and limitations associated with current approaches to addressing bias in deep learning models, and what are potential avenues for improvement?
6. How do different stakeholders, including researchers, practitioners, policymakers, and end-users, perceive and respond to biases in deep learning models?
7. What are the implications of bias in deep learning models for societal issues such as inequality, discrimination, and privacy?
8. How can interdisciplinary approaches, such as incorporating insights from cognitive science, social sciences, and ethics, enhance our understanding and management of bias in deep learning models?
9. What are the key considerations for evaluating the fairness and robustness of deep learning models in real-world applications, and how can these considerations be operationalized?

10. What are the emerging trends and future directions in research and practice aimed at addressing bias in deep learning models?

1.2 Contribution

The paper makes a significant contribution to understanding and addressing bias in the field of deep learning. In the rapidly evolving landscape of technology and machine learning, where these innovations are becoming a part of our daily lives, it becomes crucial to comprehend and reduce bias within these systems.

The paper thoroughly investigates the nuanced aspects of bias, covering data bias, algorithmic bias, and societal bias. It delves into the intricate connections between these dimensions, shedding light on the complexity of the issue. Drawing on existing research and recent advancements in the field, the paper critically evaluates various techniques for mitigating bias. It identifies and analyzes the challenges encountered in rectifying bias and stresses the importance of adopting an intersectional and inclusive approach to effectively address disparities.

Moreover, the paper emphasizes ethical considerations in the development and deployment of deep learning models. It underscores the necessity of diverse representation in data, the implementation of fairness-aware algorithms, and the importance of interpretability as crucial elements in creating unbiased systems. By synthesizing existing research and offering a comprehensive overview of bias, the paper contributes valuable insights to the ongoing discourse on bias mitigation and the promotion of equality in systems.

1.3 Background History

The exploration of bias in deep learning models has evolved significantly over the past decade, driven by the increasing adoption of these models across various domains and the growing recognition of their societal impact. In the early stages of deep learning research, emphasis was primarily placed on achieving high predictive accuracy and model complexity, often overlooking potential biases inherent in the data and algorithms used. However, as deep learning applications became more prevalent, researchers and practitioners alike began to acknowledge the critical importance of addressing bias to ensure fairness, transparency, and ethical deployment of these models.

Early studies in the mid-2010s started to highlight the presence of biases in deep learning models, particularly concerning issues of algorithmic fairness and discrimination. Research focused on identifying biases related to demographic factors such as race, gender, and socioeconomic status, and their impact on model predictions. These studies laid the groundwork for understanding the ethical implications of biased algorithms and sparked discussions on responsible AI development.

As awareness of bias grew, so did the development of fairness-aware machine learning techniques. Researchers proposed various methods to mitigate bias in deep learning models, including pre-processing techniques such as data augmentation and re-weighting, in-processing methods like adversarial training and fairness constraints, and post-processing approaches such as calibration and bias-aware post-processing. These techniques aimed to address different types of bias, such as selection bias, sample bias, and algorithmic bias, while striving to maintain model performance and utility.

In parallel, researchers began to investigate bias in deep learning models within specific application domains, such as healthcare, finance, criminal justice, and hiring. These studies revealed how biases in training data and model design could lead to disparate impact and inequitable outcomes for different groups. For instance, biases in healthcare models could result in inaccurate diagnoses or unequal access to medical resources based on demographic characteristics.

In recent years, there has been a surge of interest in advancing the state-of-the-art in bias detection, measurement, and mitigation techniques. New approaches leveraging causal inference, counterfactual reasoning, and interpretability tools have been proposed to enhance fairness and transparency in deep learning systems. However, challenges such as algorithmic complexity, interpretability-utility trade-offs, and the need for diverse and representative datasets continue to pose significant hurdles in the quest for bias-free AI.

2 Related Works

The systematic review (SR) discussed in this excerpt aimed to consolidate research on bias and unfairness in machine learning (ML) models by following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines. The SR encompassed five key steps: planning, scoping, searching, assessing, and synthesizing. Challenges encountered during the process included ensuring diverse and representative data sources, dealing with algorithmic complexity and interpretability issues, balancing fairness objectives with model performance, and addressing ethical considerations. The scope was defined through collaboration with experts in ML, leading to the formulation of two pertinent research questions.

The literature search involved exploring multiple reliable and multidisciplinary knowledge bases, supplemented

by keyword optimization techniques and Google Scholar searches. The assessment phase involved bibliometric analysis and abstract screening to select relevant articles for synthesis and analysis, ultimately resulting in the inclusion of 45 articles for discussion in the systematic review. The presented reference papers cover a wide range of topics related to bias in machine learning and deep learning models.

2.1 Literature Papers

Figure 2 shows paper finding process with three stages initial, optimized and additive google scholar. Ferrara [1] explores the Butterfly Effect in AI systems, emphasizing its implications for bias and fairness. Yang [2] investigates dataset characteristics for fake news detection and domain bias mitigation. Giloni et al. [3] propose BENN for bias estimation, aiding in improving model fairness. Teo et al. [4] introduce FairTL for bias mitigation in deep generative models. Liu et al. [5] tackle bias in imbalanced noisy data through sample selection. Dominguez-Catena et al. [6] develop metrics for dataset demographic bias in facial expression recognition. Kulkarni et al. [7] address bias in machine learning models for phishing webpage detection. Zhang et al. [8] propose NExT-OOD for overcoming biases in visual question answering. Rattanaphan and Briassouli [9] evaluate bias, generalization, and fairness in metal surface defect detection. Openja et al. [10] detect and evaluate bias-inducing features in machine learning.



Fig. 2 Paper finding process [14]

Further research delves into bias detection, mitigation, and fairness in AI applications. Dogra et al. [11] survey dataset biases in deep natural language processing. Chen et al. [12] empirically study bias mitigation methods in machine learning classifiers. Hort et al. [13] conducted a comprehensive survey on bias mitigation techniques. Pagano et al. [14] review bias and unfairness in machine learning models, tools, and mitigation methods. Siddique et al. [15] survey machine learning biases and mitigation techniques. Miller et al. [16] work on bias mitigation in diagnosing coronary artery disease. Bai et al. [17] analyze biases in clinical determination using deep learning models. Guo et al. [18] address modality bias recognition and reduction in multimedia computing. Donald et al. [19] survey bias detection for customer interaction data. Lin et al. [20] explore transfer learning for collaborative recommendation with biased and unbiased data.

Continuing the discourse on bias, fairness, and mitigation strategies in AI and ML, Baracaldo et al. [21] benchmark the effect of poisoning defenses on model security and bias. Gilg and Herzog [22] discuss bias in object detection due to box size confidence. Nagpal et al. [23] study in-group bias in deep learning-based face recognition models. Kim et al. [18] predict dataset bias for few-shot image classification. Dreyer et al. [24] reveal hidden context bias in segmentation and object detection. Wehrli et al. [25] delve into bias, awareness, and ignorance in deep learning-based face recognition. Mohammad et al. [26] highlight unfairness in AI resulting from biased data. Gwyn and Roy [27] examine gender bias in convolutional neural networks for facial recognition. Sourlos et al. [28] explore biases in supervised deep-learning algorithms for CT lung nodule detection. Salman et al. [29] investigate bias transfer in transfer learning scenarios.

Continuing the exploration of biases, fairness, and mitigation techniques, Hall et al. [30] conducted a systematic study of bias amplification. Bashar et al. [31] discuss deep learning for bias detection and its deployment. Cha et al. [32] analyze biases and variabilities in clinical diagnosis using AI and human experts. Schmid [33] addresses bias in cross-entropy-based training of deep survival networks. Shen and Plested [34] explore biases and prejudice in facial synthesis via semantic latent space. Schaaf et al. [35] measure bias in image classification models. Krishnakumar et al. [36] propose UDIS for unsupervised discovery of bias in deep visual recognition models. He and Hou [37] discuss taming estimation bias in deep reinforcement learning. Serna et al. [38] measure bias in deep networks and apply it to face gender biometrics. Wang et al. [39] propose strategies for bias mitigation in visual recognition applications.

Finally, Fard et al. [40] studied the impact of biased mislabelling on learning with deep networks. Khosla et al. [41] propose undoing dataset bias damage. Kortylewski and Morel-Forster [42] analyze and reduce dataset bias to improve face recognition accuracy. Guo et al. [43] introduce a deep convolutional transfer learning network for intelligent fault diagnosis. Wang et al. [44] estimate and mitigate gender bias in deep image representations.

2.2 Discussion

The literature review showcases a comprehensive discussion on the critical aspects of bias, fairness, and mitigation strategies in artificial intelligence (AI) and machine learning (ML) systems. Researchers have extensively explored various dimensions of bias, including dataset bias, domain bias, demographic bias, and modality bias, among others. They have developed innovative methods and techniques, such as BENN for bias estimation, FairTL for bias mitigation in deep generative models, and NExT-OOD for overcoming biases in visual question answering. The studies also highlight the challenges posed by imbalanced and noisy data, the need for fair and unbiased datasets, and the impact of biases on algorithmic decision-making processes in domains like fake news detection, phishing webpage detection, and metal surface defect detection. Moreover, researchers have surveyed bias detection and mitigation techniques across different applications, such as natural language processing, clinical diagnosis, face recognition, and image classification, aiming to address issues related to gender bias, in-group bias, and fairness metrics. The overarching goal of these discussions is to promote fairness, transparency, and ethical considerations in the development and deployment of AI and ML systems, ultimately ensuring equitable outcomes and reducing discriminatory practices.

3 Methodology

3.1 Basic Bias Detection Mitigation

The Bias detection mitigation step by step process is shown in Figure 3 and describe as below:

Data Collection This block represents the initial stage, where raw data is gathered from various sources. It could include data from databases, files, sensors, or any other data collection methods.

Data Preprocessing In this stage, the collected raw data undergoes preprocessing tasks such as cleaning, normalization, feature extraction, and transformation. The goal is to prepare the data for further analysis and modeling.

Bias Identification This block signifies the process of identifying biases within the preprocessed data or the machine learning model. Bias identification techniques can include statistical analysis, data exploration, and visualization to uncover biases related to demographics, distributional patterns, or systematic errors.

Bias Mitigation The bias mitigation block represents the strategies and techniques employed to reduce or eliminate biases in the data or model. This can involve methods like re-sampling, data augmentation, algorithm modification, fairness-aware learning, or using bias detection algorithms.

Model Architecture This block refers to designing and defining the architecture of the machine learning model. It includes decisions regarding the type of model (e.g., neural network, decision tree), the number of layers, activation functions, and other architectural components.

Training Model In this stage, the model is trained using the preprocessed and bias-mitigated data. Training involves feeding the data into the model, adjusting model parameters through optimization algorithms (e.g., gradient descent), and iteratively improving the model's performance.

Model Evaluation The model evaluation block signifies the process of assessing the trained model's performance using evaluation metrics and techniques. This includes measuring accuracy, precision, recall, F1 score, confusion matrix analysis, and other performance metrics.

Fairness Metrics This block represents the measurement and evaluation of fairness in the model's predictions and decisions. Fairness metrics assess whether the model's outcomes exhibit fairness across different demographic groups,



Fig. 3 Bias detection mitigation process

ensuring equitable treatment and reducing discriminatory practices.

Each block in the diagram represents a critical stage or process in the bias detection and mitigation workflow, highlighting the key tasks and considerations involved in developing fair and unbiased machine learning models.

3.2 Various Datasets

The Table 1 outlines key datasets for diverse machine learning and computer vision endeavors.

3.3 Various Biases

1. **Label Bias** [1, 4, 14]: Label bias refers to biases introduced during the labeling process of training data. To mitigate label bias, one can employ several strategies. First, it is essential to ensure clear annotation guidelines are provided to annotators, promoting unbiased labeling. Regular monitoring and feedback loops help catch and correct biases in labels. Additionally, techniques such as adversarial training or data augmentation can be applied to create a more diverse training dataset, reducing the impact of label bias on model predictions.

   Example: Sentiment Analysis of Movie Reviews.
   Consider a sentiment analysis model trained to predict the sentiment of movie reviews. If annotators have personal biases or preconceived notions about certain genres, they might label reviews with inherent biases. For instance, labeling all horror movie reviews as negative due to personal dislike can introduce label bias. Mitigating this bias involves providing clear annotation guidelines, continuous monitoring, and potentially using adversarial training techniques [1] to make the model robust to biased labels.
   Limitation: Mitigation measures for label bias may not address underlying biases in the labeling process, leading to inaccuracies in model predictions.

2. **Data Bias** [2, 11, 23, 24]: Data bias stems from imbalances in the training data, often leading to disparities in model predictions. Addressing data bias involves thorough data exploration to identify underrepresented groups. Techniques like oversampling, undersampling, or generating synthetic data can be applied to create a more balanced dataset. Moreover, incorporating fairness-aware algorithms during training helps in mitigating the impact of biased data on the model's decision-making process.

   Example: Facial Recognition System.
   In a facial recognition system, if the training data is predominantly composed of faces from a specific demographic, the model may perform poorly on faces from underrepresented groups. Mitigating data bias involves strategies such as oversampling underrepresented groups, using fairness-aware algorithms [2, 11, 23, 24], and ensuring a diverse and balanced dataset for training.
   Limitation: Mitigation strategies for data bias may not fully eliminate biased patterns in the dataset, resulting in biased model predictions.

3. **Sampling Bias** [3, 21, 22]: Sampling bias occurs when certain groups or characteristics are overrepresented or underrepresented in the training data. Mitigating sampling bias involves carefully designing the data collection process. Employing random sampling, stratified sampling, or using techniques like bootstrapping can help create a more representative dataset. Regularly evaluating and adjusting the sampling strategy based on the evolving characteristics of the data can further reduce sampling bias.

   Example: Health Survey Sampling.
   Imagine a health study that collects survey data only from affluent neighborhoods. The resulting dataset may not accurately represent the broader population, leading to sampling bias. To mitigate this, researchers can implement unbiased sampling strategies [3, 21, 22], such as random or stratified sampling, to ensure a more representative dataset.
   Limitation: Addressing sampling bias may be challenging, as obtaining representative samples from all

Table 1 List of datasets

Dataset Name	Total No of Images	No of Classes	Link to Download
ImageNet	14,197,122	21,841	http://www.image-net.org/download
COCO	328,000	80	https://cocodataset.org/#download
Pascal VOC	27,450	20	http://host.robots.ox.ac.uk/pascal/VOC/
CIFAR-10	60,000	10	https://www.cs.toronto.edu/~kriz/cifar.html
CIFAR-100	60,000	100	https://www.cs.toronto.edu/~kriz/cifar.html
LFW	13,000	1680	http://vis-www.cs.umass.edu/lfw/
CelebA	202,599	40	http://mmlab.ie.cuhk.edu.hk/projects/CelebA.html
VGGFace	2,622,232	2,622,232	http://www.robots.ox.ac.uk/~vgg/data/vgg_face/

subgroups in the population can be resource-intensive and may not always be feasible.

4. **Feature Bias** [4, 18]: Feature bias refers to biases associated with specific features used in the model. To address feature bias, a detailed analysis of features and their potential impact on bias is crucial. Feature engineering techniques can be applied to modify or create new features that reduce discrimination. Additionally, using interpretable models and fairness-aware algorithms allows for a more transparent understanding of how features contribute to bias in predictions.

   Example: Predictive Policing.
   In predictive policing models, if features such as crime rates are used without careful consideration, the model may perpetuate existing biases in law enforcement practices. Addressing feature bias involves analyzing the impact of each feature on predictions, adjusting weights, or using interpretable models [4, 18] to ensure fairness and transparency.
   Limitation: Mitigation of feature bias may not capture all nuances and interactions between features, leading to residual biases in model outputs.

5. **Algorithmic Bias** [5, 12, 25]: Algorithmic bias arises from the learning process of machine learning models. To mitigate algorithmic bias, it is important to regularly audit and analyze the model's predictions. Fairness-aware algorithms, ethical considerations during model design, and incorporating diverse perspectives in the development process help in identifying and addressing biases introduced by the model's learning algorithms.

   Example: Loan Approval System.
   In a loan approval system, if historical data used for training exhibits bias in approval decisions based on factors like gender or race, the model may learn and perpetuate these biases. Mitigating algorithmic bias requires ongoing audits, fairness-aware algorithms [5, 12, 25], and ethical considerations in the model design to ensure fair and unbiased decisions.
   Limitation: Mitigation measures for algorithmic bias may overlook complex decision-making processes within the model, resulting in persistent biases in predictions.

6. **Evaluation Bias** [6, 19, 20, 26]: Evaluation bias occurs when the choice of evaluation metrics favors specific groups or aspects of model predictions. To address evaluation bias, diverse sets of evaluation metrics should be used, including those that capture the performance across different demographic groups. Additionally, incorporating subjective assessments and user feedback into the evaluation process helps uncover biases that may not be evident through quantitative metrics alone.

   Example: Gender Bias in Document Summarization.
   An evaluation bias may occur if a document summarization model is predominantly evaluated using metrics that favor a particular gender's writing style. Mitigating evaluation bias involves diversifying evaluation metrics [6, 19, 20, 26] to account for various aspects of model performance and avoid favoring specific groups.
   Limitation: Mitigation of evaluation bias may not fully account for biases in the evaluation metrics or benchmarks used, affecting the assessment of model fairness.

7. **Temporal Bias** [7]: Temporal bias involves biases that evolve as societal norms change. To mitigate temporal bias, models need to be regularly updated with fresh training data that reflects the most recent societal trends. Continuous monitoring of model performance and adapting to evolving circumstances are essential to ensure that models remain relevant and unbiased over time.

   Example: Predicting Stock Prices.
   In financial prediction models, if historical stock price data is used without considering evolving market trends, the model may exhibit temporal bias. Addressing temporal bias requires continuous monitoring, regular updates with fresh data [7], and adaptation to changing patterns to ensure the model remains relevant over time.
   Limitation: Addressing temporal bias may be challenging, as historical data may not accurately reflect current societal norms or trends, leading to biased model outcomes.

8. **Human-AI Interaction Bias** [8, 16]: Human-AI interaction bias is introduced through the interactions between humans and AI systems. Addressing this bias requires interdisciplinary collaboration, involving experts from diverse backgrounds to contribute to the design and evaluation of AI systems. Incorporating ethical considerations and user feedback and iteratively refining the human-AI interaction process help in identifying and correcting biases introduced during user interactions.

   Example: Voice Assistants Reinforcing Stereotypes.
   Human-AI interaction bias can manifest when voice assistants reinforce societal stereotypes. If a voice assistant consistently responds to certain queries with biased

or stereotypical answers, it can contribute to biased user perceptions. Mitigating this bias involves interdisciplinary collaboration [8, 16], incorporating diverse perspectives, and refining the interaction process to avoid reinforcing biases.
Limitation: Mitigation strategies for human-AI interaction bias may not fully address biases in user behavior or preferences, impacting the fairness of AI systems in real-world applications.

9. **Adversarial Testing** [12, 22]: Adversarial testing involves assessing the model's resilience against intentionally crafted bias or attacks. To perform adversarial testing, developers create scenarios where the model is exposed to manipulated data that simulates real-world adversarial conditions. This helps reveal vulnerabilities and areas for improvement in the model's robustness against intentional biases and attacks.

   Example: Adversarial Attacks on Image Recognition.
   In image recognition, adversaries may manipulate images to deceive a model. For instance, adding imperceptible noise to an image may cause misclassification. Robust models designed for adversarial testing [12, 22] can enhance resilience against intentional biases introduced by malicious actors.
   Limitation: Adversarial testing may not cover all possible attack scenarios or vulnerabilities, leaving AI systems susceptible to adversarial manipulation or exploitation.

10. **Explainability** [14, 18]: Explainability refers to the model's ability to interpret and explain its decisions. To enhance explainability and address potential biases, interpretable machine learning models can be employed. Additionally, techniques such as feature importance analysis and providing transparent explanations for model predictions contribute to building trust and understanding in users, ultimately helping to identify and correct biases in the decision-making process.

    Example: Credit Scoring Model.
    In a credit scoring model, if an applicant is denied credit, it is crucial to provide a clear explanation for the decision. Explainability [14, 18] ensures transparency, helping users understand the factors influencing outcomes and uncovering potential biases in the decision-making process.
    Limitation: While explainability techniques can enhance transparency, they may not fully uncover underlying biases or provide actionable insights for bias mitigation in deep learning models.

The existing methodologies for addressing biases in machine learning models, including those for label bias, data bias, sampling bias, feature bias, algorithmic bias, evaluation bias, temporal bias, human-AI interaction bias, adversarial testing, and Explainability, provide valuable insights into specific facets of bias mitigation. However, a comprehensive and integrated framework that unifies these methodologies into a holistic approach is a potential research gap. Additionally, exploring dynamic models that autonomously adapt to evolving temporal biases, fostering interdisciplinary collaboration for human-AI interaction bias mitigation, defining standardized and comprehensive evaluation metrics, developing long-term adversarial testing strategies, and delving into the intricate relationship between model Explainability and user trust could further advance the field. Addressing these research gaps has the potential to enhance the effectiveness and ethical implications of bias mitigation in machine learning models.

4 Comparative Study, Practical Recommendations & Case Study

4.1 Comparative Study

Table 2 below discusses the need for careful consideration and ongoing efforts in diverse aspects of bias mitigation across different types of biases and model architectures.

4.2 Practical Recommendations for Researchers

1. **Diverse Dataset Collection**: Collect diverse and representative datasets that encompass various demographic groups, perspectives, and contexts relevant to the application domain. Consider factors such as age, gender, ethnicity, geography, and socioeconomic status.
2. **Bias Identification and Analysis**: Conduct thorough bias identification and analysis throughout the data collection, preprocessing, model training, and evaluation stages. Use appropriate tools and techniques to detect biases in data labels, features, sampling methods, and algorithms.
3. **Transparent Reporting**: Transparently report the data sources, preprocessing steps, model architectures, and evaluation metrics used in research papers. Clearly document any bias mitigation techniques applied and their impact on model fairness.
4. **Fairness Evaluation Metrics**: Utilize a range of fairness evaluation metrics, such as demographic parity, equal opportunity, and disparate impact, to assess model performance across different demographic groups.

Table 2 Comparative study

No.	Method	Definition	Pros	Cons	Model Used
1	Label Bias [1, 4, 14]	Bias is introduced during the labeling process of training data, where annotators may unintentionally inject their own biases into the labeled samples. This bias can manifest when annotators have preconceived notions or are influenced by societal stereotypes.	Identifies discrepancies in labels, preventing models from learning incorrect associations.	Requires meticulous annotation efforts, necessitating clear guidelines and continuous monitoring.	Supervised Learning Models, particularly those used in natural language processing and image classification, such as Recurrent Neural Networks (RNNs) and Convolutional Neural Networks (CNNs).
2	Data Bias [2, 11, 23, 24]	Bias is present in the training data itself due to the uneven representation of different groups, leading to imbalances that the model may learn and perpetuate. This can result from historical disparities in data collection.	Helps detect imbalances in the dataset, enabling model developers to address issues related to fairness.	It may require diverse datasets, which can be challenging to obtain and maintain, especially for underrepresented groups.	Various, including Supervised Learning Models like Decision Trees, Support Vector Machines (SVMs), and ensemble methods.
3	Sampling Bias [3, 21, 22]	Bias arises from the non-random sampling of data, where certain groups or characteristics are overrepresented or underrepresented. This can occur during data collection or when selecting samples for training.	Highlights biased sample selection, allowing developers to identify and address issues related to data collection.	Requires careful consideration of the sampling strategy to ensure representative samples, which can be challenging in practice.	Various, including Supervised Learning Models like Random Forests, Gradient Boosting Machines, and other ensemble methods.
4	Feature Bias [4, 18]	Bias associated with specific features used in the model, leading to discrimination based on those features. This bias can emerge when certain features correlate with protected attributes, introducing unfairness.	Identifies features influencing bias, aiding in the development of fairer models.	Requires a deep understanding of features and their impact on model predictions, necessitating expert domain knowledge.	Supervised Learning Models, such as Linear Regression, Logistic Regression, and models designed for interpretability.
5	Algorithmic Bias [5, 12, 25]	Bias is introduced by the algorithms used for training models, where the model may inadvertently learn and perpetuate existing biases present in the training data. This can happen due to complex interactions within the model architecture.	Raises awareness of algorithmic bias, prompting developers to explore and mitigate issues.	Complex to mitigate fully, as biases may emerge from intricate model architectures and interactions.	Various, including Deep Learning Models like Recurrent Neural Networks (RNNs), Transformer models, and complex neural architectures.
6	Evaluation Bias [6, 19, 20, 26]	Bias is introduced during the evaluation of model performance, often stemming from the choice of evaluation metrics. Certain metrics may Favor specific groups or aspects of the model's predictions.	Uncovers biases in evaluation metrics, encouraging the use of diverse metrics for a comprehensive assessment.	Subjective nature of evaluation can lead to biased interpretations of model performance, requiring careful consideration of metrics.	Various, including Supervised Learning Models, were evaluated using metrics like accuracy, precision, recall, and F1 score.
7	Temporal Bias [7]	The bias evolves, affecting model performance as societal norms and preferences change. This can lead to models becoming outdated or exhibiting disparities as new trends emerge.	Captures changes in bias patterns, enabling the adaptation of models to evolving circumstances.	Requires continuous monitoring and updates to model training data, posing challenges in maintaining model relevance over time.	Various, including Temporal Models like Time Series Analysis, recurrent models adapted for evolving data distributions, and dynamic models.
8	Human-AI Interaction Bias [8, 16]	Bias is introduced through interactions between humans and AI systems, reflecting the societal biases of those designing and using the technology. This can result from biased user feedback, user interface design, or the context in which the AI system operates.	Identifies biases in user interactions, fostering awareness and prompting corrective measures.	Complex social dynamics are involved, requiring interdisciplinary approaches for effective mitigation.	Various, including Reinforcement Learning Models designed for human-AI collaboration, user feedback incorporation, and models emphasizing ethical considerations.
9	Adversarial Testing [12, 22]	Testing the model's resilience against intentionally crafted bias or attacks, simulating real-world adversarial conditions where malicious actors intentionally manipulate input data.	Simulates real-world adversarial conditions, revealing vulnerabilities and areas for improvement.	It may not cover all possible scenarios, and the arms race between attackers and defenders continues, demanding ongoing vigilance.	Adversarial Machine Learning Models designed to withstand attacks, including models with adversarial training components and robust architectures.
10	Explainability [14, 18]	The ability to interpret and explain the decisions made by a model, providing insights into the factors influencing predictions. Explainable models offer transparency, aiding users in understanding complex AI-driven decisions.	Increases trust and transparency, helping users understand why a model made a particular decision.	The trade-off with model complexity, as highly interpretable models, may sacrifice predictive performance.	Various, including Interpretable ML Models like Decision Trees, Rule-based Models, and Explainable AI techniques, emphasize clarity in decision-making.

Consider the trade-offs between fairness and accuracy when optimizing models.

5. **Bias Mitigation Techniques**: Implement and experiment with various bias mitigation techniques, including data augmentation, reweighting of training samples, fairness constraints in optimization, adversarial debiasing, and post-processing fairness adjustments.
6. **Human-in-the-loop Approaches**: Incorporate human-in-the-loop approaches to validate model predictions, gather feedback from diverse stakeholders, and iteratively refine models to improve fairness and mitigate biases.
7. **Ethical Guidelines and Frameworks**: Adhere to ethical guidelines and frameworks, such as the ACM Code of Ethics and Professional Conduct or the IEEE Global Initiative for Ethical Considerations in AI and Autonomous Systems, to guide responsible AI research and development.
8. **Collaboration and Knowledge Sharing**: Collaborate with interdisciplinary teams, including ethicists, social scientists, domain experts, and community representatives, to gain diverse perspectives and insights into bias mitigation strategies.
9. **Continuous Monitoring and Auditing**: Implement systems for continuous monitoring, auditing, and updating of AI models in production to detect and mitigate biases that may arise over time due to evolving data distributions or societal changes.
10. **Education and Awareness**: Educate researchers, practitioners, and stakeholders about the importance of bias mitigation, fairness, and responsible AI practices. Foster awareness of biases in AI systems and the potential impacts on marginalized communities.

By following these practical recommendations, researchers can contribute to the development of more fair, accountable, and transparent AI systems that serve diverse user populations and uphold ethical standards.

4.3 Case Studies

4.3.1 Facial Recognition Bias

Issue A facial recognition system trained primarily on data from a specific demographic group (e.g., light-skinned individuals) may exhibit bias against underrepresented groups (e.g., dark-skinned individuals), leading to higher error rates and misidentifications.

Mitigation Strategy Collect a diverse dataset representing a wide range of skin tones, genders, ages, and ethnicities. Apply data augmentation techniques to balance the representation of different groups. Use fairness-aware algorithms that minimize disparities in model performance across demographic categories.

4.3.2 Loan Approval Bias

Issue An AI system used for automated loan approval may discriminate against certain demographic groups (e.g., minorities or low-income individuals) due to biased training data or feature selection, leading to unequal access to financial opportunities.

Mitigation Strategy Conduct an in-depth analysis of features used in the model and remove or adjust features that contribute to bias. Implement fairness-aware algorithms that account for protected attributes (e.g., race or gender) during decision-making. Provide explanations for model predictions to enhance transparency and accountability.

4.3.3 Job Candidate Screening Bias

Issue An AI-driven hiring platform may exhibit bias against candidates from diverse backgrounds if the training data predominantly consists of resumes from a specific demographic or educational background.

Mitigation Strategy Implement blind recruitment practices where sensitive information (e.g., name, gender, age) is anonymized during initial screening. Use algorithms that focus on job-relevant criteria and minimize biases related to non-job-related attributes. Regularly audit and validate model outcomes to ensure fairness and inclusivity.

4.3.4 Medical Diagnosis Bias

Issue Deep learning models used for medical diagnosis (e.g., cancer detection) may produce biased results if training data disproportionately represents certain patient demographics or clinical settings.

Mitigation Strategy Gather diverse and balanced datasets that encompass a wide range of patient characteristics, medical histories, and healthcare providers. Apply techniques such as adversarial training or fairness constraints to reduce biases related to demographic factors. Collaborate

with healthcare professionals to validate model outputs and ensure clinical relevance and accuracy.

These case studies demonstrate the importance of proactive bias mitigation strategies in AI applications to promote fairness, inclusivity, and ethical decision-making.

5 Recent Challenges & Drawbacks

Recent challenges related to bias in deep learning models highlight the complexities and ongoing concerns in this area. Several key challenges include:

Algorithmic Fairness and Debiasing Techniques Developing algorithms that inherently prioritize fairness across diverse demographic groups is an active area of research. Implementing debiasing techniques within the model architecture to rectify biases originating from training data and learning processes.

Data Augmentation for Improved Representation Exploring advanced data augmentation strategies to enhance the diversity and representativeness of training datasets. Addressing challenges in synthesizing additional data points for underrepresented groups to improve model performance for these cohorts.

Dynamic Bias Monitoring and Adaptation Implementing mechanisms for dynamic bias monitoring to detect and adapt to evolving biases in real time. Utilizing continuous learning approaches to ensure that models remain sensitive to changes in societal norms and data distributions.

Intersectional Analysis of Biases Conduct rigorous intersectional analyses to identify and address biases that result from the complex interplay of multiple demographic factors. Developing advanced methodologies for quantifying and mitigating biases that manifest at the intersection of different attributes.

Explainability and Model Interpretability Incorporating Explainability features within model architectures to enhance interpretability. Researching techniques to provide actionable insights into the decision-making process, making models more transparent and interpretable.

Ethical Frameworks in Model Development Establishing ethical guidelines and frameworks for deep learning model development and deployment. Integrating ethical considerations into the model development lifecycle, ensuring responsible practices from the early stages of design to deployment.

Benchmark Datasets for Bias Evaluation Creating standardized benchmark datasets specifically designed for evaluating biases in deep learning models. Developing metrics that quantitatively measure the degree of bias across different dimensions, facilitating objective performance evaluation.

Drawbacks associated with these challenges include the complexity of implementing algorithmic fairness within existing models, the resource-intensive nature of advanced data augmentation techniques, potential biases in dynamic bias monitoring algorithms, limitations in intersectional bias analysis methodologies, the trade-off between model explainability and performance, the subjectivity of ethical frameworks, and the need for ongoing refinement and standardization of bias evaluation metrics. These technical challenges underscore the intricate nature of bias mitigation in deep learning models, necessitating ongoing research and collaboration across the technical and ethical domains. Addressing these challenges is imperative for the responsible and equitable advancement of AI technologies.

6 Conclusion

In Conclusion, the presented papers collectively illuminate the challenges and nuances of bias in machine learning and deep learning models across diverse domains, including collaborative recommendation systems, facial recognition, medical diagnostics, and object detection. Researchers are actively exploring methods rooted in deep learning techniques to understand, measure, and mitigate biases, aiming to enhance the fairness, reliability, and security of these systems. Innovative approaches, such as transfer learning, adversarial training, and sophisticated context-specific explanations, are proposed to address biases stemming from different sources, including data, model architecture, and human factors.

The future scope encompasses the refinement and expansion of these deep learning methodologies to confront evolving challenges in the dynamic landscape of artificial intelligence. Ongoing research can delve into developing more advanced techniques to bolster the robustness of deep learning models against intentional attacks and unintended biases. Furthermore, there is potential for the establishment of standardized benchmarks and evaluation metrics specifically tailored for deep learning models, facilitating fair and comprehensive assessments of bias mitigation strategies within these advanced frameworks. Collaborative efforts between researchers, practitioners, and policymakers are

imperative to formulate guidelines and ethical frameworks that ensure the responsible and unbiased deployment of deep learning technologies in real-world applications. The evolving field of bias mitigation in deep learning holds promise for creating more equitable and trustworthy AI systems, contributing to the advancement of technology with ethical considerations deeply ingrained in its foundations.

Funding No funding was received.

Data Availability Not applicable.

Declarations

Conflict of Interest The authors declare that they have no conflict of interest.

Ethical Approval We would like to emphasize that this research did not involve the use of human or animal subjects.

References

1. Ferrara E (2023) The butterfly effect in artificial intelligence systems: implications for AI bias and fairness, machine learning with applications. 15(September):100525, 2024, https://doi.org/10.1016/j.mlwa.2024.100525
2. Yang L (2024) Characteristics of datasets for fake news detection to mitigate domain bias. Inform Eng Express 10(1):1. https://doi.org/10.52731/iee.v10.i1.786
3. Giloni A et al (2024) BENN: bias estimation using a deep neural network. IEEE Trans Neural Networks Learn Syst 35(1):117–131. https://doi.org/10.1109/TNNLS.2022.3172365
4. .Teo CTH, Abdollahzadeh M, Cheung NM (2024) FairTL: a transfer learning approach for bias mitigation in deep generative models. IEEE Journal on Selected Topics in Signal Processing PP(XX):1–13. https://doi.org/10.1109/JSTSP.2024.3363419
5. Liu H, Sheng M, Sun Z, Yao Y, Hua XS, Shen HT (2024) Learning with Imbalanced noisy data by preventing bias in sample selection. IEEE Trans Multimedia PP:1–12. https://doi.org/10.1109/TMM.2024.3368910
6. Dominguez-Catena I, Paternain D, Galar M, Intelligence (2024) Metrics for dataset demographic bias: a case study on facial expression recognition, IEEE Transactions on Pattern Analysis and Machine Intelligence PP:1–18 https://doi.org/10.1109/TPAMI.2024.3361979
7. Kulkarni A, Balachandran V, Divakaran DM, Das T (2024) MitigaTing Bias In Machine Learning Models For Phishing Webpage Detection. 2024 16th International Conference on COMmunication Systems and NETworkS, COMSNETS 2024, MI:430–432, https://doi.org/10.1109/COMSNETS59351.2024.10427170
8. Zhang X, Zhang F, Xu C (2024) NExT-OOD: overcoming dual multiple-choice VQA biases. IEEE Trans Pattern Anal Mach Intell 46(4):1913–1931. https://doi.org/10.1109/TPAMI.2023.3269429
9. Rattanaphan S, Briassouli A (2024) Evaluating generalization, bias, and fairness in deep learning for metal surface defect detection: a comparative study. Processes 12(3):456. https://doi.org/10.3390/pr12030456
10. Openja M, Laberge G, Khomh F (2024) Detection and evaluation of bias-inducing features in machine learning. 29(1). https://doi.org/10.1007/s10664-023-10409-5
11. Dogra V, Verma S, Kavita M, Wozniak J, Shafi, Ijaz MF (2024) Shortcut learning explanations for deep natural language processing: a survey on dataset biases. IEEE Access 12(January):26183–26195, https://doi.org/10.1109/ACCESS.2024.3360306
12. Chen Z, Zhang JM, Sarro F, Harman M (2023) A comprehensive empirical study of bias mitigation methods for machine learning classifiers. ACM Trans Softw Eng Methodol 32(4). https://doi.org/10.1145/3583561
13. Hort M, Chen Z, Zhang JM, Harman M, Sarro F (2023) Bias mitigation for machine learning classifiers: a comprehensive survey. ACM J Responsible Comput. https://doi.org/10.1145/3631326
14. Pagano TP et al (2023) Bias and unfairness in machine learning models: a systematic review on datasets, tools, fairness metrics, and identification and mitigation methods. Big Data Cogn Comput 7(1):1–31. https://doi.org/10.3390/bdcc7010015
15. Siddique S, Haque MA, George R, Gupta KD, Gupta D, Faruk MJH (2023) Survey on machine learning biases and mitigation techniques. Digital 4(1):1–68. https://doi.org/10.3390/digital4010001
16. Miller RJH et al (2023) Mitigating bias in deep learning for diagnosis of coronary artery disease from myocardial perfusion SPECT images. Eur J Nucl Med Mol Imaging 50(2):387–397. https://doi.org/10.1007/s00259-022-05972-w
17. Bai M et al (2023) The uncovered biases and errors in clinical determination of bone age by using deep learning models. Eur Radiol 33(5):3544–3556. https://doi.org/10.1007/s00330-022-09330-0
18. Guo Y, Nie L, Cheng H, Cheng Z, Kankanhalli M, Bimbo AD (2023) On modality bias recognition and reduction. ACM Trans Multimedia Comput Commun Appl 19(3):1–22. https://doi.org/10.1145/3565266
19. Donald A et al (2023) Bias detection for customer interaction data: a survey on datasets, methods, and tools. IEEE Access 11(March):53703–53715, https://doi.org/10.1109/ACCESS.2023.3276757
20. Lin Z, Liu D, Pan W, Yang Q, Ming Z (2023) Transfer learning for collaborative recommendation with biased and unbiased data. Artif Intell 324:103992. https://doi.org/10.1016/j.artint.2023.103992
21. Baracaldo N et al (2023) Benchmarking the effect of poisoning defenses on the security and bias of deep learning models. 2023 IEEE security and privacy Workshops (SPW) 45–56. https://doi.org/10.1109/SPW59333.2023.00010
22. Gilg J, Herzog F (2023) The box size confidence bias harms your object detector. 2023 IEEE/CVF Winter Conference on Applications of Computer Vision (WACV) 1471–1480, https://doi.org/10.1109/WACV56688.2023.00152
23. Nagpal S, Singh M, Singh R (2023) In-group bias in deep learning-based face recognition models due to ethnicity and age. IEEE Trans Technol Soc 4(1):54–67. https://doi.org/10.1109/TTS.2023.3241010
24. Kim JW, Kim SY, Sohn KA (2023) Dataset bias prediction for few-shot image classification. Electron (Switzerland) 12(11):1–14. https://doi.org/10.3390/electronics12112470
25. Dreyer M, Samek W, Nov CV (2023) Revealing hidden context bias in segmentation and object detection through concept-specific explanations. 2023 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW) 3829–3839
26. Wehrli S, Hertweck C, Amirian M, Glüge S, Stadelmann T (2022) Bias, awareness, and ignorance in deep– learning– based face recognition. AI Ethics 2(3):509–522. https://doi.org/10.1007/s43681-021-00108-6
27. Mohammad C, Haider R, Clifton C, Metrics AF, Unfair AI (2022) It isn't just biased data, 2022 IEEE International Conference on

Data Mining (ICDM) (Icdm):957–962. https://doi.org/10.1109/ICDM54844.2022.00114
28. Gwyn T, Roy K (2022) Examining gender bias of convolutional neural networks via facial recognition. future internet 14(12). https://doi.org/10.3390/fi14120375
29. Sourlos N, Wang J, Nagaraj Y, van Ooijen P, Vliegenthart R (2022) Possible bias in supervised deep learning algorithms for CT lung nodule detection and classification. Cancers 14(16):1–15. https://doi.org/10.3390/cancers14163867
30. Salman H, Jain S, Ilyas A, Engstrom L, Wong E, Madry A (2022) When does bias transfer in transfer learning? arxiv. Available: http://arxiv.org/abs/2207.02842
31. Hall M, van der Maaten L, Gustafson L, Jones M, Adcock A (2022) A systematic study of bias amplification, computer vision and pattern recognition. 1(1). Available: http://arxiv.org/abs/2201.11706
32. Bashar MA, Nayak R, Kothare A, Sharma V, Kandadai K (2021) Deep learning for bias detection: from inception to deployment. Commun Comput Inform Sci 1504 CCIS:86–101. https://doi.org/10.1007/978-981-16-8531-6_7
33. Cha D, Pae C, Lee SA, Na G, Hur YK, Young H (2021) Differential biases and variabilities of deep learning– based artificial intelligence and human experts in clinical diagnosis: retrospective cohort and survey study corresponding author. JMIR Med Inf 9:1–12. https://doi.org/10.2196/33049
34. Schmid M (2021) Bias in cross-entropy-based training of deep survival networks. IEEE Trans Pattern Anal Mach Intell 43(9):3126–3137. https://doi.org/10.1109/TPAMI.2020.2979450
35. Shen X, Plested J (2021) Exploring biases and prejudice of facial synthesis via Semantic Latent Space. 2021 Int Joint Conf Neural Networks (IJCNN) 1–8. https://doi.org/10.1109/IJCNN52387.2021.9534287
36. Schaaf N, de Mitri O, Kim HB, Windberger A, Huber MF (2021) Towards measuring bias in image classification, lecture notes in computer science (including subseries lecture notes in artificial intelligence and lecture notes in bioinformatics. 12893 LNCS(036):433–445, https://doi.org/10.1007/978-3-030-86365-4_35
37. Krishnakumar A, Prabhu V, Sudhakar S, Hoffman J (2021) UDIS: Unsupervised discovery of bias in deep visual recognition models, computer vision and pattern recognition. 1–15. Available: http://arxiv.org/abs/2110.15499
38. He Q, Hou X, WD3 (2020) Taming the estimation bias in deep reinforcement learning. 2020 IEEE 32nd International Conference on Tools with Artificial Intelligence (ICTAI) WD3:, 391–398. https://doi.org/10.1109/ICTAI50040.2020.00068
39. Serna I, Peña A, Morales A, Fierrez J (2020) Insidebias: measuring bias in deep networks and application to face gender biometrics. Proc - Int Conf Pattern Recognit 3720–3727. https://doi.org/10.1109/ICPR48806.2021.9412443
40. Wang Z et al (2020) Towards fairness in visual recognition: effective strategies for bias mitigation. Proc IEEE Comput Soc Conf Comput Vis Pattern Recognit 8916–8925. https://doi.org/10.1109/CVPR42600.2020.00894
41. Kortylewski A, Morel-forster A (2019) Analyzing and reducing the damage of dataset bias to face recognition with synthetic data. 2019 IEEE/CVF Conf Comput Vis Pattern Recognit Workshops 2261–2268. https://doi.org/10.1109/CVPRW.2019.00279
42. Guo L, Lei Y, Xing S, Yan T, Li N (2019) Deep convolutional transfer learning network: a new method for intelligent fault diagnosis of machines with unlabeled data. IEEE Trans Industr Electron 66(9):7316–7325. https://doi.org/10.1109/TIE.2018.2877090
43. Wang T, Zhao J, Yatskar M, Chang K.W., Ordonez V (2019) Balanced datasets are not enough: estimating and mitigating gender bias in deep image representations. Proc IEEE Int Conf Comput Vis 2019–Octob(no Iccv):5309–5318. https://doi.org/10.1109/ICCV.2019.00541
44. Fard S F., Hollensen P, Mcilory S, Trappenberg T (2017) Impact of biased mislabeling on learning with deep networks. 2017 Int Joint Conf Neural Networks (IJCNN) 2652–2657. https://doi.org/10.1109/IJCNN.2017.7966180

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Springer Nature or its licensor (e.g. a society or other partner) holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.