Matthew Mendoza

CSC 174 - Advanced Database Management Systems

Dr. Yin Jin

March 3, 2023

Assignment 3

Contents

Create Table Statements	2
Student Table	2
TA Table	2
Course Table	2
Enrolled Table	2
Instructor Table	3
Classroom Table	3
OnlineCourse Table	3
InPersonCourse Table	3
Populate Database - Insert Statements	4
Create Students	4
Create Tas	5
Create Courses	5
Create Enrolled Courses	6
/* Create Instructors */	8
/* Create Classrooms */	9
/* Create OnlineCourses */	9
/* Create InPersonCourses */	10
CREATE VIEWS	11
TAView	11
OnlineView	11
InPersonCourseView	12
Drop View and Table	12
Initial Setup – self reference for future assignments	13

Create Table Statements

Student Table

```
mysql> CREATE TABLE Student
-> (SSN CHAR(9),
-> StudentName VARCHAR(30),
-> Address VARCHAR(30),
-> Email VARCHAR(30),
-> PRIMARY KEY (SSN));
Query OK, 0 rows affected (0.04 sec)


mysql>
```

TA Table

```
mysql> CREATE TABLE TA
-> (SSN CHAR(9),
-> Salary INTEGER,
-> FOREIGN KEY (SSN) REFERENCES Student(SSN));
Query OK, 0 rows affected (0.02 sec)

mysql>
```


Course Table




Enrolled Table

```
mysql> CREATE TABLE Enrolled
-> (SSN CHAR(9),
-> CourseNo VARCHAR(7),
-> GRADE CHAR(1),
-> PRIMARY KEY (SSN, CourseNo),
-> FOREIGN KEY (CourseNo) REFERENCES Course(CourseNo));
Query OK, 0 rows affected (0.04 sec)
```


Instructor Table



Classroom Table



OnlineCourse Table



InPersonCourse Table


```
mysql> CREATE TABLE InPersonCourse
    -> (CourseNo VARCHAR(7) REFERENCES Course(CourseNo),
    -> RoomNo INTEGER,
    -> Building VARCHAR(10),
    -> ClassTime VARCHAR(7) NOT NULL,
    -> FOREIGN KEY (RoomNo, Building) REFERENCES Classroom(RoomNo, Building));
Query OK, 0 rows affected (0.03 sec)
```

Populate Database - Insert Statements

Create Students


```
matthewmendoza2@ecs-pd-proj-db:~
mysql>
mysql> INSERT INTO Student
    -> (SSN, StudentName, Address, Email)
    -> (862494318, 'Haruhi Fujioka', '7098 Prince Ave', 'haruhi fujioka@hostclub.com');
Query OK, 1 row affected (0.01 sec)
mysql>
matthewmendoza2@ecs-pd-proj-db:~
                                                                                   mysql> INSERT INTO Student
   -> (SSN, StudentName, Address, Email)
    -> VALUES
    -> (539991337, 'Tamaki Suoh', '743 Arlington Lane', 'tamaki suoh@hostclub.com');
Query OK, 1 row affected (0.01 sec)
mysql>
matthewmendoza2@ecs-pd-proj-db:~
mysql> INSERT INTO Student
    -> (SSN, StudentName, Address, Email)
    -> VALUES
    -> (567556659, 'Kyoya Ootori', '756 Pennington Road', 'kyoya ootori@hostclub.com');
Query OK, 1 row affected (0.00 sec)
mysql>
matthewmendoza2@ecs-pd-proj-db:~
                                                                                      \times
mysql> INSERT INTO Student
   -> (SSN, StudentName, Address, Email)
   -> VALUES
   -> (158901162, 'Mitsukuni Haninozuka', '142 Old Vernon St', 'mitsukuni nozuka@hostclub.com');
Query OK, 1 row affected (0.00 sec)
mysql>
matthewmendoza2@ecs-pd-proj-db:~
                                                                                      X
mysql> INSERT INTO Student
   -> (SSN, StudentName, Address, Email)
   -> VALUES
    -> (540915327, 'Takashi Morinozuka', '9245 Pineknoll Ave', 'takashi nozuka@hostclub.com');
Query OK, 1 row affected (0.00 sec)
mysql>
```

Create Tas




Create Courses


mysql>




```
matthewmendoza2@ecs-pd-proj-db:~
                                                             \times
mysql> INSERT INTO Course
   -> (CourseNo, CourseName, NoOfStudents, InstructorID, TASSN)
    -> (23456, 'Data WHS & Mining', 3, 222222222, 567556659);
Query OK, 1 row affected (0.00 sec)
```

```
matthewmendoza2@ecs-pd-proj-db:~
                                                             mysql> INSERT INTO Course
    -> (CourseNo, CourseName, NoOfStudents, InstructorID, TASSN)
    -> VALUES
    -> (34567, 'INTRO to PROB Theory', 33, 333333333, 158901162);
Query OK, 1 row affected (0.00 sec)
mysql>
 matthewmendoza2@ecs-pd-proj-db:~
                                                           mysql> INSERT INTO Course
   -> (CourseNo, CourseName, NoOfStudents, InstructorID, TASSN)
   -> VALUES
    -> (45678, 'Computer Forensics', 23, 44444444, 158901162);
Query OK, 1 row affected (0.00 sec)
mysql>
 matthewmendoza2@ecs-pd-proj-db:~
                                                          \times
mysql> INSERT INTO Course
   -> (CourseNo, CourseName, NoOfStudents, InstructorID, TASSN)
   -> (67890, 'DB MGMT Systems', 63, 1111111111, 540915327);
Query OK, 1 row affected (0.00 sec)
mysql>
 matthewmendoza2@ecs-pd-proj-db:~
                                                                 X
                                                           mysql> INSERT INTO Course
   -> (CourseNo, CourseName, NoOfStudents, InstructorID, TASSN)
   -> VALUES
    -> (78901, 'INTRO MATH STATS', 39, 333333333, 540915327);
Query OK, 1 row affected (0.00 sec)
mysql>
Create Enrolled Courses
 matthewmendoza2@ecs...
```







```
matthewmendoza2@ecs-pd-proj-db:~
                                         mysql> INSERT INTO Instructor
   -> (Title, InstructorID, InstructorName)
    -> VALUES
    -> ('Professor', 1111111111, 'Ying Jin');
VALUES
('Professor', 222222222, 'Anna Baynes');
INSERT INTO Instructor
(Title, InstructorID, InstructorName)
VALUES
('Professor', 333333333, 'Xiaoyan Sun');
INSERT INTO Instructor
(Title, InstructorID, InstructorName)
VALUES
('Professor', 555555555, 'Haiquan Chen');
INSERT INTO Instructor
(Title, InstructorID, InstructorName)
VALUES
('Professor', 66666666, 'Herbert Mayer');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql> INSERT INTO Instructor
   -> (Title, InstructorID, InstructorName)
    -> VALUES
   -> ('Professor', 222222222, 'Anna Baynes');
Query OK, 1 row affected (0.00 sec)
mysql>
mysql> INSERT INTO Instructor
   -> (Title, InstructorID, InstructorName)
    -> VALUES
    -> ('Professor', 333333333, 'Xiaoyan Sun');
Query OK, 1 row affected (0.00 sec)
mysql>
mysql> INSERT INTO Instructor
   -> (Title, InstructorID, InstructorName)
    -> VALUES
    -> ('Professor', 555555555, 'Haiquan Chen');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql> INSERT INTO Instructor
   -> (Title, InstructorID, InstructorName)
    -> VALUES
    -> ('Professor', 66666666, 'Herbert Mayer');
Query OK, 1 row affected (0.00 sec)
mysql>
```

/* Create Classrooms */

```
mysql> INSERT INTO Classroom
-> (RoomNo, Building, Capacity)
-> VALUES
-> (202, 'SQU', 30);
Query OK, 1 row affected (0.01 sec)

mysql>
mysql> INSERT INTO Classroom
-> (RoomNo, Building, Capacity)
-> VALUES
-> (101, 'RVR', 30);
Query OK, 1 row affected (0.01 sec)

mysql>
```

/* Create OnlineCourses */

```
matthewmendoza2@ecs-pd-proj-db:~
                                                                                  X
mysql> INSERT INTO OnlineCourse
   -> (CourseNo, URL)
   -> VALUES
   -> (12345, 'https://csus.zoom.us/j/97924806971');
INSERT INTO OnlineCourse
(CourseNo, URL)
VALUES
(23456, 'https://csus.zoom.us/j/7043055709');
INSERT INTO OnlineCourse
(CourseNo, URL)
VALUES
(45678, 'https://csus.zoom.us/j/99963148416');Query OK, 1 row affected (0.00 sec)
mysql>
mysql> INSERT INTO OnlineCourse
   -> (CourseNo, URL)
    -> VALUES
   -> (23456, 'https://csus.zoom.us/j/7043055709');
Query OK, 1 row affected (0.00 sec)
mysql>
mysql> INSERT INTO OnlineCourse
   -> (CourseNo, URL)
    -> VALUES
    -> (45678, 'https://csus.zoom.us/j/99963148416');
Query OK, 1 row affected (0.00 sec)
mysql>
```

/* Create InPersonCourses */

```
matthewmendoza2@ecs-pd-proj-db:~
                                                           X
mysql> INSERT INTO InPersonCourse
   -> (CourseNo, RoomNo, Building, ClassTime)
   -> VALUES
    -> (34567, 202, 'SQU', '9:00 am');
Query OK, 1 row affected (0.00 sec)
mysql>
mysql> INSERT INTO InPersonCourse
   -> (CourseNo, RoomNo, Building, ClassTime)
   -> VALUES
   -> (56789, 202, 'SQU', '12:00 pm');
ERROR 1406 (22001): Data too long for column 'ClassTime' at row 1
mysql>
mysql> INSERT INTO InPersonCourse
   -> (CourseNo, RoomNo, Building, ClassTime)
   -> VALUES
   -> (67890, 101, 'RVR', '1:30 am');
Query OK, 1 row affected (0.00 sec)
mysql>
mysql> INSERT INTO InPersonCourse
   -> (CourseNo, RoomNo, Building, ClassTime)
   -> VALUES
   -> (78901, 101, 'RVR', '2:00 pm');
Query OK, 1 row affected (0.01 sec)
mysql>
```

CREATE VIEWS

TAView

```
matthewmendoza2@ecs-pd-proj-db:~
                                                                                              ×
                                                                                         mysql> /* Create view for TAs */
mysql>
mysql> CREATE VIEW TAView As
   -> Select S.SSN, S.StudentName, S.Address, S.Email, T.Salary
   -> Where S.SSN=T.SSN;
Query OK, 0 rows affected (0.00 sec)
mvsal>
mysql> /* "Print" items in TAView */
mysql>
mysql> SELECT * FROM TAView;
           | StudentName
                                 Address
                                                      | Email
                                                                                    | Salary |
 567556659 | Kyoya Ootori
                                 | 756 Pennington Road | kyoya ootori@hostclub.com
                                                                                       10000
 158901162 | Mitsukuni Haninozuka | 142 Old Vernon St | mitsukuni nozuka@hostclub.com |
                                                                                       20000
 540915327 | Takashi Morinozuka | 9245 Pineknoll Ave | takashi_nozuka@hostclub.com
                                                                                      30000
3 rows in set (0.00 sec)
mysql>
```

OnlineView

```
matthewmendoza2@ecs-pd-proj-db:~
                                                                                                              \times
mysql> /* Create view for OnlineCourses */
mysql>
mysql> CREATE VIEW OnlineCourseView As
    -> Select C.CourseNo, C.CourseName, C.InstructorID, C.NoOfStudents, C.TASSN, W.URL
   -> From Course as C, OnlineCourse as W -> Where C.CourseNo = W.CourseNo;
Query OK, 0 rows affected (0.00 sec)
mysql>
mysql> /* "Print" items in OnlineCourseView */
mysql> SELECT * FROM OnlineCourseView;
| CourseNo | CourseName
                                 | InstructorID | NoOfStudents | TASSN | URL
          | ADV DB MGT Systems | 111111111
                                                             90 | 567556659 | https://csus.zoom.us/j/97924806971 |
12345
          | Data WHS & Mining | 222222222
                                                              3 | 567556659 | https://csus.zoom.us/j/7043055709
                                                             23 | 158901162 | https://csus.zoom.us/j/99963148416 |
 45678
          | Computer Forensics | 444444444
3 rows in set (0.00 sec)
nysql>
```

InPersonCourseView

```
matthewmendoza2@ecs-pd-proj-db:~
                                                                                                                 \times
mysql> /* Create view for InPersonCourses */
mysql> CREATE VIEW InPersonCourseView As
   -> Select C.CourseNo, C.CourseName, C.InstructorID, C.NoOfStudents, C.TASSN, T.ClassTime, T.RoomNo, T.Building
   -> From Course as C, InPersonCourse as T
-> Where C.CourseNo = T.CourseNo;
Query OK, 0 rows affected (0.01 sec)
mysql>
mysql> /* "Print" items in InPersonCourseView */
mysql>
mysql> SELECT * FROM InPersonCourseView;
 CourseNo | CourseName
                                   | InstructorID | NoOfStudents | TASSN
                                                                               | ClassTime | RoomNo | Building |
           | INTRO to PROB Theory | 333333333
                                                               33 | 158901162 | 9:00 am
                                                                                                 202 | SQU
           | DB MGMT Systems
                                   | 111111111
                                                               63 | 540915327 | 1:30 am
                                                                                                 101 | RVR
 67890
 78901
          | INTRO MATH STATS
                                   333333333
                                                               39 | 540915327 | 2:00 pm
                                                                                                 101 | RVR
mysql>
```

Drop View and Table



Initial Setup – self reference for future assignments

- 1. VPN, GlobalProtect, to the campus network using your SacLink account.
- 2. Use SSH to connect to the server. Type "ecs-pd-proj-db.ecs.csus.edu" as the host name.
 - a. If using MacOS: ssh saclinkUserName@ ecs-pd-proj-db.ecs.csus.edu
- 3. Enter your SacLink user name and password
- 4. Then type the following command: mysql -h ecs-pd-proj-db.ecs.csus.edu -u dbUserName -p
 - a. Use your professor assigned dbUserName; for example,

mysql -h ecs-pd-proj-db.ecs.csus.edu -u CSC123456 -p

- 5. Enter your professor assigned password
 - a. For example: Csc134 123456789
- 6. Enter: use [provided dbUserName]
 - a. For example

mysql> use CSC123456

Database changed

