## Matthew Mendoza Assignment HW-07 due 03/13/2024 at 11:59pm PDT

**1.** (1 point) Let *A* and *B* be the following matrices.

$$A = \begin{bmatrix} 8 & 1 & -1 \\ -2 & -2 & -7 \\ -8 & -7 & 8 \end{bmatrix}, \qquad B = \begin{bmatrix} -3 & 3 & 0 \\ -1 & 0 & -2 \\ -7 & -9 & -8 \end{bmatrix}$$

Perform the following operations:

Correct Answers:

$$\begin{bmatrix}
64 & 8 & -8 \\
-16 & -16 & -56 \\
-64 & -56 & 64
\end{bmatrix}$$

$$\begin{bmatrix} -22 & 31 & -1 \\ -12 & -2 & -27 \\ -78 & -97 & -72 \end{bmatrix}$$

$$\begin{bmatrix}
-52 & 7 & 5 \\
6 & 10 & 27 \\
12 & -1 & -72
\end{bmatrix}$$

**2.** (1 point) Let

$$A = \left[ \begin{array}{rrr} 1 & 1 & -1 \\ -1 & 5 & -5 \\ 2 & -1 & -5 \end{array} \right].$$

Compute the following.

Correct Answers:

$$\left[ \begin{array}{ccc} 2 & 0 & 1 \\ 0 & 10 & -6 \\ 1 & -6 & -10 \end{array} \right]$$

$$\begin{bmatrix}
0 & 2 & -3 \\
-2 & 0 & -4 \\
3 & 4 & 0
\end{bmatrix}$$

**3.** (1 point) Compute the following products.

$$\begin{bmatrix} -7 & -1 \\ -5 & -1 \end{bmatrix} \begin{bmatrix} -4 \\ 2 \end{bmatrix} = \begin{bmatrix} -\frac{1}{2} \\ -\frac{1}{2} \end{bmatrix}$$

$$\begin{bmatrix} -7 & -1 \\ -5 & -1 \end{bmatrix} \begin{bmatrix} 1 \\ 5 \end{bmatrix} = \begin{bmatrix} -\frac{1}{2} \\ -\frac{1}{2} \end{bmatrix}$$

$$\begin{bmatrix} -7 & -1 \\ -5 & -1 \end{bmatrix} \begin{bmatrix} -4 & 1 \\ 2 & 5 \end{bmatrix} = \begin{bmatrix} -\frac{1}{2} \\ -\frac{1}{2} \end{bmatrix}$$
Correct Answers:

•  $\begin{bmatrix} 26 \\ 18 \end{bmatrix}$ 

 $\left[ \begin{array}{c} -12 \\ -10 \end{array} \right]$ 

 $\begin{bmatrix} 26 & -12 \\ 18 & -10 \end{bmatrix}$ 

**4.** (1 point) Compute the following product.

$$\begin{bmatrix} -4 & 7 \\ 9 & -9 \end{bmatrix} \begin{bmatrix} -2 & -1 & -3 \\ 8 & 4 & -5 \end{bmatrix} = \begin{bmatrix} -2 & 2 & 2 \\ 2 & 2 & 2 \end{bmatrix}$$
Correct Answers:

 $\begin{bmatrix} 64 & 32 & -23 \\ -90 & -45 & 18 \end{bmatrix}$ 

**5.** (1 point) Compute the following product.

$$\begin{bmatrix} 5 & -3 & -1 \\ 9 & 9 & 5 \\ 4 & 3 & 4 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 0 \end{bmatrix} = \begin{bmatrix} --- & -- \\ --- & -- \end{bmatrix}$$
Correct Answers:

$$\begin{bmatrix} 5 & -12 & 0 \\ 9 & 36 & 0 \\ 4 & 12 & 0 \end{bmatrix}$$

1

**6.** (1 point) Compute the following product.

$$\begin{bmatrix} -8 & 0 & 0 \\ 3 & 6 & 0 \\ -6 & 7 & -5 \end{bmatrix} \begin{bmatrix} 9 & 0 & 0 \\ -5 & -2 & 0 \\ -6 & -4 & 1 \end{bmatrix} = \begin{bmatrix} --- & -- \\ --- & -- \end{bmatrix}$$

$$\begin{bmatrix} -72 & 0 & 0 \\ -3 & -12 & 0 \\ -59 & 6 & -5 \end{bmatrix}$$

7. (1 point) Compute the following product.

$$\begin{bmatrix} 1 & -3 & 1 \\ -8 & -7 & -2 \\ 2 & 4 & 5 \end{bmatrix} \begin{bmatrix} 5 & -1 & 1 \\ 5 & 9 & -1 \\ -1 & -2 & -8 \end{bmatrix} = \begin{bmatrix} ---- & --- \\ --- & --- \\ --- & --- \end{bmatrix}$$
Correct Answers:

$$\begin{bmatrix}
-11 & -30 & -4 \\
-73 & -51 & 15 \\
25 & 24 & -42
\end{bmatrix}$$

**8.** (1 point) Let A and B be the following matrices.

$$A = \begin{bmatrix} 8 & 4 \\ -3 & 6 \end{bmatrix}, \qquad B = \begin{bmatrix} -5 & -9 \\ 2 & -7 \end{bmatrix}$$

Perform the following operations:

$$A \cdot B = \begin{bmatrix} --- \\ --- \end{bmatrix}$$

$$B \cdot A = \begin{bmatrix} --- \\ --- \end{bmatrix}$$

Correct Answers.

$$\begin{bmatrix} -32 & -100 \\ 27 & -15 \end{bmatrix}$$

$$\begin{bmatrix} -13 & -74 \\ 37 & -34 \end{bmatrix}$$

**9.** (1 point) Let A and B be the following matrices.

$$A = \begin{bmatrix} -5 & -9 & 4 \\ -2 & 7 & 3 \end{bmatrix}, \qquad B = \begin{bmatrix} -1 & 2 \\ -5 & -5 \\ 6 & -6 \end{bmatrix}$$

Perform the following operations:

$$A \cdot B = \begin{bmatrix} --- \\ --- \end{bmatrix}$$

Generated by ©WeBWorK, http://webwork.maa.org, Mathematical Association of America

$$\begin{bmatrix} 1 & 23 & 2 \\ 35 & 10 & -35 \\ -18 & -96 & 6 \end{bmatrix}$$

**10.** (1 point)

If A and B are  $4 \times 6$  matrices, and C is a  $7 \times 4$  matrix, which of the following are defined?

- A. CB
- $\bullet$  B. B-A
- C. CA B
- D. A+C
- E. AB

Correct Answers:

- AB
- **11.** (1 point) Solve for *X*.

$$\begin{bmatrix} -2 & 6 & -6 \\ 1 & 6 & 5 \end{bmatrix} = -5X - 5 \begin{bmatrix} -5 & 4 & 7 \\ 5 & 5 & -1 \end{bmatrix}.$$

$$X = \begin{bmatrix} -\frac{1}{2} & -\frac{1}{2} \\ -\frac{1}{2} & -\frac{1}{2} \end{bmatrix}$$
Correct Answers:

$$\begin{bmatrix}
5.4 & -5.2 & -5.8 \\
-5.2 & -6.2 & 0
\end{bmatrix}$$

12. (1 point) Find a non-zero  $2 \times 2$  matrix A such that  $A^2 = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$ . (Your answer for A needs to be nonzero, which means it can have some zeros in it but not all zeros.)

$$A = \begin{bmatrix} - - \\ - - \end{bmatrix}$$

Correct Answers:

$$\begin{bmatrix} 0 & 1 \\ 0 & 0 \end{bmatrix}$$