A		AS002 Process Audi		Audit No./Year:	2021	
Au		- Summary Report -		start date	2021-12-27	
	目注了#四//士四	A Too diek Co. I tel	Audi	it end date	2021-12-27	
Company:	易連工業股份有限公司 Easylink Co. Ltd 台灣高雄市岡山區本工環東路1號 No. 1,Bengonghuan E. Rd.,Gangshan Dist., Kaohsiung City Taiwan (R.O.C.)					
ddress:						
rocess(es):	螺栓 BOLT					
roducts:	汽機車零件,螺絲螺帽 Automobile and motorcycle parts, screws and nuts					
ertifications		IATF16949 : 2016 \ ISO 14001	Line in One life Desir			
Total number of employees:		Employees working in Quality Dept.:				
lain customer(s):		Au				
lain raw material	supplier used:	中鋼				
Audit reason: `	Regular audit:		X			
	Initial audit for new supplier: Initial audit for new process:					
	Audit due to quality incident:					
	Audit due to process change (for example relocation):					
	Other Reason:					
	Nam	ne Position	Phone		E-Mail	
Auditor(s):	1	SQE		i	m	
	JI	3QE	#328	J	<u></u>	
	Ed	QA Dept Manager	#323	е	com	
Participants and	YUKI YEH		(80) 90/3(6)	yuki@easylir	nk.com.tw	
position:		QA Manager	#600			
	REX YANG	System Rep.		rex@easylin	k.com.tw	
			#700			
	Audit date		This audit 2021-	12-27	Previous audit	
	Number of Major Non-conformities:)		
	Number of Minor Non-conformities:)		
	Number of Improvement Potentials:			,		
	The control of the co		11		L	
	Amount of answered questions (Max 105)		105			
	Amount of answered questions in %		105	. 1 %		
	Latest correction date:					
			to be comple	ted (Audit	Corrective actions	
Audit Result GREEN			date + 90 day		completed	
	Comply with ALV					
Comments			W. I. In IA-EA I = 654 A 0047 F			
mprovement Areas:	3.7-洛式硬度機經確認程序書QEM 04內容有實施定期能力比對,但校驗標籤為2017年。 4.1.2-經查驗多沖製程生產線之不合格品區,有一捲線材為春興工業提供,12/13已進行進料檢驗合格,有懸掛QR COD					
Aloud	合格標籤。但於生	合格標籤。但於生產中發現產品有開裂的現象,故移至不合格區且以紅色圍欄圍住,有掛紅色不合格品標籤,但未將〝				
	QR CODE合格標籤″移除。					
Best Practice	1.現場發現不合格品之管理方式除了立即隔離處置以外,對於產品後續的處理不論是光篩或人工全檢,皆能確實被管控。					
Areas:		2.目前紹前步署導入 **IOT系統 / ,作為邁向工業4.0的先驅。 3.自動倉儲系統包含產品及模具管理建構完整。				
	0.日初后面外似巴					
1/10	DON 17/1			7		
Tate Process	KNX W A	<u> </u>	Date, Auditor si	gnature		
Date,`Process Manager signature			Date, Maditor of	g. 10.010		