

Chapter 4, Section 1. Exercises 1, 2, 3 and 5

MTH 594, Prof. Mikael Vejdemo-Johansson
Differential Geometry Independent Study

Matthew Connelly

October 9, 2018

Exercise 4.1.2

Define surface patches $\sigma_{\pm}^x : U \rightarrow \mathbb{R}^3$ for S^2 by solving the equation $x^2 + y^2 + z^2 = 1$ for x in terms of y and z :

$$\sigma_{\pm}^x(u, v) = (\pm\sqrt{1 - u^2 - v^2}, u, v)$$

defined on the open set $U = \{(u, v) \in \mathbb{R}^2 \mid u^2 + v^2 < 1\}$. Define σ_{\pm}^y and σ_{\pm}^z similarly (with the same U) by solving for y and z , respectively. Show that these six patches give S^2 the structure of a surface.

Surface patch definition for S^2 :

The six surface patches for S^2 are

$$x = \pm\sqrt{1 - z^2 - y^2}$$

$$y = \pm\sqrt{1 - z^2 - x^2}$$

$$z = \pm\sqrt{1 - y^2 - x^2}$$

which can be parametrized, as stated in the problem, as

$$\sigma_{\pm}^x(u, v) = (\pm\sqrt{1 - u^2 - v^2}, u, v)$$

$$\sigma_{\pm}^y(u, v) = (u, \pm\sqrt{1 - u^2 - v^2}, v)$$

$$\sigma_{\pm}^z(u, v) = (u, v, \pm\sqrt{1 - u^2 - v^2})$$

Then, for the open set U defined in the problem as $u^2 + v^2 < 1$, which also looks like $\text{Int}(x^2 + y^2 = 1)$,

$$\sigma : U \rightarrow S^2.$$

Proof that S^2 is a surface:

For any of the six patches, say, $x = +\sqrt{1 - z^2 - y^2}$, there will be a point $p \in U$ that can be mapped to S^2 by σ_+^x . The union of patches σ_+^x and σ_-^x , will then make a surface, as will the union of any other pair of homeomorphisms of opposing signs from the six patches.