CLOUD COMPUTING APPLICATIONS

Pregel - Part 2

Roy Campbell & Reza Farivar

Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Parallel Breadth: First Search for Shortest Path



Writing a Pregel Program: C++ API

- Subclassing the predefined Vertex class

```
template <typename VertexValue,
          typename EdgeValue,
          typename MessageValue>
class Vertex {
 public:
  virtual void Compute(MessageIterator* msgs) = 0;

  const string& vertex_id() const;
  int64 superstep() const;

  const VertexValue& GetValue();
  VertexValue* MutableValue();
  OutEdgeIterator GetOutEdgeIterator();

  void SendMessageTo(const string& dest_vertex,
                     const MessageValue& message);
  void VoteToHalt();
};
```

Override

In

Out

Example: Vertex Class for SSSP

```
class ShortestPathVertex
    : public Vertex<int, int, int> {
  void Compute(MessageIterator* msgs) {
    int mindist = IsSource(vertex_id()) ? 0 : INF;
    for (; !msgs->Done(); msgs->Next())
      mindist = min(mindist, msgs->Value());
    if (mindist < GetValue()) {
      *MutableValue() = mindist;
      OutEdgeIterator iter = GetOutEdgeIterator();
      for (; !iter.Done(); iter.Next())
        SendMessageTo(iter.Target(),
                      mindist + iter.GetValue());
    }
    VoteToHalt();
  }
};
```