JARVIS TRADER

ThinkOrSwim Scripts — Comprehensive Backtest Plan

5-Layer Signal Architecture | MES/MNQ Paper Trading | Python Engine Backtest

L0 L1 L2 L3 L4 L5

Date:	June 2, 2026
Author:	Perplexity Computer
Total Scripts:	22 Unique · 12 Shared/Skip
Instruments:	/MES · /MNQ · Paper Trading
Data Range:	January 1, 2022 — May 31, 2026 (4.4 years)

CONFIDENTIAL — INTERNAL USE ONLY · JARVIS Trading System

© 2026 Perplexity Computer

Table of Contents

§1	Script Inventory & Classification	22 scripts · Layer assignments · Backtest approaches
§2	Backtest Strategy Hierarchy	Tier 1–3 structure · Signal types · Gate criteria
§3	Backtest Execution Plan	12 tasks · Scripts · Expected outputs
§4	Script Classification Summary	Entry signals · Gates · Statistics · Deprecated
§5	Data Requirements	Sources · Frequency · Format · Notes
§6	Gate v2 Criteria	Core & alt paths · TCM costs · DSR requirements
§7	Implementation Files	Python scripts to create · Directory structure
§8	Execution Timeline	Phases · Duration · Prerequisites
§9	Recommended Execution Order	Tonight's highest-ROI tasks · Rationale

§1 — Script Inventory & Classification

The JARVIS trading system comprises 22 unique ThinkOrSwim scripts (12 shared/duplicate files are marked `skip` in registry.yaml). Scripts span 6 layers: L0 Support through L5 Sizing. All 22 have Python counterparts in `engine/backtest/`.

22	12	6	4
Total Scripts	Shared/Skip	Layers (L0–L5)	Entry Signal Scripts

Script ID	File	Layer	Role	Status	Backtest Approach
saty_atr_levels	Saty_ATR_LevelsSTUDY.ts	L1 Regime	ATR bands + EMA 8/21/34 ribbon for regime classification	ported	Python counterpart validated; regime gate
saty_phase_oscillator	Saty_Phase_OscillatorSTUDY.ts	L1 Regime	Phase=(close−EMA21)/(3×ATR14)×100; compression signal	ported	Phase value as regime filter feature
mtf_trendbar	shared_mtftrendbarSTUDY.ts	L1 Regime	CCI(50) on hourly → trend bar coloring	ported	CCI direction as regime confirmation
corey_tpo_profile_v1	AA_CoreyTPOProfilev1STUDY.ts	L2 Structure	Daily TPO VPOC + Value Area H/L (70%)	ported	VPOC/VA as S/R levels; test IB vs VA confluence
corey_tscore_v2	AA_CoreyTscorev2STUDY.ts	L2 Structure	Composite TPO score (balance/trend/excess/rotation)	ported	TPO score > 0 as structure bias signal
corey_ib_v1	AA_CoreyIBv1STUDY.ts	L2 Structure	Initial Balance (first 60 min) H/L + quadrant extensions	ported	IB breakout signal; test IB H/L as entry trigger
corey_rangefinder_v2	AA_CoreyRFv2STUDY.ts	L2 Structure	Prior session H/L/VPOC range visualization	ported	Range reference levels; test prior-VPOC reversion
corey_singlefinder_v2	AA_CoreySFv2STUDY.ts	L2 Structure	Single-print detector in TPO profile (unfilled gaps)	ported	Single-print fill rate stat; not a primary entry signal
corey_gapfinder_v1	AA_CoreyGapfinderv1STUDY.ts	L2 Structure	Overnight gap up/down zones	ported	Gap fill % stat; test gap fade vs gap-and-go
kama_next_signal_momentum	NextSignalMomentumSTUDY.ts	L3 Bias	KAMA(10) + 7/20-bar linear regression	ported	KAMA cross as entry filter; note slow_sc discrepancy
saty_volume_stack	Saty_Volume_StackSTUDY.ts	L3 Bias	Buy% vs Sell% volume classification; buyer/seller dominant	ported	Volume delta as entry confirmation
stc_ob_style_cycle	shared_OB_STYLE_CYCLE_...ts	L4 Entry	STC(23,50,10,3); OB=83, OS=15 with 1h timeshift	ported	STC cross-up from OS→long; cross-down from OB→short
ob_omega_keltner_5m	shared_OB_OMEGA_5m...	L4 Entry	Keltner(20, ATR×1.5/2.0) on 5m bars, using hourly EMA	ported	Keltner squeeze/breakout on 5m bars

Script ID	File	Layer	Role	Status	Backtest Approach
ob_omega_keltner_15m	shared_OB_OMEGA_15m...	L4 Entry	Keltner(20, ATR×1.5/2.0) on 15m bars	ported	Same as 5m; test 15m timeframe
ob_omega_keltner_30m	shared_OB_OMEGA_30m...	L4 Entry	Keltner(20, ATR×1.5/2.0) on 30m bars	ported	Same; test 30m timeframe → pick best
keltner_3x	shared_kelt_3.01...	L4 Entry	Wide Keltner(20, ATR×3.0) for extreme extension	ported	3× Keltner touch as fade/reversion entry
cohen_mes_composite	COHEN_MES_COMPOSITE.ts	L5 Sizing	VWAP+ORB+STC composite; regime-adaptive weights; threshold=0.35	ported	Primary MES backtest; composite score ≥ 0.35
cohen_mes_stc_sub	COHEN_MES_STC_SUB.ts	L5 Sizing	STC oscillator for Cohen composite confirmation	ported	Sub-indicator; tested as part of cohen_mes_composite
gaps_chetan	GAPS_Chetan1STUDY.ts	L0 Support	Extended gap analysis (multi-day gaps, partial fills)	ported	Gap fill statistics; not primary entry
trin_chetan	TRIN_ChetanSTUDY.ts	L0 Support	TRIN classification (bullish/bearish market breadth)	ported	TRIN < 0.75 = bullish breadth; use as macro gate
corey_rangefinder_v1_mobile	AA_CoreyRFv1MobileSTUDY.ts	L2 Structure	Legacy mobile version of rangefinder	deprecated	Skip — superseded by v2
legacy_utilities	ThinkScript_study_2022/2023*.ts	L0 Support	Priceline, kmaster, misc helpers	reference_only	Read-only reference; no backtest

§2 — Backtest Strategy Hierarchy

The JARVIS backtest framework uses a 3-tier validation structure. Each tier must produce satisfactory results before advancing to the next. Only scripts that pass Tier 1 metric gates are permitted in Tier 2 combinations.

TIER 1 — Individual Signal Validation

Goal: Prove each signal has positive edge in isolation on MES 1-hour data.

Parameter	Value
Scripts	STC, KAMA, Phase Oscillator, IB Breakout, Volume Stack, TRIN gate
Data	`/MES continuous · 2022-01-01 to 2026-05-31 · 1-hour bars`
Entry	Signal fires → enter MES at next bar open
Exit	Fixed stop ATR×1.5 · Target ATR×2.5 · Max hold 4 hours
`Win Rate Gate`	`≥ 50%`
`Profit Factor Gate`	`≥ 1.30`
`Sharpe Gate (daily)`	`≥ 0.50`
`Max Drawdown Gate`	`≤ 8%`

TIER 2 — Layer Combination Testing

Goal: Find the best 2-layer combinations using only Tier 1-passing scripts. All layers must agree (same direction). Entry at next 1-hour open.

Combo	Layers	Description
`C1`	L1 (Phase) + L4 (STC)	Regime-gated momentum
`C2`	L2 (IB Breakout) + L4 (STC)	Structure-entry confluence
`C3`	L3 (KAMA) + L4 (Keltner 15m)	Trend + channel entry
`C4`	L3 (Volume Stack) + L4 (STC)	Volume-confirmed momentum

Metric Gate	Threshold
Win Rate	`≥ 53%`
Profit Factor	`≥ 1.50`
Sharpe Ratio	`≥ 0.80`
Walk-Forward	6-month train / 2-month test, rolling

TIER 3 — Full Composite (Cohen MES Strategy)

Goal: Full 5-layer system backtest matching `COHEN_MES_COMPOSITE.ts` logic exactly. The best Tier 2 combination becomes the L1–L4 pre-filter for the composite.

Parameter	Value
Script	`cohen_mes_composite`
Indicators	VWAP + ATR bands, ORB first 30 min, STC(23,50,10,3)
TRENDING weights	`STC=0.60, ORB=0.30, VWAP=0.10`
RANGING weights	`STC=0.50, ORB=0.20, VWAP=0.30`
VOLATILE	No entries
Entry threshold	`composite_score ≥ 0.35`
Stop	Below VWAP lower band (ATR×2.5) or ATR×1.5, whichever is tighter
Target	ORB extension level or VWAP upper band
Walk-Forward	6-month train / 2-month test, rolling
Gate v2	DSR ≥ 0.50, rolling WFE ≥ 0.65, cost survives 5× slippage

§3 — Backtest Execution Plan

12 ordered tasks span 4 phases from data preparation through gate v2 verdicts. All backtest scripts call existing indicator functions in `engine/backtest/` — no indicator code needs to be rewritten.

BT-1	Data Preparation	~30 min
Description	Pull /MES continuous futures from yfinance or Polygon, 2022-01-01 to 2026-05-31. 1-hour bars + daily bars + 5-minute bars (for Keltner multi-TF).	
Output	`engine/backtest/data/MES_1h.parquet, MES_1d.parquet, MES_5m.parquet`	
Script	`engine/scripts/pull_backtest_data.py --symbol MES --start 2022-01-01`	
BT-2	Indicator Parity Check	~1 hr
Description	For each ported indicator, compute on a 100-bar sample and compare Python vs TOS manual calculation. Known discrepancy: KAMA slow_sc — TOS uses 0.2222, Python uses 0.0645 — standardize to 0.0645.	
Script	`engine/scripts/indicator_parity_check.py`	
BT-3	Tier 1: STC Signal Backtest	~45 min
Description	Signal: STC crosses above 15 from below (long); crosses below 83 from above (short). Timeframe: 1-hour /MES bars. Stop: ATR(14)×1.5; Target: ATR(14)×2.5; Max hold: 4 bars.	
Script	`engine/scripts/backtest_stc_signal.py`	
BT-4	Tier 1: Phase Oscillator Gate	~30 min
Description	Signal: Only take trades when phase_val is between -61.8 and +61.8 (not exhausted). Test as regime GATE applied to STC signal from BT-3. Expected: reduces trades by ~15%, improves PF by ~0.1.	
Script	`engine/scripts/backtest_stc_signal.py --phase-gate`	
BT-5	Tier 1: IB Breakout	~45 min
Description	Signal: Price breaks ORB_High → long; breaks ORB_Low → short; entry after 10:00 ET only. Stop: Below/above ORB level; Target: 1.5× ORB range extension. Requires 5-minute data.	
Script	`engine/scripts/backtest_ib_breakout.py`	
BT-6	Tier 1: KAMA Bias	~30 min
Description	Signal: Price crosses above KAMA → long bias; below → short bias. Test as filter — only take STC longs when KAMA signal = long. Expected: removes ~30% of false STC signals in choppy markets.	
Script	`engine/scripts/backtest_kama_bias.py`	
BT-7	Tier 1: Volume Stack Gate	~45 min
Description	Signal: buyer_dominant=True → long bias; seller_dominant=True → short bias. Test as entry gate: only enter STC signal when volume stack agrees. Requires tick or 1-minute data for volume classification.	
Script	`engine/scripts/backtest_volume_stack.py`	

BT-8	Tier 1: TRIN Macro Gate	~30 min
Description	Signal: TRIN < 0.75 → bullish market breadth gate; TRIN > 1.25 → bearish gate. Test: Does TRIN gate improve system win rate on long vs short sides? Data: TRIN available from yfinance ($TRIN).	
Script	`engine/scripts/backtest_trin_gate.py`	

BT-9	Tier 2: Layer Combination Testing	~3 hrs
Description	Run all 4 combinations (C1–C4). Walk-forward: 6-month train / 2-month test. Best combo advances to Tier 3 as L1+L2+L3+L4 pre-filter for the composite.	
Output	`engine/validation_reports/layer_combo_results.csv`	
Script	`engine/scripts/backtest_layer_combinations.py --combo all`	

BT-10	Tier 3: Cohen MES Composite Full Backtest	~2 hrs
Description	Reproduce COHEN_MES_COMPOSITE.ts logic exactly: VWAP+ORB+STC, regime detection, adaptive weights, composite score. Apply gate v2: DSR, rolling WFE, cost-sweep with TCM scaffold.	
Output	`engine/data/gate_v2_verdicts/MES_cohen_composite.json`	
Script	`engine/scripts/backtest_cohen_composite.py`	

BT-11	Keltner Multi-TF Optimization	~1 hr
Description	Backtest Keltner entries on 5m, 15m, and 30m timeframes independently. Test inner band (factor=1.5) vs outer band (factor=2.0) as entry. Select best timeframe by Sharpe.	
Script	`engine/scripts/backtest_keltner_mtf.py --timeframes 5m 15m 30m`	

BT-12	Gap Fill Statistics (Chetan + Corey Gapfinder)	~30 min
Description	Statistical audit only — not a tradeable strategy. Measure gap fill % stratified by gap size: <0.5%, 0.5–1%, 1–2%, >2%. Measure time-to-fill distribution.	
Output	`engine/validation_reports/gap_fill_stats.csv`	
Script	`engine/scripts/backtest_gap_stats.py`	

§4 — Script Classification Summary

ENTRY SIGNALS	Backtestable as standalone strategies with direct entry/exit rules
STC (L4)	Primary entry oscillator — cross from OS→long, OB→short
IB Breakout (L2)	ORB-based intraday momentum — price breaks Initial Balance H/L
KAMA cross (L3)	Trend continuation — price crosses KAMA adaptive average
Cohen Composite (L5)	The full MES system — primary production signal
GATES & FILTERS	Not standalone — tested as modifiers to entry signals
Phase Oscillator (L1)	Regime gate: block trades when phase exhausted (outside ±61.8)
ATR Levels EMA ribbon (L1)	Regime classification: TRENDING / RANGING / VOLATILE
CCI MTF Trendbar (L1)	Trend direction gate via CCI(50) on hourly
Volume Stack (L3)	Entry quality gate: buyer/seller dominance confirmation
TRIN (L0)	Macro breadth gate: TRIN < 0.75 bullish, > 1.25 bearish
TPO Score (L2)	Structure quality filter: TPO score > 0 = bullish structure
VPOC/VA levels (L2)	Price level context: Value Area as support/resistance
Keltner bands (L4)	Squeeze/extension context: channel positioning
STATISTICS ONLY	No entry signals generated — informational reference only
Gap Finders — Corey + Chetan	Gap fill statistics by gap size and direction
Single Print Detector	Unfilled single-print area statistics
Rangefinder (L2)	Prior session reference levels — H/L/VPOC visualization
DEPRECATED / SKIP	Do not backtest — superseded or reference-only
Corey Rangefinder v1 Mobile	Superseded by v2 — skip in all backtests
Legacy ThinkScript 2022/2023	Read-only reference; no backtest — unknown author

CONFIDENTIAL · INTERNAL USE ONLY · © 2026 JARVIS Trading System

§5 — Data Requirements

Data span: January 1, 2022 — May 31, 2026 (4.4 years). Key market regimes covered: 2022 bear market, 2023 recovery rally, 2024–25 bull run, 2025 tariff volatility, 2026 CALM period.

Data	Source	Frequency	Format	Notes
/MES continuous	Polygon.io / yfinance	1h, 5m	OHLCV Parquet	Primary backtest data
/MES daily	yfinance	Daily	OHLCV Parquet	KAMA daily bias, TPO daily profile
TRIN ($TRIN)	yfinance	5m or 1h	OHLCV CSV	Market breadth gate
VIX (^VIX)	yfinance	Daily	Close only	Regime confirmation
Volume tick data	Polygon	1m	CSV	Volume Stack buy%/sell% classification
SPY / QQQ / XLK	yfinance	1h	OHLCV	Strategy C+ correlation reference

Data Storage Paths

```
engine/backtest/data/
  ├── MES_1h.parquet        # 1-hour OHLCV bars
  ├── MES_5m.parquet        # 5-minute OHLCV bars
  ├── MES_1d.parquet        # Daily OHLCV bars
  ├── TRIN_1h.parquet       # TRIN breadth data
  ├── VIX_1d.parquet        # VIX daily closes
  └── volume_1m.parquet     # Tick volume for Volume Stack
```

§6 — Gate v2 Criteria for MES Composite

Gate v2 is the final statistical validation layer before any strategy advances to live paper trading. BT-10 (Cohen MES Composite) must clear the core path — or, if core fails, the alt path with all 3 criteria simultaneously.

CORE PATH — All 3 Required

Criterion	Threshold	Description
1. Bootstrap IID Profit Factor	`CI lower ≥ 1.10 (95%)`	Lower bound of bootstrapped PF confidence interval must exceed 1.10
2. Bootstrap Block Edge	`p(edge) ≥ 0.95`	Block bootstrap probability of positive edge ≥ 95%
3. Deflated Sharpe Ratio	`DSR ≥ 0.50`	Bailey & Lopez de Prado DSR corrected for multiple testing

ALT PATH — All 3 Required (if core fails)

Criterion	Threshold	Description
1. Deflated Sharpe Ratio	`DSR ≥ 0.50`	Same DSR requirement as core path — non-negotiable
2. Rolling WFO Consistency	`≥ 0.65 (STRONG)`	Walk-forward efficiency must be STRONG across rolling windows
3. Fixed-Param Min PF + Cost	`PF ≥ 1.275 + 5× slippage`	No parameter optimization; survives catastrophic cost assumptions

TCM Cost Assumptions (from tcm_scaffold.py)

Cost Component	Value	Notes
MES round-trip commission	`$3.94 per trade`	7.04 basis points on notional
Slippage base	`1-tick = $1.25`	Minimum expected slippage per fill
Catastrophic slippage	`3× = $3.75 add'l/side`	Stress test assumption for gate v2 cost sweep
Annual cost drag	`~$2,900 (~2.9%)`	At 3 trades/day on $100K notional

§7 — Implementation Files to Create

All files live under `engine/scripts/`. Indicator functions are already implemented in `engine/backtest/` — these scripts are backtest runners that call the existing indicator library.

File	Phase	Description
`pull_backtest_data.py`	Phase 0	Data downloader — pulls /MES continuous from Polygon/yfinance, saves Parquet files
`indicator_parity_check.py`	Phase 0	TOS vs Python indicator comparison — validates parity on 100-bar samples; flags KAMA slow_sc discrepancy
`backtest_stc_signal.py`	Tier 1	STC standalone backtest + optional --phase-gate flag for regime gating
`backtest_ib_breakout.py`	Tier 1	IB/ORB breakout signal backtest — requires 5-minute data; entry after 10:00 ET
`backtest_kama_bias.py`	Tier 1	KAMA bias filter — tests as modifier to STC signal, measures false-signal reduction
`backtest_volume_stack.py`	Tier 1	Volume stack gate — requires 1-minute data; buyer/seller dominance as entry gate
`backtest_trin_gate.py`	Tier 1	TRIN macro gate — tests TRIN < 0.75 / > 1.25 thresholds on long/short win rates
`backtest_layer_combinations.py`	Tier 2	All 4 layer combo tests (C1–C4) with walk-forward validation; outputs layer_combo_results.csv
`backtest_cohen_composite.py`	Tier 3	Full Cohen MES composite backtest — reproduces COHEN_MES_COMPOSITE.ts exactly; applies gate v2
`backtest_keltner_mtf.py`	Tier 3	Keltner multi-timeframe optimization — 5m/15m/30m, inner vs outer band; selects by Sharpe
`backtest_gap_stats.py`	Tier 3	Gap fill statistics — stratified by gap size, time-to-fill distribution; reference only

Directory Structure

```
engine/
  ├── scripts/                    # Backtest runner scripts (to create)
  │   ├── pull_backtest_data.py
  │   ├── indicator_parity_check.py
  │   ├── backtest_stc_signal.py
  │   ├── backtest_ib_breakout.py
  │   ├── backtest_kama_bias.py
  │   ├── backtest_volume_stack.py
  │   ├── backtest_trin_gate.py
  │   ├── backtest_layer_combinations.py
  │   ├── backtest_cohen_composite.py
  │   ├── backtest_keltner_mtf.py
  │   └── backtest_gap_stats.py
  ├── backtest/                   # Existing indicator library
  │   ├── data/                   # Parquet data files
  │   └── indicators/             # kama(), stc(), phase_oscillator(), etc.
  ├── validation_reports/         # Output CSV/JSON reports
```

```
└── data/gate_v2_verdicts/      # Gate v2 verdict JSON files
```

§8 — Execution Timeline

Total estimated time: 2–3 focused sessions (~12 hours total). Each phase has a hard prerequisite — do not start a phase until its predecessor is complete.

Phase	Tasks	Duration	Prerequisite
Phase 0: Data & Parity	BT-1, BT-2	~2 hours	Polygon API key active
Phase 1: Tier 1 Signals	BT-3 through BT-8	1 session (~4 hours)	Phase 0 complete
Phase 2: Tier 2 Combos	BT-9	1 session (~3 hours)	Tier 1 results — only passing scripts
Phase 3: Tier 3 Full	BT-10, BT-11, BT-12	1 session (~4 hours)	Tier 2 best combo selected
Phase 4: Gate v2 Verdicts	All verdict files	~1 hour	Tier 3 complete

Session Breakdown

SESSION 1	Phase 0 + Phase 1 start	BT-1 → BT-2 → BT-3 → BT-4	~4 hours
SESSION 2	Phase 1 complete + Phase 2	BT-5 → BT-6 → BT-7 → BT-8 → BT-9	~5 hours
SESSION 3	Phase 3 + Gate v2	BT-10 → BT-11 → BT-12 → verdicts	~3 hours

§9 — Recommended Execution Order for Tonight

These 4 tasks deliver maximum ROI in a single session. The Cohen Composite (Tier 3) is where the rubber meets the road — it's the actual MES paper-trading signal. BT-3 and BT-10 together validate the full system in approximately 3 hours.

1 BT-1 — Data Pull [UNBLOCKING]

Rationale Everything depends on data being present. Run this first, let it complete, verify the Parquet files. Without clean data the remaining 11 tasks cannot execute.

- ▶ Pull /MES 1h, 5m, 1d bars from yfinance or Polygon
- ▶ Verify date range: 2022-01-01 to 2026-05-31
- ▶ Confirm MES_1h.parquet row count: ~17,000+ rows
- ▶ Download TRIN 1h data ($TRIN) in the same run

2 BT-2 — Indicator Parity [FIDELITY]

Rationale Confirms indicator fidelity before backtesting. The KAMA slow_sc discrepancy (TOS=0.2222 vs Python=0.0645) is a known issue — standardize to 0.0645 and document. A bad indicator means all backtest results are meaningless.

- ▶ Run indicator_parity_check.py on 100-bar MES sample
- ▶ Verify: kama(), phase_oscillator(), stc(), keltner_channels(), wilder_atr(), cci()
- ▶ Document and fix KAMA slow_sc: standardize to 0.0645
- ▶ Save parity report before proceeding

3 BT-3 + BT-4 — STC + Phase Gate [CORE EDGE]

Rationale STC is the core of the COHEN composite. Validating STC edge in isolation is the single most important finding. If STC has no edge standalone, the full composite cannot be trusted. Expected: ~52% win rate, PF ~1.4.

- ▶ Run backtest_stc_signal.py on full 4.4-year data
- ▶ Check: Win rate ≥ 50%, PF ≥ 1.30, Sharpe ≥ 0.50, Max DD ≤ 8%
- ▶ Add --phase-gate flag: measure impact on trades count and PF
- ▶ If STC passes: mark as Tier 1 PASS and proceed to BT-10

4 BT-10 — Cohen MES Composite [GO/NO-GO]

Rationale If BT-3 passes, go straight to the full composite backtest. composite_signals.py already exists and encodes all the logic. This is the gate v2 decision point — PASS means the system is ready for paper trading.

- ▶ Run backtest_cohen_composite.py with regime-adaptive weights
- ▶ Apply gate v2: bootstrap IID PF CI lower ≥ 1.10, block p(edge) ≥ 0.95, DSR ≥ 0.50
- ▶ Run TCM cost sweep: 1×, 3×, 5× slippage scenarios
- ▶ Save verdict to engine/data/gate_v2_verdicts/MES_cohen_composite.json

Decision Tree

```
BT-3 (STC) → PASS?
  ├─ YES → BT-10 (Cohen Composite) → Gate v2 → GO/NO-GO
  │         └─ PASS → Paper trading ENABLED
  │         └─ FAIL → Run BT-9 (Tier 2 combos) → iterate
  └─ NO  → Debug indicator parity → re-run BT-2
            → Check data quality → re-run BT-1
            → Do NOT proceed to BT-10 until BT-3 passes
```

Generated by Perplexity Computer · JARVIS Trader System · June 2, 2026