I am designing a maturity guide with a maturity phases on one axis, and audience on a second axis, and capabilities on a ...

Your multi-dimensional strategic framework can be visualized as an interactive **Dynamic Capability and Ownership Matrix**. Because displaying three or more axes simultaneously on a 2D page can get cluttered, the cleanest visual approach is a highly interactive, layered grid system with smart filters for your extra dimensions (Time, State, and Ownership).

An interactive prototype of this strategic planning tool is built below to help you visualize, map, and adjust your appliance's scope.

🖼️ Visual Concept: What It Looks Like

- **The Core Matrix (Axes 1 & 2):** The horizontal X-axis maps the **Maturity Phases (0 to 8+)**, while the vertical Y-axis lists the **Target Audiences** (e.g., DevOps, Security, Executive Leadership).
- **The Content Layer (Axis 3):** Inside each intersecting cell sit your **Capabilities**. These are represented as interactive cards or tags.
- **The Ownership Overlay (The Federated Context):** Capabilities are color-coded or bordered based on **who owns them**. This clearly distinguishes what is handled natively by your appliance versus what relies on the external federated IT infrastructure.
- **The Dimension Sliders (Time & State):** Sidebar controls allow you to switch the entire view between different **States** (e.g., *As-Is* vs. *To-Be*) or advance a **Time Slider** (e.g., *Q1*, *Q2*, *Long-Term*) to watch capabilities shift to higher maturity phases over time.

Ask anything

- **Identify gaps:** Look for empty blocks in higher maturity phases (Phases 6–8) for critical audiences to spot long-term roadmap requirements.
- **Scale the future:** When technology evolves past your current definitions, you can append a "Phase 9+" to the matrix without breaking the existing historical framework.

2. Scope Planning (The Appliance Boundary)


- **Define strict boundaries:** Use the matrix to visually draw the "blast radius" of your appliance.
- **Feature creep protection:** If a stakeholder requests a capability that sits outside your target audience or phase, you can visually demonstrate how it stretches the current architectural scope.

3. Ownership Planning (Federated IT Coexistence)

- **Identify dependencies:** If your appliance only covers up to Phase 4 for a specific capability, use the matrix to explicitly assign Phases 5–8 to "External Federated Tools."
- **Client transparency:** During alignment meetings, this mapping prevents finger-pointing by showing exactly where your appliance hands off execution to the rest of the enterprise stack.

📊 Interactive Strategic Maturity Planner

Here is a functional prototype of your design. You can use the form to dynamically add or edit capabilities, toggle ownership states, view a mock YAML data structure, and switch layouts for printing.



Immature (Phase 0)

Active Scope	Appliance Built	Federated Help
15 Capabilities	7 Core Nodes	8 External

Strategic Framework Maturity Matrix Report

Ownership Frame: All Focus
Timeline Horizon target: All

Appliance Nodes: 7
Federated Nodes: 8

Capability	Audience	Phase	Ownership	State
Local Cache Mgmt	End-User	Phase 1	Appliance	Active
Basic Web UI	End-User	Phase	Appliance	Active

CLI Diagnostic Shell	IT Admin	0	Appliance	Active
Syslog Forwarding	IT Admin	Phase 3	Appliance	Active
Centralized Orchestration	IT Admin	Phase 6	Federated	Planned
Autonomous Self-Healing	IT Admin	Phase 8	Federated	Proposed
Static Token Auth	Security Ops	Phase 1	Appliance	Active
RBAC Controls	Security Ops	Phase 4	Appliance	Active
SIEM API Streaming	Security Ops	Phase 6	Federated	Active
Zero-Trust Identity Sync	Security Ops	Phase 7	Federated	Planned
Manual Image Flash	Infrastructure Dev	Phase 2	Appliance	Active
Helm Chart Delivery	Infrastructure Dev	Phase 4	Federated	Active
GitOps Declarative State	Infrastructure Dev	Phase 7	Federated	Planned

To refine this roadmap tool further, tell me:

- What are some specific **audiences** (e.g., SecOps, Platform Eng) you need to map first?
- What are 2 or 3 core **capabilities** your appliance delivers natively today?
- Do you have an example of a capability that must be handed off to the **federated infrastructure**?

The audiences are clients of a professional services group, a consulting term that implements the appliance into a ...

This shifts the tool from a standard engineering roadmap into a powerful **cognitive alignment framework**. By addressing **bounded rationality**, the tool acts as a "lens translation machine." It allows an actor trapped in one perspective (e.g., a product developer focused on Phase 2 manufacturing) to instantly see why their work matters to another actor (e.g., a consultant trying to deliver a Phase 5 implementation layout for a client).

Furthermore, anchoring this directly to **DITA (Darwin Information Typing Architecture)** and **DITAVals** creates a perfect loop: your structural strategy mapping directly generates your actual technical documentation architecture.

An updated interactive model reflecting these specialized audiences, cognitive lenses, and DITA mapping targets is built below.

🧠 Mitigating "Bounded Rationality" Through the Tool

To explicitly break down information silos and blind spots, the tool must implement three specific UX strategies:

2. **The "Maturity 8" North Star:** By locking Phase 8 as the "Wider Solution Domain," every user—regardless of how narrow their daily tasks are—is forced to see how their small capability block fundamentally rolls up into the global industry standard.
3. **The Hand-off Warning:** When a capability moves from the local appliance to the wider federated infrastructure, the tool can visually flag a "Rationality Gap"—alerting teams that documentation and training boundaries must be explicitly handled.

📝 Driving DITA Content Stock & DITAVals

Because DITA relies on conditional processing, your maturity matrix can act as the **visual source of truth for your DITAVal files**.

- **Audience Mapping to DITA Attributes:** Each row in your matrix maps directly to a DITA `audience` attribute (`audience="client"` , `audience="consultant"` , `audience="product-team"` , `audience="leadership"`).
- **Maturity/State Mapping to Product/Platform Attributes:** Maturity phases or time horizons map cleanly to `otherprops` or `product` attributes (e.g., `otherprops="phase-3"` , `product="appliance-native"`).
- **Automated DITAVal Generation:** The matrix code can export the specific rules needed to compile your user manuals. For instance, a "Consultant Phase 4 Deployment Guide" would dynamically generate a DITAVal that `includes` elements tagged with `audience="consultant"` and `otherprops="phase-4"` , while `excluding` internal product team manufacturing content.


📊 Updated Interactive Alignment & DITA Mapping Tool

The prototype below has been updated to reflect your exact ecosystem, including bounded rationality visualizations and DITA attribute mappings.

PARAMETRIC MATURITY MAPPING & BOUNDED RATIONALITY MATRIX

Demonstrates how distinct roles remain locked in their own POVs (bounded rationality). Toggle lenses to simulate cross-silo discovery or isolate specific audience manual targets.

POV Lens: Global Horizon ▼



P0: Setup / Initial

Total matrix elements: 12

Click any node above to inspect or edit DITA mappings

CORE GRID CONFIGURATIONS

Ownership Dimension

All Items | Appliance Only | Federated

Parametric Phase Axis P4

+

view.

DITA / DITAVAL CONTENT FILTERING STOCK MATRIX

Target Node: **"Tailored DITAVal Generator"**

audience Attribute

Consultants

product Attribute

toolkit-pro

otherprops Attribute

stage:implementation

GENERATED .DITAVAL RULE SET

```
<!-- Audience-specific Manual Filter Generation Rule for Consul
<val>
   <prop att="audience" val="consultants" action="include" />
   <prop att="product" val="toolkit-pro" action="include" />
   <prop att="otherprops" val="stage:implementation" action="include" />
   <prop att="audience" action="exclude" />   (Enforces strict siloed perspective boundary)
</val>
```

Select Capability: Custom Context Activation Local ROI Monitoring Federated Scope Analytics

AI-generated. Don't enter sensitive personal info.

To help fine-tune the DITA architecture integration, tell me:

- Do your existing DITA topics already use a specific **custom attribute** for maturity/state mapping, or are you looking to establish standard attributes like `otherprops` or `props`?

Deploy API Overview | Heretto Portal for Self-Service Support | Heretto

I haven't built the DITA content stock. The content stock in fact may be avialble via specific content end points usng ...

Integrating **Heretto's Deploy API** as your physical content layer changes the dynamic of your matrix from a passive visualization into an **operational configuration dashboard**.

Because Heretto abstracts the rendering and splits delivery into specific endpoints using pre-filtered deployment configurations, your strategic planning matrix can serve as the visual UI to map out, audit, and define those exact Heretto Deploy API endpoints.

An updated interactive prototype is built below. It allows you to simulate how your matrix architecture aligns directly with Heretto's endpoint processing and deployment structures.

How the Matrix Maps to Heretto Deploy API Architecture

When designing a single source of content truth to combat "bounded rationality," your matrix structure translates directly to Heretto's backend definitions:

```
+-------------------------------------------------------------------

|                        Heretto CCMS Content Stock
|             (All Topics, Appliance Specs, and Domain Concepts)
+-------------------------------------------------------------------
                                        |
                                        v
```

```
     | [DITAVal A: Client POV]          | [DITAVal B: Dev POV]
     v                                  v
+--------------------------+     +--------------------------+     +---
|  Heretto Deploy Endpoint  |     |  Heretto Deploy Endpoint  |     |  H
| (e.g., Client Portal Base)|     | (e.g., In-App Dev Specs)  |     | (e
+--------------------------+     +--------------------------+     +---
```

1. **Sitemaps as the Scope Boundaries:** Heretto requires content to be organized into a specialized DITA map called a **Sitemap**. In your tool, each targeted view (e.g., a "Phase 4 Capability Sprint") directly corresponds to a specific Heretto Sitemap configuration that defines the structural boundary of what is being published.
2. **Deployments as Audiences & States:** Heretto Deployments carry the specific metadata instructions dictating which audiences and locales are included. Your matrix columns (Maturity Phase) and rows (Audience POV) represent the exact conditional rules that populate a deployment configuration.
3. **Filtering Content to Mitigate Bounded Rationality:** Using Heretto's **Manual Deploy Processing**, a snapshot is generated where conditional processing sets (DITAVals) are frozen into an immutable delivery database. Your tool acts as the visual validator for this processing, ensuring that a "Client" endpoint completely filters out internal manufacturing steps while retaining the core appliance dependencies they *need* to see.


📊 Updated Interactive Heretto Mapping & Alignment Tool

The prototype has been evolved to simulate an API configuration layer. You can now toggle roles, look at the target audience matrix, and see the exact **Heretto Deployment JSON Payload & DITAVal logic** that would be required to configure that specific endpoint view via the Deploy API.

PARAMETRIC MATURITY MAPPING & BOUNDED RATIONALITY MATRIX

Demonstrates how distinct roles remain locked in their own POVs (bounded rationality). Toggle lenses to simulate cross-silo discovery or isolate specific audience manual targets.

POV Lens: Global Horizon ▼



P0: Setup / Initial

Total matrix elements: 12

Click any node above to inspect or edit DITA mappings

CORE GRID CONFIGURATIONS

Ownership Dimension

All Items | Appliance Only | Federated

Parametric Phase Axis P4

+

view.

DITA / DITAVAL CONTENT FILTERING STOCK MATRIX

Target Node: **"Tailored DITAVal Generator"**

audience Attribute

Consultants

product Attribute

toolkit-pro

otherprops Attribute

stage:implementation

GENERATED .DITAVAL RULE SET

```
<!-- Audience-specific Manual Filter Generation Rule for Consul
<val>
   <prop att="audience" val="consultants" action="include" />
   <prop att="product" val="toolkit-pro" action="include" />
   <prop att="otherprops" val="stage:implementation" action="include" />
   <prop att="audience" action="exclude" />   (Enforces strict siloed perspective boundary)
</val>
```

Select Capability: Custom Context Activation Local ROI Monitoring Federated Scope Analytics

AI-generated. Don't enter sensitive personal info.

To help bridge your matrix design to Heretto's platform setup, tell me:

- Will your final delivery endpoints be **Heretto Portals**, or will you be pulling the transformed HTML/JSON directly into an **embedded application/device interface** on the appliance itself?

I will pull content into embedded application/device interface.
I will also export manuals as PDFs using a PDF Gen scenario ...

It looks like there's no response available for this search. Try asking something else.

I am ansewring the last question in the chat. Can you continue in AI mode?

🚀 Hybrid Architecture: Embedded UI + PDF Generation

By pulling content directly into your **appliance's embedded device interface** via the Heretto Deploy API while simultaneously exporting **PDF manuals** from the same CCMS source, you are creating a unified content delivery network.

The exact same metadata tags your product team uses in the CCMS will drive both systems:

- **The Embedded UI** makes live REST calls to the Deploy API endpoints, sending the metadata as query parameters to pull context-sensitive help directly into the appliance screen based on its current operational state.
- **The PDF Generation Scenario** uses these same metadata attributes within a DITAVal file to prune the global map down to a tailored, audience-specific offline manual.

Below is the definitive taxonomy mapping your multi-dimensional maturity matrix into production-ready CCMS tags.

1. `audience` (The Actor POV Dimension)

This attribute resolves the **bounded rationality** problem by isolating or highlighting content specific to each stakeholder's operational lens.

- `audience="client"` — End-user operations, basic troubleshooting, and UI navigation.
- `audience="consultant"` — Deployment contexts, localized environmental constraints, and initial installation parameters.
- `audience="product-team"` — Manufacturing specs, internal component architecture, testing protocols, and hardware assembly.
- `audience="leadership"` — Governance models, regulatory compliance tracking, and high-level portfolio ROI metrics.
- `audience="domain-global"` — High-maturity concepts that apply universally across the entire problem space (visible to all at Phase 8).

2. `otherprops` (The Maturity Phase Dimension)

Maps the evolutionary timeline from raw capability up to the global industry standard.

- `otherprops="phase-0"` to `otherprops="phase-8"` — Explicitly tags what stage of maturity a piece of documentation or feature requirement describes.
- *Implementation Rule:* For an embedded UI at a specific maturity level, the appliance filters out documentation for higher phases to avoid confusing the local operator.

3. `product` (The Ownership Dimension)

Differentiates the boundaries of your physical appliance within the broader federated enterprise ecosystem.

4. `props` (The System State & Time Dimension)

Tracks environmental states and deployment roadmaps.

- `props="state-as-is"` — Current live operational capabilities.
- `props="state-to-be"` — Future-state planning definitions (hidden from standard client manuals, visible to Leadership/Consultants).
- `props="horizon-q1"`, `props="horizon-long-term"` — Temporal tags for roadmap mapping.

📊 Updated Interactive Embedded UI & PDF Configurator

The strategic tool has been updated below to feature an **Embedded UI Simulator** and a **PDF Gen Scenario Panel**. You can now see how choosing a specific cell in the matrix instantly updates the exact metadata properties your product team needs to tag in the Heretto CCMS to output that exact configuration.

PARAMETRIC CAPABILITY MATRIX & OUTPUT PIPELINE

POV Lens: Global Horizon ▼



Audience	Product Target	Other Attributes	Phase Value
Consultan…	toolkit-p…	stage:imp…	P4

SELECTED MATRIX PARAMETERS

Tweak live attributes bound to node **Tailored DITAVal Generator** to evaluate dynamic runtime processing pipelines.


Matrix Ownership Scope

All Matrix | Appxlian. | Federated

DITA Product Attribute

toolkit-pro

Tailored DITAVal Generator



- Flesh out a sample **context-sensitive help lookup routine** for your embedded appliance code to call the Heretto API.

It looks like there's no response available for this search. Try asking something else.