Narrative Workbench | Composition Studio | Criticism Parlor | Counterfactual Laboratory | Work ‹work title› | Branch ‹branch› | Commit c42 | Committed | Rebuilding | Jobs idle | Narrative desig

Work | Branch | Commit | Undo | Redo | No draft to undo | Run | Compare | Export | Share | Search and commands Ctrl K

Navigator

Architecture

Filter navigator

- **Works**
  - ‹work title›
- **Units** 24
  - ‹Act 1›
    - ‹Scene 1.1›
    - **‹Scene 1.2›** scn-0102
    - ‹Scene 1.3›
  - ‹Act 2›
- **Threads** 6
- **Motifs** 9
- **Evidence sets** 3
- **Experiments** 2
- **Saved views** 4

Scene · scn-0102

‹Scene 1.2›

Accepted

c42 · projection v17 Rebuilding → v18

Table | Field | Timeline | Architecture | Prose | Evidence | Comparison

Before and after state c41 → c42

State variable	Model	Before	After	Change
‹actor A› location	World	‹place 1›	‹place 2›	~ Changed
‹actor B› believes ‹fact 3›	Actor belief	—	true · confidence 0.7	+ Added
Reader expects ‹reveal›	Reader model	suspected	—	− Removed
‹object 1› owner	World	‹actor A›	‹actor A›	= Invariant

Alternative trajectories 3 candidates · none accepted

Trajectory A tr-0417
‹summary of changed states›
Machine proposal

Trajectory B tr-0418
‹summary of changed states›
Validated

Trajectory C tr-0419
‹summary of changed states›
Rejected · INV-07

Linked prose and evidence realized from c42

‹Realized prose for scn-0102. Sentences linked to model facts are underlined; selecting one selects the same stable identity in every region.›

Inspector

scn-0102

Identity

Kind	Scene
Stable ID	scn-0102
Since	c38

State

Lifecycle	Accepted · committed
Branch	‹branch›
Proposal	None

Model

World truth	14 facts
Actor belief	3 actors · 9 beliefs
Reader	2 expectations

Evidence
2 anchors resolved

Constraints
3 hard · 1 soft goal

Alternatives
3 candidates in tray

Trace drawer

Trace | Validation · 2 warnings | Jobs | Provenance

Selection scn-0102 · Ctrl J toggles

Step	Event	Transition	Cause	Check	Commit
01	ev.move	act-A.location place-1 → place-2	disturbance d-07	pass · INV-02	c42
02	ev.observe	act-B.belief fact-3 := true	step 01	pass · INV-04	c42
03	rdr.update	reader.expect reveal suspected → —	step 02	warn · SG-01 pacing	c42
04	proj.rebuild	table v17 → v18	select scn-0102	running	c42

Navigator Architecture

World ‹world›
Act ‹Act 1›
Scene ‹Scene 1.2› · field
Scene ‹Scene 1.3›

Bodies in this field
0 Disturbance evt-07
1 Actor A act-A
2 Actor B act-B
3 Tension ten-1
4 Reader response rdr-1
5 Prose style sty-1
6 Environment env-1

World › Act 1 › Scene · state field


‹Scene 1.2›

Boundary | Model A · Trust | Redraw boundary (model transition)

Field | Lists

Release disturbance | Step 0 of 8 | Connect...

Sink · ‹confession› · outside this boundary



Body · size = mass (resistance) | Velocity · direction of change | 2 Impulse · numbered in order | Draft channel | Gate · constraint (friction) | Sink · terminal state | Boundary · the model

Inspector act-A

1 **Actor A**
Actor

State at step 0

State	‹concealing information›
Initial	‹concealing information›
Velocity	Toward concealment
Mass	High · resists disclosure
Momentum	At rest
Gates	INV-04 ‹acts only on known facts›

Impulses · 3

← Disturbance · delivers (CAUSES) · Latent · fires at step 1

→ Actor B · withholds from (CONCEALS) · Latent · fires at step 2

→ Environment · charges (CAUSES) · Latent · fires at step 4

Model inspector · Model A · Trust

Truth | Actor A | Actor B | Reader

‹letter› names ‹person›

act-B saw the name on the envelope

Trace drawer | Impulse path | Candidate paths | Prose realization

Impulse path against c42 · rewind moves the pointer and keeps the path · not committed

0 · Rest	1 · Impulse	2 · Impulse	3 · Impulse	4 · Impulse	5 · Impulse	6 · Impulse	7 · Boundary	8 · Impulse
Initial field	Disturbance hits A	A withholds	B presses	Room charged	Reader shaped	Prose driven	Model transition	B confronts A

What changed
Nothing yet. Bodies at rest inside the Model A boundary.

Why it changed
Where bodies sit when the disturbance arrives decides the path.

Other possible outcomes
Aim the disturbance at a different body.

Navigator Frozen source

‹edition title›
ed-03 · sha256 9f2c…a71e

Passages 212
- p.11 ¶3
- p.12 ¶1–2 · 3 channels
- p.31 ¶2 · Broken anchor

Images 8

Evidence sets 5

Interpretive branches
- Model A · ‹lens A reading›
- Model B · ‹lens B reading›


Reconstructed state field · evidence-linked

p.12 ¶1–2

Model A | Model B | Overlay both

Field | Evidence and assertions | Model comparison

ed-03 · i-19 · projection v6



Bodies fixed by frozen edition ed-03 · interpretations are channels and boundaries

Observation · Finding · machine proposal · Claim · accepted on branch · Contradicted under this boundary · Evidence pin · Broken anchor

Source · immutable ev-031

‹Frozen source text with ‹span anchoring CLM-02› marked where the selected channel is anchored.›

Claim CLM-02 — Accepted

‹interpretive claim dependent on lens A›

Branch ‹lens A reading› · support 3 · contradiction 1

Inside the Model A boundary

Inspector CLM-02

Anchored source text

[object Object]

Fingerprint source edition cannot be edited

Certainty

Probable

Supporting pins · 3

ev-031 p.12 ¶1 · resolved
ev-038 p.19 ¶4 · resolved
ev-052 p.31 ¶2 · Broken anchor

Contradicting pins · 1

ev-044 p.13 ¶2 · under the Model B boundary

Permissions

Bodies	Fixed by source
Channels	Propose, challenge
Publish	Blocked by ev-052

Trace drawer Coverage | Contradictions · 1 | Broken anchors · 1 | Review — publicationStatus blocked

Broken anchor ev-052 · ed-03 · p.31 ¶2

‹Expected region no longer resolves in the frozen edition.› This pin holds CLM-02 to Actor B. Publication stays blocked until it is realigned.

Realign anchor | Open source region

Channels	38
Pins resolved	61 of 62
Machine proposals	7 awaiting review
Contradictions	1 open

Navigator Experiments

Experiments 2

- exp-07 ‹experiment›
- exp-06 ‹experiment› Archived

Baselines

- c42 ‹branch› · immutable

Lineage

- c42 baseline · immutable
  - e-01 int-01
  - e-02 int-02
  - **e-03 int-03 · current**


Perturbed state field · baseline c42 vs experiment e-03

exp-07 ‹experiment›

Overlay | Baseline c42 | Experiment e-03

Field comparison | Consequence matrix

c42 vs e-03 · projection v4



Intervention · injected disturbance | 1 Deterministic effect | Generated hypothesis | Baseline position | Held body · control | Latent · awaiting job

Inspector

int-03

Declared intervention · injected disturbance

‹set fact 3 to true at scn-0102›

Editing creates a draft experiment proposal. Baseline c42 stays unchanged.

Controls · held bodies and boundary

- [x] Actor A beliefs
- [x] Prose · focalization
- [x] Boundary · act boundaries
- [x] obj-1 owner

Recomputation scope

- ( ) Scene field
- (•) Act field
- ( ) Whole work

Authority

Role	Analyst
Run	Allowed

Trace drawer

Impulse trace | Provenance

Partial · sim-0091 · 6 of 7 dimensions reported · output uncommitted · Cancel

#	Effect	Impulse from	Rule or generator	Kind
1	act-B displaced · location → loc-3, knows ‹fact 3›	int-03	R-14, R-02	Deterministic
2	scn-0103 motivation driven into the removal sink	act-B	R-21 causal chain	Deterministic
H	act-C may infer ‹fact 3› · reader reveal arrives early	act-B	‹generator id›	Generated hypothesis

Navigator

Background navigator remains inert

‹Scene 1.2

Inspector

Background inspector remains inert

Review proposed change

p-117 · relation act-B ‹conceals from› act-C · parent c42

Draft	Validating	Awaiting approval	Accepted	Committing
Done	Done	Current	Not reached	Not reached

Human proposal · ‹author› · Validated · Canonical commit **c42**

Delta

+ Added	relation act-B ‹conceals from› act-C
~ Changed	act-C belief ‹fact 5›: unknown → false
− Removed	reader expectation ‹reveal in Act 1›
= Invariant	obj-1 owner act-B

Affected models

World · Actor belief (act-C) · Reader model

Hard checks

4 of 4 passed · INV-02, INV-04, INV-07, INV-11

Soft goals

SG-01 ‹pacing› · warning, does not block

Uncertainty

Medium · reader-model effect is an intended response

Alternatives

tr-0417 · tr-0419 (rejected, INV-07)

Authority

Approval by narrative designer · you are authorized

Accept | Revise | Reject | Cancel

If the parent commit changed after acceptance → Resolve semantic conflict

Trace drawer

Background trace remains inert; focus is trapped in dialog

Resolve semantic conflict

Accepted `p-117` was based on `c42`; the branch has since moved to `c43`.

⇄ Unresolved · commit remains blocked · canonical state unchanged

	Your accepted proposal	Concurrent commit
Assertion	act-B ‹conceals from› act-C	act-B ‹confides in› act-C
Scope	scn-0102 · seq-b	scn-0102
Model	World, Actor belief	Actor belief
Commit	`p-117 → parent c42`	`c43 · ‹author 2›`

Reason · INV-12 ‹relation kinds are mutually exclusive in the same scope›

Override rationale · required for Override

Override requires narrative designer authority. You have it.

Fork | Revise | Override with reason | Cancel

Back to proposal review

Narrative Workbench · central metaphor

One picture: the state field

Narrative state is a bounded field of bodies. Events are impulses that travel along typed channels. The model is the boundary that decides what is possible, and endings are sinks on that boundary. Every mode reads or rewrites this one field; table, timeline and matrix are other projections of it.

Vocabulary · the physics is borrowed, not drawn

Billiards source	Glyph	Field term	Narrative meaning	Where
Ball	1	**Body**	A stateful narrative variable: actor, tension, reader, prose, setting	`All modes · CMP-10`
Weight		**Mass**	Resistance to change; diameter, also stated in text	`Inspector · Mass`
Cue ball		**Disturbance**	Inciting incident, or an experimenter's intervention	`Compose evt · Lab int`
Collision	2	**Impulse**	A causal state transition along a channel, numbered in order	`Trace steps`
Rolling direction		**Velocity**	Direction and rate of a body's change after an impulse	`Field · Inspector`
Felt friction		**Gate**	A constraint on a channel that slows or blocks an impulse	`INV / SG rules`
Cushion		**Boundary**	The model: what is possible for these bodies	`Model A / B`
Pocket		**Sink**	A terminal state on the boundary: resolution, removal	`Field · Lab removal`
A different table		**Boundary redrawn**	Model transition, the epiphany: sinks move inside or outside	`Step 7 · CMP-09`
Replaying a shot	1 2 3	**Impulse path**	The trace; rewind moves the pointer and keeps the path	`Trace drawer`
—	ev	**Pin**	An evidence anchor holding a body or channel to the source	`Criticism · CMP-12`
—		**Ghost**	A body's baseline position in an experiment	`Laboratory`


Line grammar · one meaning per line style

- Latent channel · a typed relation that has not fired
- Impulse fired · deterministic effect, numbered
- Current impulse · the step under the pointer
- Draft channel · human proposal, not committed
- Machine output · finding or generated hypothesis
- Closed or contradicted · outside the current boundary
- Displacement · from ghost to new position

Rules that keep it one metaphor


- A body never changes shape between modes; only who may move it changes.
- Selecting a body or channel selects the same stable identity in every projection.
- Changing a perspective or a layer never moves a body.
- Every glyph carries text: number, label, or status. Colour is never alone.
- Lists are the non-spatial equivalent of the field and share its selection.

The same field in each mode




Composition Studio · compose

Place bodies, release the disturbance, step through impulses, redraw the boundary. Bodies are movable; channels you draw are drafts.



Criticism Parlor · reconstruct

Bodies are fixed by the frozen edition. Assertions are channels held by pins. Competing readings are competing boundaries over the same bodies.



Counterfactual Laboratory · perturb

Inject a disturbance from outside, hold bodies and the boundary as controls, compare against ghosts. Hypotheses travel on violet dashed channels.

Scene · scn-0102

‹Scene 1.2›

c42 · projection v18 · current

Before and after state

‹actor A› location ~ Changed
World · ‹place 1› → ‹place 2›

‹actor B› believes ‹fact 3› + Added
Actor belief · true · confidence 0.7

Reader expects ‹reveal› – Removed
Reader model · suspected → —

Alternative trajectories

Trajectory A — Machine proposal

Trajectory B — Validated

Trajectory C — Rejected

Narrative Workbench · Section 4 design tokens

Draft visual system

All values are [PRE], pending UX owner confirmation
PRE-02 palette · PRE-03 fonts · PRE-05 tracks


Color roles · components reference roles, never base tokens

surface-canvas #FFFFFF	**surface-subtle** #F4F6F8 · hover	**surface-selection** #EAF2F8 · tinted	**surface-strong** #173A63 · strong
text-primary #17212B	**text-secondary** #3F4D5A	**text-muted** #687684 · white bg only	**border-default** #D9E0E7
focus-ring #2C67A1 · 3px + 2px	**status-accepted** #E7F5EC / #267A4A	**status-warning** #FFF4D6 / #8A5600	**status-error** #FDECEA / #B42318
status-machine #F1ECFA / #6B4BA5			

Typography roles · Inter 400 / 600 / 650 · IBM Plex Mono for identifiers

app-title	**Narrative Workbench**	18 / 650 / 1.25
pane-header	**Inspector**	14 / 650 / 1.35
body	Select an item to inspect	14 / 400 / 1.45
label	**Recomputation scope**	12 / 600 / 1.3 · +0.1px
data	c42 · projection v17 · scn-0102	Mono 12 / 400 / 1.4

Spacing scale and layout tracks



Global bar	44px	Navigator	252px
Command bar	36px	Primary min	520px
Control	44px	Inspector	320px
Radius	4 / 8px	Trace	220px

Provenance and lifecycle · CMP-08 · text + icon, never color alone

Source · Human proposal · Machine proposal · Validated · Accepted · Broken anchor

Long job status · CMP-15

Queued · Running · Partial · uncommitted · Failed · retry eligible · Cancelled · Complete · v18

Diff direction · every changed value is labeled in text

+ Added · − Removed · ~ Changed · = Invariant

Assertion kinds · CMP-13

Observation What the text shows	**Finding** Pattern across spans	**Claim** Lens-dependent reading

Interaction states

Command · default / hover / focus-visible

Run · Run · Run

Command · disabled with visible reason

Commit — Commit requires narrative designer authority

Row selection · tinted, with focus kept visible

‹Scene 1.2› · ‹Scene 1.2›

Mode and narrow tab · strong selection

Work | Inspector | Trace

Motion: panels 180ms, feedback 120ms; both 0ms under reduced motion, with no state information lost.