

Relationship	Product
Colorway Product	CL Classics RS White, Dyed, Heathe Crew (Colorways MIW)
Pattern Product	D6758 Men'sSize:XS-6X Jersey T-shirt (Innerwear Mens Patterns)



Report	Name
Construction	002 : KT001B-Crew neck tee w/ seamed collar-STS
Measurements	001 : D6758D FGM
Block Weights Report	Spread, Trim Straight and Trim Bias

Showing 1 to 3 of 3 entries





### Block weights - Spred

Search:

Part La	Cut Method	Mfg Ji	Size Ji	Shade	Size	IVIARKER -	Conditioned   Width	#Gmts	MU%↓	Total Length	Ply	Usage Yd/Dz	Usage Lb/Dz
BO,SLV (30)	T1	2417AD	4	D	S	D6758D1S	18	2	94.9	74.5625	2	12.43	3.57
BO,SLV (30)	T1	2417AD	6	D	М	D6758D1M	20	2	94.9	76.125	2	12.69	4.05
BO,SLV (30)	T1	2417AD	8	D	L	D6758D1L	22	2	95	77.25	2	12.88	4.52
BO,SLV (30)	T1	2417AD	10	D	XL	D6758D1XL	. 24	2	93.9	79.5625	2	13.26	5.08
BO,SLV (30)	T1	2417AD	12	D	2X	D6758D12X	26	2	91.6	83.375	2	13.9	5.77
BO,SLV (30)	T1	2417AD	14	D	3X	D6758D13X	28	2	90.8	83.5625	2	13.93	6.23
BO,SLV (30)	T1	2417AP	4	Р	S	D6758D1S	18	2	94.9	74.5625	2	12.43	3.53
BO,SLV (30)	T1	2417AP	6	Р	М	D6758D1M	20	2	94.9	76.125	2	12.69	4.01
BO,SLV (30)	T1	2417AP	8	Р	L	D6758D1L	22	2	95	77.25	2	12.88	4.47
BO,SLV (30)	T1	2417AP	10	Р	XL	D6758D1XL	. 24	2	93.9	79.5625	2	13.26	5.03
BO,SLV	T1	2417AP	12	Р	2X	D6758D12X	26	2	91.6	83.375	2	13.9	5.71

Showing 1 to 232 of 232 entries


### Block weights - Trim

Search:

Part 1		Mfg ↓ <u>i⊾</u> Fabric	Shade	SizeSort		Pattern# Version	#Gmts	Trim Cut Width	Total Length	UsageYd/Dz	
COL(Bias) (95)	B1	1461AD	D	L	L	D6758D	1	2.375	16.7375	5.58	0.17
COL(Bias) (95)	B1	1461AD	D	5X	5X	D6758D	1	2.375	19.9563	6.65	0.2
COL(Bias) (95)	B1	1461AD	D	S	S	D6758D	1	2.375	15.1925	5.06	0.15
COL(Bias) (95)	B1	1461AD	D	2X	2X	D6758D	1	2.375	18.2825	6.09	0.18
COL(Bias) (95)	B1	1461AD	D	XL	XL	D6758D	1	2.375	17.51	5.84	0.17
COL(Bias) (95)	B1	1461AD	D	М	М	D6758D	1	2.375	15.965	5.32	0.16
COL(Bias) (95)	B1	1461AD	D	4X	4X	D6758D	1	2.375	19.57	6.52	0.19
COL(Bias)	D4	440440		27	0)/	D0750D	4	0.075	40.055	0.05	0.40

Showing 1 to 672 of 672 entries

# 002 : Measurements - D6758D PMEAS





Piece Name:	Pcs Per Gmt:	Name	5	M	L	XL	2X	3X	4X	5X	6X
D6758DBO		Α	30'1	31"1	31*27	32*27	34"1	34117	35' 1	35'17	3612
20730220		В	5'23	6' 2	3'14	6'23	7"	7*11	7*18	7*21	7'30
		С	5' 8	7' 3	7"30	8'11	8"7	8*26	9*13	10"	10'19
		D	B' 6	1017	11" 7	11*29	12"11	12'29	13"19	13"29	14°13
	E	613	7* 7	8* 2	815	812	8*31	9*18	10*5	10'24	
	F	3112	3*18	3'24	3'33	4*6	4*10	4*14	4*16	4"18	
		9	18"	20"	22"	24"	26°	23'	3046	32*	34*
D6758DSL	2	H	9"	9"	9"	9'13	10"16	1042	10" 0	10" 4	9'01
		1	15"	16"	17"	18"	19"	27	21'	22"	23"
		1	5' 8	5' 6	5*6	5'21	6.8	6'1	6"1	6"5	5"7
		К	1913	21" 4	23" B	25*10	26" 6	27" 9	28"15	29" 5	3016
D6758DCO	1	L	15"	15*24	16*16	17" 3	15"	18'24	19*8	19'20	20*
20,3000		М	212	212	212	2112	242	2112	2112	212	212
		N	7' 8	7"20	8"	812	8*24	9'4	9*12	948	9'24


Note: All measurements are displayed in 32nds. Please refer to FlexPLM User Training Manual-PRODUCT SPECIFICATIONS for conversion chart.



## 003 : Marker Layout - D6758D-30 BO,SLV-Ind







### 004 : Pattern Information - D6758D

CAD Storage: UW-Mens

Variant Screenshot:




Pattern Allowances:

Trim- Bias Cut - Display Trim- Straight Cut - STS

## 003 : Placement Details - LP004: Inside Back Neck (With Tape)

# LP004: Inside Back Neck (With Tape) Placements are to the center/highest point of the design





### 002 : Measurements - D6758D PMEAS

	00		F C		A Fold		6   -#	× .[	M Parocept		
Piece Name:	Pcs Per Gmt:	Name	S	М	L	XL	2X	3X	4X	5X	6X
D6758DBO	1	A	30'1	31"1	31*27	32*27	34"1	34117	35" 1	35'17	36*2
		В	5'23	6' 2	3'14	6'23	7"	7*11	7*18	7"21	7'30
		С	5' 8	7*3	7'30	8'11	8"7	8*26	9*13	10"	10'19
		D	9' 6	1017	11"7	11*29	12"11	12'29	13"19	13"29	14°13
		Е	643	7* 7	8*2	8115	812	8*31	9*18	10*5	10'24
		F	3112	348	3'24	3'33	4*6	4*10	4*14	4"16	#118
		0	18"	20"	22"	24"	26°	23'	3046	32"	34"
D6758DSL	2	Н	9"	9"	9'	9'13	10"16	1012	10" 0	10" 4	9'31
		1	15"	16"	17"	18"	19"	23'	21'	22"	23"
		J	5' 8	5' 6	5*6	5'21	6.8	6.1	6"1	6"5	5"7
		К	1913	21"4	23" B	25*10	26" 6	27* 9	28*15	29" 5	3016
D6758DCO	1	L	15*	15*24	16*16	17" 3	15"	18'24	19*8	19'20	20*
		М	212	212	212	2112	242	212	212	212	2112





### 004 : Pattern Information - D6758D

CAD Storage: UW-Mens


Variant Screenshot:





Pattern Allowances:

Trim- Bias Cut - Display Trim- Straight Cut - STS

## 003 : Marker Layout - D6758D-30 BO,SLV-Ind







## 003 : Placement Details - LP004: Inside Back Neck (With Tape)

# LP004: Inside Back Neck (With Tape) Placements are to the center/highest point of the design

