Relationships

| Relationship | Product |
|------------------|---|
| Colorway Product | B252 Boys RL White/Dyed & Dunk Stripe Exp WB OE Brief (Colorways BIW) |
| Pattern Product | T0409 Boys-Size:XS-2X Rib - Body 1x1 Brief (Innerwear Boys Patterns) |
| Label Product | LP 10056 Boys' Underwear Hanes Comfort Flex Tagless Btm (Mkt-Boys' UW Garment Labels) |
| Selling Product | SP- 21813 - B252P6 - P 6 - White Alpha Brief (BIW Active Year) |



Showing 1 to 3 of 3 entries

Measurements



| POM Number | Measurement Name | Placement Amount | Placement Reference | Plus Tolerance | Minus Jacobian Tolerance | HTM Instructions | Comments | xs [∫] | s ↓ţ | M ↓ | L II | XL II | 2X ↓ |
|------------|--|------------------|---------------------|----------------|--------------------------|------------------|------------------------------|-----------------|--------|--------|--------|--------|--------|
| 200a | Waist - at top (half) | | | 0.75 | 0.75 | | kids (c1) tolerance | 9.25 | 10.25 | 11.0 | 12.0 | 13.0 | 13.5 |
| 200x | Min. Waist - Extended (half) | | | 99.0 | 0.0 | | | 13.5 | 14.75 | 16.0 | 17.5 | 19.0 | 19.75 |
| 300 | Waistband Width / Height | | | 0.25 | 0.25 | | (c1) tolerance | 1.25 | 1.25 | 1.25 | 1.25 | 1.25 | 1.25 |
| 210 | Rise/Trunk Length - Flat | | | 0.75 | 0.75 | | kids (c1) tolerance | 9.0 | 9.5 | 10.5 | 11.375 | 12.125 | 12.75 |
| 210a | Front Rise - Top of Waistband | | | 0.75 | 0.75 | | kids (c1) tolerance | 10.625 | 11.125 | 12.125 | 13.0 | 13.75 | 14.375 |
| 211a | Back Rise - Top of Waistband | | | 0.75 | 0.75 | | kids (c1) tolerance | 7.375 | 7.875 | 8.875 | 9.75 | 10.5 | 11.125 |
| 215 | Fly Length | | | 0.25 | 0.25 | | | 2.75 | 3.0 | 3.25 | 4.0 | 4.75 | 5.25 |
| 215b | Fly Position | | | 0.25 | 0.25 | | | 1.75 | 1.875 | 2.0 | 2.125 | 2.125 | 2.125 |
| 243 | Panel Width - 4" Down (front or back) | 4 | | 0.5 | 0.5 | | (c1) tolerance | 3.5 | 3.625 | 3.75 | 4.0 | 4.25 | 4.375 |
| 245b | Crotch Width - At Seam (front or back) | | | 0.25 | 0.25 | | | 3.875 | 4.0 | 4.125 | 4.375 | 4.625 | 4.75 |
| 202e | Seat - At Top of Leg (half) | | | 0.75 | 0.75 | | kids (c1) tolerance | 8.625 | 9.625 | 10.625 | 11.75 | 12.875 | 13.375 |
| 206a | Leg Opening - At Edge (half) | | Inseam 0-2 | 0.5 | 0.5 | | short-kids (c1) tolerance | 6.125 | 6.75 | 7.375 | 8.375 | 9.25 | 9.875 |
| 206x | Min. Leg Opening - Extended (half) | | Inseam 0-2 | 99.0 | 0.0 | | | 7.875 | 8.75 | 9.5 | 10.25 | 11.0 | 11.375 |
| 209a | Outseam - Top of Waistband | | Inseam 0-2 | 0.5 | 0.5 | | short-kids (c1) tolerance | 4.375 | 4.625 | 5.125 | 5.375 | 5.5 | 5.625 |
| 302 | Leg Trim / Binding Width / Height | | | 0.125 | 0.125 | | | 0.5625 | 0.5625 | 0.5625 | 0.5625 | 0.5625 | 0.5625 |
| 302 | Fly Trim / Binding Width / Height | | | 0.125 | 0.125 | | | 0.3125 | 0.3125 | 0.3125 | 0.3125 | 0.3125 | 0.3125 |

Showing 1 to 16 of 16 entries

Previous

1

Next

Constructions



| Sewing Operation | Stitch Type 1 / Description | Gauge Width | SPI ∯ | Seam/Trimoff | Garment Use | Needle Thread | Needle Visibility | Looper Thread | Looper Comment | ↓↑ ts # |
|--|-----------------------------------|-----------------|-----------|-----------------------------------|-------------|-----------------|-------------------|-----------------|----------------|------------|
| Seam waist elastic with latch-tack. | 503 2 thread overedge | 12gg / 4.8mm | 25 min | 1/8" trimoff | Waist | T18 Txt Poly | Side B | T18 Txt Poly | Side A/B | |
| Bind fly. | 406 2N bottom coverstitch | 8gg / 3.2mm | 10 | folder 1T-5/16" finish binding | Fly | T18 Txt Poly | Side A | T18 Txt Poly | Side B | |
| Seam panel with tape. | 607 4N flatseam-no topcover | 16gg / 6.4mm | 10 | 1/4" trimoff | Таре | T18 Txt Poly | Side A | T18 Txt Poly | Side B | |
| Bind legs with elastic/rubber. | 406 2N bottom coverstitch | 8gg / 3.2mm | 12 | folder 1T-9/16" finish binding | Leg | T24 Txt Poly | Side A | T18 Txt Poly | Side B | |
| Attach exposed elastic to waist. | 407 3N bottom coverstitch | 16gg / 6.4mm | 12 | 5/16" overlap; 1/4" trimoff | Waist | T24 Txt Poly | Side A | T18 Txt Poly | Side B | |
| Flatseam crotch. | 607 4N flatseam | 16gg / 6.4mm | 14 | 1/4" overlap; 1/4" trimoff | Body | T18 Txt Poly | Side A | T18 Txt Poly | Side B | |
| Set garment label (heat transfer) centered over band seam. | N/A | N/A | N/A | N/A | | N/A | | N/A | | |
| APPROVED ALTERNATES: | | | | | | | | | | |
| Alternate seaming to be used only where 607 flatseam is not available due to capacity (Requires prior approval). | | | | | | | | | | |
| Attach pieces. | 504 3 thread overedge | 8gg / 3.2mm | 12 | 3/8"; 1/4" trimoff | | T18 Txt Poly | Side B | T18 Txt Poly | Side B | |
| Topcover seams. | 605 3N topcover | 16gg / 6.4mm | 12 | no trimoff | | T18 Txt Poly | Side A | T18 Txt Poly | Side B | |

Showing 1 to 12 of 12 entries

Previous

1

Next

Block Weights

Block Weights - Spread

Search:

| Part Code | Cut Method | d <u>↓</u> Mfg Fabrio | Size Sort | Sha | ade S | ize Marker | Conditioned Width | ↓î #Gm | nts MU | Total Length | ŢĒ | Ply Usage Yd/Dz | Usage Lb/Dz |
|---------------|------------|--------------------------|--------------|-----|-------|------------|-------------------|--------|--------|--------------|----|--------------------|-------------|
| FT,BK (60) | S3 | 1950JW | 2 | В | XS | T0409A2XS | 70.5 | 24 | 85.9 | 56.75 | 1 | 0.79 | 0.51 |
| FT,BK (60) | S3 | 1950JW | 4 | В | S | T0409A2S | 70.5 | 24 | 83.9 | 66.4375 | 1 | 0.92 | 0.59 |
| FT,BK (60) | S3 | 1950JW | 6 | В | М | T0409A2M | 70.5 | 24 | 83.1 | 79.8125 | 1 | 1.11 | 0.71 |
| FT,BK (60) | S3 | 1950JW | 8 | В | L | T0409A2L | 70.5 | 24 | 83.2 | 93.875 | 1 | 1.3 | 0.84 |
| FT,BK (60) | S3 | 1950JW | 10 | В | XL | T0409A2XL | 70.5 | 24 | 83.1 | 107.5 | 1 | 1.49 | 0.96 |
| FT,BK (60) | S3 | 1950OP | 2 | В | XS | T0409A2XS | 70.5 | 24 | 85.9 | 56.75 | 1 | 0.79 | 0.51 |
| FT,BK (60) | S3 | 1950OP | 4 | В | S | T0409A2S | 70.5 | 24 | 83.9 | 66.4375 | 1 | 0.92 | 0.59 |
| FT,BK (60) | S3 | 1950OP | 6 | В | М | T0409A2M | 70.5 | 24 | 83.1 | 79.8125 | 1 | 1.11 | 0.71 |
| FT,BK (60) | S3 | 1950OP | 8 | В | L | T0409A2L | 70.5 | 24 | 83.2 | 93.875 | 1 | 1.3 | 0.84 |
| FT,BK (60) | S3 | 1950OP | 10 | В | XL | T0409A2XL | 70.5 | 24 | 83.1 | 107.5 | 1 | 1.49 | 0.96 |
| FT,BK | S8 | 1290BB | 2 | В | XS | T0409A1XS | 36.5 | 40 | 85.6 | 91.6875 | 2 | 0.76 | 0.49 |

Showing 1 to 150 of 150 entries

Block Weights - Trim


Search:

| | Cut Method 1 | Mfg | Shade | SizeSort | Size | Pattern# Version | #Gmt | Trim Cut Width | Total Length | ↓ UsageYe | d/Dz UsageLb/ | /Dz |
|---------------------------------|--------------|--------|-------|----------|------|---------------------|------|-------------------|--------------|-----------|---------------|-----|
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CP | Р | -1 | S | T0409A | 1 | 0.875 | 28.5825 | 9.53 | 0.07 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CP | Р | -1 | 2X | T0409A | 1 | 0.875 | 35.2775 | 11.76 | 0.09 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CP | Р | -1 | М | T0409A | 1 | 0.875 | 30.1275 | 10.04 | 0.08 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CP | Р | -1 | L | T0409A | 1 | 0.875 | 32.1875 | 10.73 | 0.08 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CP | Р | -1 | XS | T0409A | 1 | 0.875 | 27.5525 | 9.18 | 0.07 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CP | Р | -1 | XL | T0409A | 1 | 0.875 | 33.99 | 11.33 | 0.09 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CY | D | -1 | XS | T0409A | 1 | 0.875 | 27.5525 | 9.18 | 0.07 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CY | D | -1 | L | T0409A | 1 | 0.875 | 32.1875 | 10.73 | 0.08 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CY | D | -1 | M | T0409A | 1 | 0.875 | 30.1275 | 10.04 | 0.08 | |
| Fly/Panel Trim(STRT) (HU) | B4 | 1361CY | D | -1 | 2X | T0409A | 1 | 0.875 | 35.2775 | 11.76 | 0.09 | |
| Fly/Panel Trim(STRT) | B4 | 1361CY | D | -1 | XL | T0409A | 1 | 0.875 | 33.99 | 11.33 | 0.09 | ▼ |

Showing 1 to 354 of 354 entries

Documents

002 : Measurements - T0409A PMEAS



| Piece | Pcs Per | | | | | | | |
|----------|---------|------|-------|-------|-------|-------|-------|-------|
| Name: | Gmt: | Name | XS | S | M | L | XL | 2X |
| T0409AFT | 2 | А | 3"16 | 3"20 | 3"24 | 4" | 4" 8 | 4"12 |
| | | В | 10"10 | 10"26 | 11"26 | 12"22 | 13"14 | 14" 3 |
| | | С | 3"16 | 3"20 | 3"24 | 4" | 4" 8 | 4"12 |
| | | D | 5" 9 | 5"13 | 6" 1 | 6" 1 | 6" 1 | 6" 5 |
| | | E | 3"18 | 3"27 | 4" 2 | 4"27 | 5"18 | 6" 2 |
| | | F | 1"23 | 1"27 | 1"31 | 2" 3 | 2" 3 | 2" 3 |
| T0409ABK | 1 | G | 7" 1 | 7"17 | 8"17 | 9"13 | 10" 5 | 10"25 |
| | | н | 6"31 | 7"29 | 8"23 | 9"23 | 10"21 | 11" 5 |
| | | - 1 | 3"19 | 3"27 | 4"11 | 4"19 | 4"23 | 4"27 |
| | | J | 7" 2 | 8" | 9" 2 | 10" 8 | 11"15 | 12" 6 |
| | | К | 1" 9 | 1"10 | 1"13 | 1"18 | 1"22 | 1"24 |


Note: All measurements are displayed in 32nds. Please refer to FlexPLM User Training Manual-PRODUCT SPECIFICATIONS for conversion chart.

004 : Marker Layout - T0409A-60 FT,BK-70.5

T0409A2L


T0409A2XL

004 : Marker Layout - T0409A-60 FT,BK-70.5




006 : Marker Layout - T0409A-60 FT,BK-35


T0409A5XS




T0409A5S




T0409A5M



T0409A5L




T0409A5XL



001 : Front/Back Image - Boys Ctn Knit Rib ExpWB




005 : Marker Layout - T0409A-60 FT,BK-31



005 : Marker Layout - T0409A-60 FT,BK-31

T0409A4L
T0409A4XL


004 : Marker Layout - T0409A-60 FT,BK-70.5



001 : Front/Back Image - Boys Ctn Knit Rib ExpWB




003 : Front/Back Image - Flow in Elastic GP10188 Exposed Elastic Brief




003 : Marker Layout - T0409A-60 FT,BK-36.5







T0409A1S




T0409A1M



T0409A1L




T0409A1XL




003 : Marker Layout - T0409A-60 FT,BK-36.5







T0409A1S




T0409A1M



T0409A1L



T0409A1XL




005 : Marker Layout - T0409A-60 FT,BK-31


T0409A4L
T0409A4XL

006 : Marker Layout - T0409A-60 FT,BK-35


T0409A5XS




T0409A5S




T0409A5M



T0409A5L



T0409A5XL



003 : Front/Back Image - Flow in Elastic GP10188 Exposed Elastic Brief




001 : Front/Back Image - Boys Ctn Knit Rib ExpWB




001 : Front/Back Image - Boys Ctn Knit Rib ExpWB




005 : Marker Layout - T0409A-60 FT,BK-31



003 : Front/Back Image - Flow in Elastic GP10188 Exposed Elastic Brief



002 : Measurements - T0409A PMEAS



| Piece | Pcs Per | | | | | | | |
|----------|---------|------|-------|-------|-------|-------|-------|-------|
| Name: | Gmt: | Name | XS | S | M | L | XL | 2X |
| T0409AFT | 2 | A | 3"16 | 3"20 | 3"24 | 4" | 4" 8 | 4"12 |
| | | В | 10"10 | 10"26 | 11"26 | 12"22 | 13"14 | 14" 3 |
| | | С | 3"16 | 3"20 | 3"24 | 4" | 4" 8 | 4"12 |
| | | D | 5" 9 | 5"13 | 6" 1 | 6" 1 | 6" 1 | 6" 5 |
| | | E | 3"18 | 3"27 | 4" 2 | 4"27 | 5"18 | 6" 2 |
| | | F | 1"23 | 1"27 | 1"31 | 2" 3 | 2" 3 | 2" 3 |
| T0409ABK | 1 | G | 7" 1 | 7"17 | 8"17 | 9"13 | 10" 5 | 10"25 |
| | | н | 6"31 | 7"29 | 8"23 | 9"23 | 10"21 | 11" 5 |
| | | I | 3"19 | 3"27 | 4"11 | 4"19 | 4"23 | 4"27 |
| | | J | 7" 2 | 8" | 9" 2 | 10" 8 | 11"15 | 12" 6 |
| | | к | 1" 9 | 1"10 | 1"13 | 1"18 | 1"22 | 1"24 |

Note: All measurements are displayed in 32nds. Please refer to FlexPLM User Training Manual-PRODUCT SPECIFICATIONS for conversion chart.

004 : Marker Layout - T0409A-60 FT,BK-70.5


T0409A2L

T0409A2XL

007: Pattern Information - T0409A

CAD Storage:

Variant Screenshot: UW-Youth



Pattern Allowances:

Fly Length -1/8 Fly Position -1/4

Crotch Width -3/8 Trim- Bias Cut - Leg Binding

Trim- Straight Cut - Fly and Panel Tubing

Leg Opening 98%


003 : Front/Back Image - Flow in Elastic GP10188 Exposed Elastic Brief




005 : Placement Details - LP016: Fitted UW Inside Waist (no CB seam)

LP006: Inside Waist (no CB seam)

Placement Finished Garment: Centered on Back; 1/2" Down From Stitch/Seam Placements are to the center/highest point of the design







005 : Placement Details - LP016: Fitted UW Inside Waist (no CB seam)

LP006: Inside Waist (no CB seam)

Placement Finished Garment: Centered on Back; 1/2" Down From Stitch/Seam Placements are to the center/highest point of the design






007: Pattern Information - T0409A

CAD Storage:

Variant Screenshot: UW-Youth



Pattern Allowances:

Fly Length -1/8 Fly Position -1/4

Crotch Width -3/8 Trim- Bias Cut - Leg Binding

Trim- Straight Cut - Fly and Panel Tubing

Leg Opening 98%