


The Front-End Checklist

 The Front-End Checklist Application is perfect for modern websites and meticulous developers! ★ Generated on <http://frontendchecklist.io> ★

Project Name

Page title or URL

Developer's name or team

- 14/47 ✓ high priority
- 4/25 ✓ medium priority
- 3/16 ✓ low priority

E

HEAD 72 % Head items are ✓

- ☒ **Doctype:** The Doctype is HTML5 and is at the top of all your HTML pages.
- ☒ **Charset:** The charset declared (UTF-8) is declared correctly.
- ☒ **Viewport:** The viewport is declared correctly.
- ☒ **Title:** A title is used on all pages
- ☒ **Description:** A meta description is provided, it is unique and doesn't possess more than 150 characters.
- ☐ **Favicons:** Each favicon has been created and displays correctly.
- ☐ **Apple Web App Meta:** Apple meta-tags are present.
- ☐ **Windows Tiles:** Windows tiles are present and linked.
- ☒ **Canonical:** Use rel="canonical" to avoid duplicate content.
- ☒ **Language attribute:** The <code>lang</code> attribute of your website is specified and related to the language of the current page.
- ☒ **Direction attribute:** The direction of lecture is specified on the html tag (It can be used on another HTML tag).
- ☒ **Alternate language:** The language tag of your website is specified and related to the language of the current page.
- ☒ **Conditional comments:** Conditional comments are present for IE if needed.
- ☒ **RSS feed:** If your project is a blog or has articles, an RSS link was provided.
- ☒ **Inline critical CSS:** The inline critical CSS is correctly injected in the HEAD.
- ☒ **CSS order:** All CSS files are loaded before any JavaScript files in the HEAD
- ☐ **Facebook Open Graph:**
- ☐ **Twitter Card:**

HTML 12 % HTML items are ✓

- ☒ **HTML5 Semantic Elements:** HTML5 Semantic Elements are used appropriately (header, section, footer, main...).
- ☐ **Error pages:** Error 404 page and 5xx exist
- ☐ **Noopener:** In case you are using external links with target="_blank", your link should have a rel="noopener" attribute to prevent tab nabbing. If you need to support older versions of Firefox, use rel="noopener noreferrer"
- ☐ **Clean up comments:** Unnecessary code needs to be removed before sending the page to production.
- ☐ **W3C compliant:** All pages need to be tested with the W3C validator to identify possible issues in the HTML code.

Made with ❤️ by [David Dias \("The"\)](#)

Follow for the Open-Source Community.