time 11:00


hatched: local phase L grey: solo S colour: episode

Active contact graph $G(t)$

Events



no group



time 11:05


hatched: local phase L grey: solo S colour: episode

Active contact graph $G(t)$



no group


Events



time 11:10


hatched: local phase L grey: solo S colour: episode

Active contact graph $G(t)$



no group

Events




time 11:15


hatched: local phase L grey: solo S colour: episode


Active contact graph $G(t)$

Events



no group





time 11:20
Active contact graph $G(t)$
hatched: local phase L grey: solo S colour: episode
Events
11:20 flight 1 departs (it leaves the R_{dep} disc)
8
1
14
22
5
no group
flight 1
flight 8
flight 22
flight 14
flight 5
episodes
11:00
12:00
13:00
14:00
15:00
16:00

time 11:25

hatched: local phase L grey: solo S colour: episode


Active contact graph $G(t)$




no group

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)





time 11:30
Active contact graph $G(t)$
hatched: local phase L grey: solo S colour: episode
Events
11:20 flight 1 departs (it leaves the R_{dep} disc)
8
1
14
22
5
no group
flight 1
flight 8
flight 22
flight 14
flight 5
episodes
11:00
12:00
13:00
14:00
15:00
16:00

time 11:35

hatched: local phase L grey: solo S colour: episode


Active contact graph $G(t)$



no group


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)



time 11:40

Active contact graph $G(t)$




g1 = $\{1, 8, 22\}$, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)

11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts



time 11:45

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)


11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts



time 11:50

Active contact graph $G(t)$

hatched: local phase L grey: solo S colour: episode




g1 = {1, 8, 22}, episode E1

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)

11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts



time 11:55

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)

11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts



time 12:00

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)

11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts



time 12:05

Active contact graph $G(t)$



g1 = {1, 8, 22}, episode E1


hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)


11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts

12:05 1–22 opens: new configuration, g_1 goes on



time 12:10

Active contact graph $G(t)$



g1 = {1, 8, 22}, episode E1


hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)


11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts

12:05 1–22 opens: new configuration, g_1 goes on



time 12:15

Active contact graph $G(t)$



g1 = {1, 8, 22}, episode E1


hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)


11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts

12:05 1–22 opens: new configuration, g_1 goes on



time 12:20

Active contact graph $G(t)$



g1 = {1, 8, 22}, episode E1


hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)


11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts

12:05 1–22 opens: new configuration, g_1 goes on



time 12:25

Active contact graph $G(t)$



g1 = {1, 8, 22}, episode E1


hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)


11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts

12:05 1–22 opens: new configuration, g_1 goes on



time 12:30

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on



time 12:35

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on



time 12:40

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on



time 12:45

Active contact graph $G(t)$


hatched: local phase L grey: solo S colour: episode



g1 = {1, 8, 22}, episode E1


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on



time 12:50

Active contact graph $G(t)$




g1 = {1, 8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on



time 12:55

Active contact graph $G(t)$





g2 = {8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$




time 13:00
Active contact graph $G(t)$
hatched: local phase L grey: solo S colour: episode
Events
11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
8
1
14
22
5
g2 = {8, 22}, episode E1
flight 1
flight 8
flight 22
flight 14
flight 5
episodes
g1
g1
g1
E1
11:00
12:00
13:00
14:00
15:00
16:00

time 13:05

Active contact graph $G(t)$




g2 = {8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$



time 13:10

hatched: local phase L grey: solo S colour: episode


Active contact graph $G(t)$



g2 = {8, 22}, episode E1


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$



time 13:15

Active contact graph $G(t)$




g2 = {8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$



time 13:20

Active contact graph $G(t)$




g2 = {8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$



time 13:25

Active contact graph $G(t)$




g2 = {8, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$



time 13:30

Active contact graph $G(t)$




g3 = {8, 14, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 13:35

Active contact graph $G(t)$




g3 = {8, 14, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 13:40

Active contact graph $G(t)$


hatched: local phase L grey: solo S colour: episode



g3 = {8, 14, 22}, episode E1


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 13:45

Active contact graph $G(t)$




g3 = {8, 14, 22}, episode E1

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 13:50

Active contact graph $G(t)$




g3 = {8, 14, 22}, episode E1

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 13:55

Active contact graph $G(t)$


hatched: local phase L grey: solo S colour: episode



g3 = {8, 14, 22}, episode E1

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 14:00

Active contact graph $G(t)$


hatched: local phase L grey: solo S colour: episode



g3 = {8, 14, 22}, episode E1

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 14:05

hatched: local phase L grey: solo S colour: episode


Active contact graph $G(t)$



g3 = {8, 14, 22}, episode E1


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$



time 14:10

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1



time 14:15

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1



time 14:20

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1



time 14:25

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1



time 14:30

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1



time 14:35

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1



time 14:40

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1



time 14:45

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1



time 14:50

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1



time 14:55

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1



time 15:00

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:05

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:10

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1
15:00 8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:15

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:20

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:25

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:30

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:35

Active contact graph $G(t)$




g4 = {8, 22}, episode E2

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2



time 15:40

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20	flight 1 departs (it leaves the R_{dep} disc)
11:40	1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05	1–22 opens: new configuration, g_1 goes on
12:30	1–22 closes: new configuration, g_1 goes on
12:55	1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30	8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10	8–22 and 8–14 close: g_3 ends, so does E1
15:00	8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2
15:40	8–22 closes: g_4 ends, so does E2



time 15:45

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode


Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1
15:00 8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2
15:40 8–22 closes: g_4 ends, so does E2



time 15:50

Active contact graph $G(t)$




no group

hatched: local phase L grey: solo S colour: episode

Events


11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1
15:00 8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2
15:40 8–22 closes: g_4 ends, so does E2



time 15:55

hatched: local phase L grey: solo S colour: episode


Active contact graph $G(t)$



no group

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1
15:00 8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2
15:40 8–22 closes: g_4 ends, so does E2



time 16:00


Active contact graph $G(t)$


no group

hatched: local phase L grey: solo S colour: episode

Events

11:20 flight 1 departs (it leaves the R_{dep} disc)
11:40 1–8 and 8–22 open: group $g_1 = \{1, 8, 22\}$ starts
12:05 1–22 opens: new configuration, g_1 goes on
12:30 1–22 closes: new configuration, g_1 goes on
12:55 1–8 closes: g_1 ends, $g_2 = \{8, 22\}$ starts; $g_1 \to g_2$
13:30 8–14 opens: $g_3 = \{8, 14, 22\}$ starts; $g_2 \to g_3$
14:10 8–22 and 8–14 close: g_3 ends, so does E1
15:00 8–22 opens again: $g_4 = \{8, 22\}$, a new episode E2
15:40 8–22 closes: g_4 ends, so does E2




11:50
12:15
13:10
13:50
15:20
8
1
14
22
5
flight 1
flight 8
flight 22
flight 14
flight 5
episodes
g1
g2
g3
g4
E1
E2
11:00
12:00
13:00
14:00
15:00
16:00