

ML Category AI Description

AI-Powered Category Content Generator for PrestaShop

Automatically generate SEO-optimized category descriptions, meta titles, meta descriptions, keywords, and friendly URLs using artificial intelligence (OpenAI or Azure OpenAI).

Installation

1. Upload the module

- Go to **Modules > Module Manager** in your PrestaShop back office
- Click **Upload a module** (top right)
- Select the `mlcategoryaidescription.zip` file

2. Install the module

- Find "ML Category AI Description" in the module list
- Click **Install**

3. Configure your API key

- After installation, click **Configure**
 - Enter your OpenAI API key (see Configuration section below)
-

Configuration

Access module configuration: **Modules > Module Manager > ML Category AI Description > Configure**

API Settings

API Provider

Option	Description
OpenAI	Standard OpenAI API (recommended for most users)
Azure OpenAI	Microsoft Azure hosted OpenAI (for enterprise users)
Custom	Self-hosted or alternative OpenAI-compatible APIs

API Key

Your OpenAI API key for authentication.

How to get your API key:

1. Go to <https://platform.openai.com/api-keys>
2. Sign in or create an account

- 3. Click **"Create new secret key"**
- 4. Copy the key (starts with **sk-...**)
- 5. Paste it in the API Key field

 **Important:** Keep your API key secret. Never share it publicly.

API Model

Select which AI model to use:

Model	Speed	Quality	Cost
gpt-4o-mini	 Fast	☒ Good	 Low
gpt-4o	Medium	☒ ☒ Excellent	  Medium
gpt-4	Slow	☒ ☒ ☒ Best	   High

 **Recommendation:** Start with **gpt-4o-mini** for testing. It's fast and affordable.

API Endpoint

- **OpenAI:** Leave default (<https://api.openai.com/v1>)
- **Azure:** Enter your Azure resource URL (e.g., <https://your-resource.openai.azure.com>)

 Generation Settings

Batch Size

How many items to process in each batch (1-20).

- **Recommended:** 5-10
- Lower values = more stable, but slower
- Higher values = faster, but may timeout

Write Mode

Mode	Behavior
Overwrite All	Replace existing content with new AI-generated content
Fill Missing Only	Only generate content for empty fields (recommended)

 **Recommendation:** Use **Fill Missing Only** to avoid overwriting manually written content.

Max Tokens

Maximum length of AI response (100-4000).

Field Type	Recommended Tokens
------------	--------------------

Field Type	Recommended Tokens
Description	800-1500
Meta Title	100-150
Meta Description	200-300
Meta Keywords	150-200

Temperature

Controls creativity of AI responses (0.0-1.5).

Value	Style
0.3	Conservative, predictable
0.7	Balanced (recommended)
1.0+	Creative, varied

Request Delay

Seconds to wait between API requests (0.0-5.0).

- **Recommended:** 0.5-1.0 seconds
- Helps prevent API rate limiting
- Set higher if you get rate limit errors

Enable Parallel Requests

Process multiple requests simultaneously for faster generation.

- **Yes:** Faster processing (3-5x speed improvement)
- **No:** Sequential processing (more stable)

 Background Processing (CRON)

Enable CRON to run generation in the background without keeping your browser open.

Enable CRON

Toggle to enable background processing mode.

CRON URL

After enabling, you'll see a URL like:

```
https://yourshop.com/module/mlcategoryaidescription/cron?token=abc123...
```

Setup options:

1. **Server CRON job** (recommended):

```
*/5 * * * * curl -s "YOUR_CRON_URL" > /dev/null
```

This runs every 5 minutes.

2. **External CRON service:** Use services like cron-job.org or EasyCron with your CRON URL.

Usage Guide

Step 1: Configure API

1. Go to module configuration
2. Enter your OpenAI API key
3. Select model (gpt-4o-mini recommended)
4. Save settings

Step 2: Customize Prompts (Optional)

1. Scroll to **Prompt Templates** section
2. Click on a field type (e.g., "Description")
3. Edit the prompt template for each language
4. Use placeholders like `{category_name}`, `{parent_name}`, `{products_list}`
5. Save templates

Step 3: Generate Content

1. **Select Categories:** Use the interactive category tree
 -  **Search:** Type in the search box to filter categories instantly
 -  **Select All / Deselect All:** Quick buttons to check/uncheck all categories
 -  **Expand All / Collapse All:** Show or hide the full tree structure
 -  **Select Subcategories:** Click the tree icon () next to any parent category to select/deselect all its children at once
 - Alternating row colors make it easy to scan large catalogs
2. **Select Languages:** Choose target languages
 - Select all languages for multilingual content
 - Or select specific languages
3. **Select Fields:** Choose what content to generate
 -  Description (main category text)
 -  Meta Title (SEO page title)
 -  Meta Description (SEO snippet)

- ☒ Meta Keywords (SEO keywords)
- ☒ Friendly URL (URL slug)

4. **Choose Write Mode:**

- **Fill Missing Only:** Safe option, keeps existing content
- **Overwrite All:** Replace all selected fields

5. **Click "Start Generation"**

Step 4: Monitor Progress

- Progress bar shows completion percentage
- View status in **Job Status** section
- Jobs can be paused and resumed
- Failed items are logged for review

 Features

☒ **Multi-Language Support**

Generate content for all your shop languages in one batch. The AI respects each language's prompt template.

☒ **Customizable Prompts**

Edit prompt templates for each field type and language. Include context about your business, tone preferences, and specific instructions.

☒ **Available Placeholders**

Use these in your prompt templates:

Category Placeholders

Placeholder	Description	Example
{category_name}	Category name	Men's Shoes
{category_breadcrumb}	Full category path (all parents)	Clothing > Footwear > Men's Shoes
{category_description}	Current category description	Browse our collection...
{category_meta_title}	Current meta title	Men's Shoes - MyShop
{category_meta_description}	Current meta description	Shop the best...
{category_meta_keywords}	Current meta keywords	shoes, men, leather
{category_url}	Full URL to category page	https://myshop.com/en/mens-shoes
{parent_category_name}	Direct parent category name	Footwear

Site/Shop Placeholders

Placeholder	Description	Example
{site_name}	Your shop name	MyShop
{site_description}	Shop homepage meta description	Your online store...
{shop_url}	Shop base URL	https://myshop.com/

Product Placeholders

Placeholder	Description	Example
{product_list}	Up to 50 product names	Product A, Product B...
{product_count}	Number of products in category	42
{first_products:N}	First N products from category	{first_products:10}
{random_products:N}	N random products from category	{random_products:5}

Language Placeholders

Placeholder	Description	Example
{language_code}	Target language ISO code	en, fr, de
{language_name}	Target language full name	English, Français

💡 **Tip:** Use {category_breadcrumb} to give the AI full context about category hierarchy!

☒ Resume Support

Long-running jobs can be paused and resumed. If your browser closes, start again and click "Resume" to continue from where you left off.

☒ Fill Missing Mode

Only generate content for empty fields. Existing manually-written content is preserved.

☒ Job Dashboard

Monitor all generation jobs with:

- Progress percentage
- Items processed/failed
- Start and completion times
- Ability to cancel stuck jobs

☒ Performance Statistics

View generation metrics:

- Total runs and items generated
- Token usage
- Average execution time
- API response times

Troubleshooting

"API Key Invalid" Error

- Check that your API key is correct (starts with `sk-...`)
- Ensure your OpenAI account has payment method configured
- Check API key hasn't expired or been revoked

"Rate Limit" Errors

- Increase **Request Delay** to 1-2 seconds
- Disable **Parallel Requests**
- Use a smaller **Batch Size**

Generation Stops/Freezes

- Check your browser didn't go to sleep
- Enable **CRON mode** for long jobs
- Reduce batch size to prevent timeouts

Empty or Poor Quality Results

- Edit your prompt templates with more context
- Include examples of desired output style
- Increase **Max Tokens** for longer content

"Stuck" Jobs

- Go to Job Status section
- Click "Delete" on stuck jobs
- Start a new generation

Recommended Settings for Beginners

Setting	Value
API Provider	OpenAI
Model	gpt-4o-mini
Batch Size	5
Write Mode	Fill Missing Only
Max Tokens	1000

Setting	Value
Temperature	0.7
Request Delay	0.5
Parallel Requests	Yes

API Costs

OpenAI charges based on tokens (roughly 4 characters = 1 token).

Approximate costs with gpt-4o-mini:

- ~\$0.01-0.02 per category (all fields)
- 100 categories ≈ \$1-2
- 1000 categories ≈ \$10-20

Actual costs depend on prompt length and response size.

Requirements

- PrestaShop 1.7.x, 8.x, or 9.x
- PHP 7.2 or higher (PHP 8.0+ recommended)
- cURL PHP extension enabled
- OpenAI API key or Azure OpenAI access

Support

Need help? Contact us:

- **PrestaShop Addons:** Through your order page
- **Website:** 2win.agency
- **Email:** Support through PrestaShop Addons messaging

License

This module is licensed for use on **1 website per license purchase**.

For additional websites, please purchase additional licenses.

© 2010-2026 2win.agency - All rights reserved.