

17/09/2026

TP4 | B2

Mise en place d'un point
d'accès Wifi

Sommaire

Introduction	1
I. Conception	1
II. Réalisation	1
Conclusion	5

Fait par : Mattéo Mouranchon – Groupe SISR

Introduction

L'objectif du TP est de mettre en place un point d'accès wifi de modèle Cisco série WAP 131


I. Conception

La boîte du routeur wifi contient :


- Le boîtier Cisco
- Une prise alimentation

II. Réalisation

On va commencer par le connecter directement au Poste. Malheureusement dans le cmd, le ipconfig /all n'a pas permis de le trouver mais on va utiliser IP scanner Advanced pour trouver notre adresse IP




Ensuite, on va aller dans le panneau de config > Réseau et internet > Centre réseau et partage > modifier les paramètres de la carte et aller dans l'IPv4 de la carte réseau et entrer la plage adresse de notre point d'accès



Une fois au site adminitrateur, on entre son identifiant et mots de passe :

- Session : cisco
- Mots de passe : cisco

Il ne reste plus que à faire la configuration de notre point d'accès



On configure son IP au numéro du poste

Access Point Setup Wizard

Welcome **Configure Device - IP Address**

Configuration Select either Dynamic or Static IP address for your device.

IP Address ☐ Dynamic IP Address (DHCP) (Recommended)
☒ Static IP Address

Single Point Setup

Time Settings

Security

Device Password

Network Name

Wireless Security

VLAN ID

Summary

Finish

Static IP Address: 172 . 16 . 5 . 245

Subnet Mask: 255 . 255 . 255 . 0

Default Gateway: 172 . 16 . 255 . 254

DNS: . . .

Secondary DNS (optional): . . .

[? Learn more about the different connection types](#)

Click **Next** to continue

Back Next Cancel

Puis on le finalise

Access Point Setup Wizard

Welcome **Device Setup Complete**

Configuration

✓ IP Address

✓ Single Point Setup

✓ Time Settings

Security

✓ Device Password

✓ Network Name

✓ Wireless Security

✓ VLAN ID

Summary

Finish

Cluster Name: ciscosb-cluster

Network Name (SSID): Post7

Network Security Type: plain-text

Security Key:

✓ Congratulations, your access point has been set up successfully. We strongly recommend that you save these settings by writing them down or by copying and pasting them into a text document. You will need these settings later when you add other wireless computers or devices to your network.

Note: To configure WPS, Click "Run WPS" on the Getting Started page, under Initial Setup.


Click **Finish** to close this wizard.

Back Finish Cancel

Maintenant on va tester son utilité, à commencer par le fait de pouvoir le détecter et se connecter



La détection




Connecter

Le schéma du réseau qui aurait donné avec le point d'accès wifi

Schéma réseau du TP04

Mise en place du point d'accès Cisco WAP121

Réseau local : 192.168.1.0/24 | Masque : 255.255.255.0



Adresses d'exemple à adapter au réseau réel.

Sans switch, relier le Cisco directement à un port LAN du routeur.

Premier accès sans DHCP après reset : 192.168.1.245 (environ 60 secondes).

TP04 | Schéma de principe | Configuration finale proposée

Conclusion

Grâce à ce TP, j'ai pu comprendre le fonctionnement du point d'accès wifi Cisco et comment l'utiliser