Forecast RMSE relative to the DGP forecast

Qualified estimates | each ratio uses common usable replications | 1 = equal RMSE

	Design 1								Design 2								Design 3								Design 4							
	ECH oracle	ECH selected	IHR	HR1	NET	RBY	DPF	MLE	ECH oracle	ECH selected	IHR	HR1	NET	RBY	DPF	MLE	ECH oracle	ECH selected	IHR	HR1	NET	RBY	DPF	MLE	ECH oracle	ECH selected	IHR	HR1	NET	RBY	DPF	MLE
n = 100	1.01	1.01	1.04	1.02	1.01	1.03	1.03	1.03	1.03	1.04	1.06	1.11	1.14	1.03	1.14	1.03	1.04	1.05	1.03	1.06	1.09	1.06	1.08	1.08	1.11	1.09	1.11	1.07	1.17	1.11	1.15	1.12
n = 200	1.00	1.01	1.01	1.01	1.00	1.01	1.01	1.01	1.01	1.01	1.03	1.06	1.07	1.01	1.10	1.01	1.02	1.03	1.03	1.04	1.04	1.05	1.03	1.04	1.05	1.02	1.03	1.02	1.06	1.05	1.06	1.07
n = 400	1.00	1.01	1.01	1.01	1.00	1.01	1.01	1.01	1.00	1.00	1.02	1.04	1.04	1.00	1.07	1.00	1.01	1.01	1.01	1.01	1.08	1.01	1.01	1.02	1.01	1.01	1.01	1.01	1.02	1.01	1.02	1.06
n = 100	1.00	1.01	1.02	1.02	1.00	1.02	1.02	1.02	1.01	1.02	1.02	1.04	1.06	1.01	1.05	1.01	1.03	1.03	1.10	1.04	1.06	1.05	1.06	1.06	1.10	1.07	1.09	1.06	1.11	1.10	1.14	1.10
n = 200	1.00	1.01	1.01	1.01	1.00	1.01	1.01	1.01	1.00	1.00	1.01	1.02	1.03	1.00	1.03	1.00	1.02	1.01	1.05	1.02	0.99	1.02	1.03	1.03	1.05	1.02	1.03	1.03	1.04	1.04	1.05	1.07
n = 400	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.01	1.01	1.01	1.00	1.02	1.00	1.01	1.01	1.01	1.01	1.01	1.02	1.02	1.02	1.02	1.01	1.01	1.01	1.02	1.02	1.02	1.05
n = 100	1.00	1.00	1.01	1.00	1.00	1.01	1.01	1.01	1.02	1.02	1.02	1.03	1.04	1.02	1.03	1.01	1.02	1.02	1.02	1.03	1.04	1.04	1.04	1.05	1.09	1.05	1.08	1.06	1.11	1.10	1.14	1.10
n = 200	1.00	1.00	1.00	1.00	1.00	1.01	1.00	1.01	1.01	1.01	1.01	1.02	1.02	1.01	1.02	1.01	1.01	1.01	1.01	1.01	1.02	1.01	1.02	1.03	1.04	1.02	1.02	1.02	1.03	1.04	1.05	1.06
n = 400	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.01	1.01	1.01	1.00	1.01	1.00	1.01	1.01	1.00	1.01	0.97	1.01	1.01	1.01	1.02	1.01	1.02	1.01	1.02	1.02	1.02	1.07
n = 100	1.00	1.00	1.00	1.00	1.00	1.01	1.00	1.01	1.01	1.02	1.01	1.02	1.03	1.01	1.02	1.01	1.01	1.01	1.03	1.01	1.00	1.02	1.03	1.03	1.09	1.06	1.10	1.06	1.14	1.09	1.13	1.11
n = 200	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.01	1.01	1.01	1.02	1.02	1.01	1.02	1.01	1.00	1.00	1.03	1.01	1.00	1.02	1.01	1.01	1.05	1.02	1.03	1.02	1.04	1.04	1.05	1.06
n = 400	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.01	1.01	1.01	1.00	1.00	1.01	1.00	1.00	1.00	1.00	1.01	1.01	1.00	1.02	1.02	1.02	1.02	1.02	1.03	1.02	1.03	1.06
n = 100	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.02	1.02	1.01	1.02	1.03	1.02	1.02	1.01	1.01	1.01	0.96	1.00	0.98	1.03	1.01	1.03	1.09	1.06	1.10	1.06	1.14	1.09	1.14	1.10
n = 200	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.01	1.01	1.01	1.01	1.01	1.01	1.01	1.01	1.00	1.00	1.00	1.00	0.99	1.01	1.01	1.01	1.04	1.02	1.03	1.02	1.03	1.04	1.04	1.05
n = 400	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.01	1.01	1.01	1.00	1.01	1.00	1.00	1.00	1.01	1.00	1.01	1.00	1.01	1.01	1.02	1.02	1.02	1.01	1.02	1.02	1.03	1.05

log10(ratio)

0.00 0.02 0.04 0.06

Numbers are RMSE ratios, not averages of replication-wise ratios. Colour represents log10(ratio).
Missing outputs remain in failure counts. Large finite errors are retained. See CSV tables for paired counts and Monte Carlo standard errors.