

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Custom Mobile Bingo</title>
<style>
:root {
  --bg-color: #f4f6f9;
  --card-bg: #ffffff;
  --primary-color: #4a90e2;
  --selected-color: #2ee59d;
  --selected-text: #0b4b32;
  --text-color: #333333;
  --border-color: #dddddd;
}

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Helvetica, Arial, sans-serif;
}

body {
  background-color: var(--bg-color);
  color: var(--text-color);
  display: flex;
  flex-direction: column;
  align-items: center;
  padding: 16px;
  min-height: 100vh;
}

header {
  text-align: center;
  margin-bottom: 16px;
}

h1 {
  font-size: 1.8rem;
  color: var(--primary-color);
  margin-bottom: 4px;
}

p.subtitle {
  font-size: 0.9rem;
  color: #6666;
}

.bingo-grid {
  display: grid;
  grid-template-columns: repeat(5, 1fr);
  gap: 6px;
  width: 100%;
  max-width: 450px;
  aspect-ratio: 1 / 1;
  background-color: var(--border-color);
  padding: 6px;
```

```
border-radius: 12px;
box-shadow: 0 8px 20px rgba(0,0,0,0.08);
}

.square {
background-color: var(--card-bg);
border-radius: 6px;
display: flex;
align-items: center;
justify-content: center;
text-align: center;
padding: 4px;
font-size: 0.8rem;
font-weight: 600;
user-select: none;
-webkit-tap-highlight-color: transparent;
cursor: pointer;
transition: background-color 0.2s ease, transform 0.1s ease;
word-break: break-word;
}

.square:active {
transform: scale(0.96);
}

.square.marked {
background-color: var(--selected-color);
color: var(--selected-text);
}

.square.free-space {
background-color: #fff3c4;
color: #8a6d3b;
}

.controls {
margin-top: 20px;
display: flex;
gap: 12px;
}

button {
background-color: var(--primary-color);
color: white;
border: none;
padding: 10px 18px;
border-radius: 8px;
font-weight: 600;
font-size: 0.9rem;
cursor: pointer;
}

button:active {
opacity: 0.8;
}
</style>
</head>
<body>
```

```

<header>
  <h1>Party Bingo</h1>
  <p class="subtitle">Tap a square to mark it off!</p>
</header>

<div class="bingo-grid" id="bingoCard"></div>

<div class="controls">
  <button onclick="generateCard()">New Card</button>
</div>

<script>
  // Customize your list of bingo items here (minimum 24 required for a 5x5 grid with FREE space)
  const bingoItems = [
    "Find someone with a pet",
    "Drinks iced coffee in winter",
    "Has a tattoo",
    "Left-handed",
    "Speaks 2+ languages",
    "Born in another state/country",
    "Has gone skydiving",
    "Loves spicy food",
    "Plays an instrument",
    "Night owl",
    "Early bird",
    "Binge-watched a show this week",
    "Has broken a bone",
    "Does not drink coffee",
    "Owns a plant",
    "Has run a marathon",
    "Enjoys camping",
    "Can juggle",
    "Has met a celebrity",
    "Is an only child",
    "Has a birthday this month",
    "Loves horror movies",
    "Wearing green",
    "Has a food allergy",
    "Sings karaoke"
  ];

  function shuffle(array) {
    let currentIndex = array.length, randomIndex;
    const arrCopy = [...array];

    while (currentIndex !== 0) {
      randomIndex = Math.floor(Math.random() * currentIndex);
      currentIndex--;
      [arrCopy[currentIndex], arrCopy[randomIndex]] = [arrCopy[randomIndex], arrCopy[currentIndex]];
    }

    return arrCopy;
  }

  function generateCard() {
    const grid = document.getElementById("bingoCard");
    grid.innerHTML = "";

    const shuffled = shuffle(bingoItems);
  
```

```
let itemIndex = 0;

for (let i = 0; i < 25; i++) {
  const square = document.createElement("div");
  square.classList.add("square");

  // Middle square (Index 12) is FREE SPACE
  if (i === 12) {
    square.innerText = "FREE SPACE";
    square.classList.add("marked", "free-space");
  } else {
    square.innerText = shuffled[itemIndex];
    itemIndex++;

    square.addEventListener("click", () => {
      square.classList.toggle("marked");
    });
  }

  grid.appendChild(square);
}

// Initialize on load
window.onload = generateCard;
</script>
</body>
</html>
```