Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://cimsp4v1.herokuapp.com/

Checker Input	
Show source outline image report	
Options	
Check by address 🕶	
https://cimsp4v1.herokuapp.com/	
Check	

```
Use the Message Filtering button below to hide/show particular messages, and to see total counts of
errors and warnings.
Message Filtering
     Info Trailing slash on void elements has no effect and interacts badly with unquoted
 1.
     attribute values.
     From line 24, column 3; to line 25, column 22
     sheet">← dink rel="stylesheet"
     href="https://cdnjs.cloudflare.com/ajax/libs/hover.css/2.1.1/css/hover-min.css"↔
     type="text/css" />← <li
 2.
     Warning The type attribute is unnecessary for JavaScript resources.
     From line 42, column 3; to line 42, column 105
     script>← <script type="text/javascript"
     src="https://cdn.jsdelivr.net/npm/@emailjs/browser@3/dist/email.min.js">← </s</pre>
     Warning The type attribute is unnecessary for JavaScript resources.
     From line 44, column 3; to line 44, column 33
     script>← <script type="text/javascript">←
     Error Duplicate ID mobile-search.
     From line 153, column 13; to line 154, column 38
                <a class="nav-link dropdown-toggle" role="button" id="mobile-search" data-</pre>
     bs-toggle="dropdown"↔
                                            aria-expanded="false">↔
     Warning The first occurrence of ID | mobile-search | was here.
 5.
     From line 126, column 13; to line 127, column 38
               <a class="nav-link dropdown-toggle" role="button" id="mobile-search" data-bs-</pre>
     toggle="dropdown"↔
                                         aria-expanded="false">↔
     Warning The type attribute is unnecessary for JavaScript resources.
 6.
     From line 323, column 3; to line 323, column 33
```

```
>+++ ++ <script type="text/javascript">++
     Error Bad value | for attribute | action | on element | form |: Must be non-empty.
 7.
     From line 352, column 11; to line 352, column 39
                <form method="GET" action="">←
     Error Element <u>h5</u> not allowed as child of element <u>button</u> in this context.
 8.
     (Suppressing further errors from this subtree.)
     From line 369, column 7; to line 369, column 10
     e">↩
                 <h5>Paul R
     Content model for element button:
        Phrasing content, but there must be no interactive content descendant and no descendant with the
        tabindex attribute specified.
     Error No p element in scope but a p end tag seen.
 9.
     From line 375, column 5; to line 375, column 8
     tton>↩
            ې <mark></b></mark>ب <
     Error Element h5 not allowed as child of element button in this context.
10.
     (Suppressing further errors from this subtree.)
     From line 397, column 9; to line 397, column 12
                 <h5>Orders
     Content model for element button:
        Phrasing content, but there must be no interactive content descendant and no descendant with the
        tabindex attribute specified.
     Error No p element in scope but a p end tag seen.
11.
     From line 403, column 7; to line 403, column 10
      on>↩
                 ←
12.
     Error End tag | p | seen, but there were open elements.
     From line 473, column 15; to line 473, column 18
                 </smal
      Error Unclosed element small.
13.
     From line 469, column 18; to line 469, column 24
             <small>Copyri
      Error No small element in scope but a small end tag seen.
14.
     From line 473, column 19; to line 473, column 26
            <mark></small></mark>←
     Error End tag | footer | seen, but there were open elements.
15.
     From line 478, column 3; to line 478, column 11
       </div>← <mark></footer></mark>← <!-
```

```
Error Unclosed element div.
16.
    From line 345, column 5; to line 345, column 38
              <div class="container-fluid mt-4">←
    Error The aria-controls attribute must point to an element in the same document.
17.
    From line 367, column 5; to line 368, column 60
               <button class="mobile-footer-collapse" data-bs-toggle="collapse" data-bs-</pre>
                                aria-expanded="false" aria-
    target="#collapseExample1"↔
    controls="collapseExample">↔
18.
    Error The aria-controls attribute must point to an element in the same document.
    From line 395, column 7; to line 396, column 62
                <button class="mobile-footer-collapse" data-bs-toggle="collapse" data-bs-</pre>
                                        aria-expanded="false" aria-
    target="#collapseExample2"↔
    controls="collapseExample">↔
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 415 milliseconds.

About this checker • Report an issue • Version: 22.12.5