

Minitwit REST API Documentation

Written By: Matthew Corrente

URL Extension: /minitwit/api/public/timeline

Supported HTTP Methods

Resulting Behavior

GET

Displays all messages in the database

GET Request JSON:

none

GET Response JSON

```
[
{
  "email": "jjsmith@gmail.com",
  "pub_date": "2018-02-19 @ 01:37",
  "text": "What's up everyone?!",
  "username": "John Smith"
}
```

URL Extension: /minitwit/api/<username>/messages

Supported HTTP Methods

Resulting Behavior

GET

Displays all messages posted by <username>

GET Request JSON:

none

GET Response JSON

```
[
{
  "email": "jjsmith@gmail.com",
  "pub_date": "2018-02-19 @ 01:37",
  "text": "What's up everyone?!",
  "username": "John Smith"
}
```

URL Extension: /minitwit/api/personal/timeline

Supported HTTP Methods

Resulting Behavior

GET - Authentication Required

Displays the authenticated user's timeline

GET Request JSON:

none

GET Response JSON

```
[
{
  "email": "jjsmith@gmail.com",
  "pub_date": "2018-02-19 @ 01:37",
  "text": "What's up everyone?!",
  "username": "John Smith"
```

```
} Minitwit API  
]
```

URL Extension: /minitwit/api/personal/followed

Supported HTTP Methods

Resulting Behavior

GET - Authentication Required

Displays all users followed by the authenticated user

GET Request JSON:

none

GET Response JSON

```
[  
{  
  "username": "John Smith"  
}  
]
```

URL Extension: /minitwit/api/personal/add/message

Supported HTTP Methods

Resulting Behavior

POST - Authentication Required

Registers a new message for the user

POST Request JSON:

```
{  
  "text": "I want to post this!"  
}
```

POST Response JSON

```
{  
  "code": 200,  
  "message": "Your message was recorded."  
}
```

URL Extension: /minitwit/api/personal/follow/<username>

Supported HTTP Methods

Resulting Behavior

POST - Authentication Required

Adds the authenticated user as a follow of <username>

POST Request JSON:

none

PUT Response JSON

```
{  
  "code": 201,  
  "message": "You are now following user1."  
}
```

URL Extension: /minitwit/api/personal/unfollow/<username>

Supported HTTP Methods

Resulting Behavior

DELETE - Authentication Required

Removes authenticated user as a follower of <username>

DELETE Request JSON:

none

DELETE Response JSON

```
{  
  "code": 200,  
  "message": "You are no longer following user3"  
}
```

URL Extension: /minitwit/api/register

Supported HTTP Methods

Resulting Behavior

POST

Registers a new user

POST Request JSON:

```
{  
  "username": "user1",  
  "password": "default",  
  "password2": "default"  
  "email": "me22@gmail.com"  
}
```

POST Response JSON

```
{  
  "code": 201,  
  "message": "Account successfully registered"  
}
```