

Minitwit REST API Documentation

Written By: Matthew Corrente

URL Extension: </minitwit/api/timeline/public>

Supported HTTP Methods

Resulting Behavior

GET

Displays all messages in the database

GET Request JSON:

none

GET Response JSON

```
[
{
  "email": "jjsmith@gmail.com",
  "pub_date": 1359147653.31,
  "text": "What's up everyone?!",
  "username": "John Smith"
}
```

URL Extension: </minitwit/api/timeline/public/<username>>

Supported HTTP Methods

Resulting Behavior

GET

Displays all messages posted by <username>

GET Request JSON:

none

GET Response JSON

```
[
{
  "email": "jjsmith@gmail.com",
  "pub_date": 1359147653.31,
  "text": "What's up everyone?!",
  "username": "John Smith"
}
```

URL Extension: </minitwit/api/timeline/personal>

Supported HTTP Methods

Resulting Behavior

GET - Authentication Required

Displays the authenticated user's timeline

GET Request JSON:

none

GET Response JSON

```
[
{
  "email": "jjsmith@gmail.com",
  "pub_date": 1359147653.31,
  "text": "What's up everyone?!",
  "username": "John Smith"
}
```

]

POST - Authentication Required	Registers a new message for the authenticated user
---------------------------------------	--

POST Request JSON:

```
{  
  "text": "I want to post this!"  
}
```

POST Response JSON

```
{  
  "code": 200,  
  "message": "Your message was recorded."  
}
```

[URL Extension: /minitwit/api/following](#)

[Supported HTTP Methods](#)

[Resulting Behavior](#)

GET - Authentication Required	Displays all users followed by the authenticated user
--------------------------------------	---

GET Request JSON:

none

GET Response JSON

```
[  
  {  
    "username": "John Smith"  
  }  
]
```

PUT - Authentication Required	Sets the authenticated user as a follower of <username>
--------------------------------------	---

PUT Request JSON:

```
{  
  "username": "user1"  
}
```

PUT Response JSON

```
{  
  "code": 201,  
  "message": "You are now following user1."  
}
```

DELETE - Authentication Required	Unsets authenticated user as a follower of <username>
---	---

DELETE Request JSON:

```
{  
  "username": "user1"  
}
```

DELETE Response JSON

```
{  
  "code": 200,  
  "message": "You are no longer following user1"  
}
```

[URL Extension: /minitwit/api/register](#)

[Supported HTTP Methods](#)

[Resulting Behavior](#)

POST	Registers a new user
-------------	----------------------

POST Request JSON:

```
{  
  "username": "user1",  
  "password": "default",  
}
```

POST Response JSON

```
{  
  "code": 201,  
  "message": "Account successfully registered"  
}
```

```
"password2":"default"      }  
"email":"me22@gmail.com"  
}
```