

ICONNECT PLATFORM

Events Functionality Catalogue

Verified capability catalogue for stakeholder review

7 September 2026 · Version 1.0

COMMERCIAL IN CONFIDENCE

Contents

1. Purpose, scope and method
2. Reading this catalogue
3. Simple and complex events at a glance
4. Administration and event configuration
5. Discovery, event pages and access
6. Schedules, sessions and event content
7. Ticket classes, eligibility and registration
8. Capacity, pricing and payment
9. Booking management, cancellation and transfer
10. Communications, virtual delivery and attendance
11. Surveys, check-in, reporting and workflows
12. Permissions, integrations and safeguards
13. Important current boundaries
14. Glossary

1. Purpose, scope and method

This catalogue describes **currently implemented** event capability in iConnect, in business language. It is intended to support product, commercial and operational review; it is not a configuration guide or technical specification.

The catalogue covers the full event lifecycle: administration, discovery, programme content, registration, commerce, delivery, follow-up and governance. It distinguishes the two event models:

- **Simple event** — one event record, suitable for a conventional meeting, webinar, course or group-limited event. A training variant can carry a multi-day agenda.
- **Complex event** — a multi-session event with tracks, ticket-to-track access and session-level online delivery.

Verification approach

Statements are based on the verified implementation inventories prepared for this review: simple events; complex events; event commerce; and event operations.

Inventory evidence was traced to active user interfaces, service behaviour and supporting data changes. Proposed work, task descriptions and specifications without independently verified implementation are deliberately excluded.

“Available” therefore means present in the current product, not a commitment that every tenant has configured it or that every event displays it.

2. Reading this catalogue

Availability legend

Availability	Meaning	Reader implication
Shared	Available in both event models.	The detailed behaviour can differ by model.
Simple	Available for simple events.	Includes training and group-limited variants where stated.
Complex	Available for complex events.	Normally relates to sessions, tracks or multi-ticket checkout.
Conditional	Available when a named setting, data assignment, access rule or integration is in place.	It should be confirmed for the tenant and event concerned.

Terms used in tables

The **Availability** column combines labels where useful (for example, **Shared** · **Conditional**). The **Description / dependency** column states what a reader can expect and, where material, the enabling condition or boundary. “Member” means an authenticated person in the tenant; “guest” means a person without that member context. “Tenant” means the client organisation’s isolated platform environment.

3. Simple and complex events at a glance

Availability	Capability	Description / dependency
Simple	Conventional event model	One event with date, place or online mode, ticket classes, speakers, tags, call to action and documents. It also supports a training agenda and a group-limited variant.
Complex	Programme event model	One event can contain days, tracks and separately managed sessions, with ticket classes that can grant access to selected tracks.
Shared	Public event experience	Each model has public listing and detail experiences, subject to publication and visibility rules.
Shared · Conditional	Paid or free registration	Both models support registration and commercial controls. Available payment options depend on tenant configuration, user context and the selected ticket.
Simple · Conditional	Training event	A simple-event training flag derives the overall span from its agenda. Training cannot use Immediate timing.
Complex · Conditional	Session delivery	Each session can carry its own online delivery, provider and access configuration.
Shared	Lifecycle controls	Confirmations, reminders, attendance reporting, cancellation requests, transfers and safe event deletion are supported, with model-specific handling where necessary.

4. Administration and event configuration

Event creation, editing and timing

Availability	Capability	Description / dependency
Simple	Event details and publishing	Administrators can create and edit titles, descriptions, dates, location or online mode, seats, visibility, status, speakers, tags, call to action, documents, attendance policy and ticketing details.
Simple · Conditional	Timing states	Scheduled, TBC and Immediate states are supported. TBC intentionally has no fixed schedule; Immediate is treated as current rather than past.
Simple · Conditional	Immediate event boundary	Immediate is only for non-training, non-complex, non-group events. It has no dates, registration close, timezone, Zoom identifiers or training agenda.
Simple · Conditional	Group-limited event	An event can be limited to a member group. This variant uses a group association and manual meeting link, and is free-ticket mode rather than ordinary paid ticketing.
Complex	Complex event builder	Administrators can manage event dates, registration window, tracks, sessions, ticket classes, speakers, sponsors, resources and online-delivery information in a dedicated builder.
Complex	Session administration	Sessions can be added and updated with title, description, timing, track, speakers and online provider details. Session deletion and event deletion use controlled cancellation rather than a direct purge.
Shared · Conditional	Tenant event settings	Tenant settings cover voucher expiry treatment and accounting/payment choices such as Xero status and account codes or Stripe clearing account. These settings enable behaviour; they do not guarantee that every event uses it.

Availability	Capability	Description / dependency
Shared · Conditional	Ticket offers and programmes	Administrators can manage ticket offers and programmes, including discount-related configurations. Whether an offer is effective depends on its applicable rule and dates.

5. Discovery, event pages and access

Availability	Capability	Description / dependency
Shared	Public listing	Published and otherwise permitted events can be discovered in tenant-scoped public lists. Simple events include published, TBC and Immediate states; complex events have their own public list and detail route.
Simple · Conditional	Public event detail	Detail can be reached by identifier or friendly link and shows event, ticket and commercial information appropriate to the viewer. A direct link to a private group event does not itself grant booking permission.
Complex	Programme detail and agenda	The public complex-event page presents day- and track-aware schedules, sessions, tickets and sponsors where configured.
Shared · Conditional	Public ticket visibility	Publicly visible ticket classes are shown to guests. Member, role or group-restricted classes are revealed and accepted only when the viewer meets the applicable rule.
Shared · Conditional	Group visibility	Public lists exclude private group-only events. A group event must be explicitly public to appear there; membership is separately enforced at booking.
Shared · Conditional	Public content sections	Sponsors, documents and resources appear only when they have been assigned and public content is populated.
Shared · Conditional	Search and indexing boundary	Public discovery is implemented; automatic event sitemap generation, canonical metadata, JSON-LD and indexing policy are not evidenced by this review.

6. Schedules, sessions and event content

Availability	Capability	Description / dependency
Simple · Conditional	Training agenda	A training simple event can hold agenda items and use them to determine its overall event span. Public summaries omit agenda for Immediate events.
Complex	Days, tracks and sessions	A complex event supports a programme organised by day, track and individual sessions, giving attendees a structured agenda rather than a single timetable.
Complex · Conditional	Ticket-to-track access	Tickets can permit all tracks or selected tracks. Schedule indicators and registration filtering reflect this only when ticket classes have track restrictions.
Complex	Speaker assignment	Sessions can be associated with managed speaker records, allowing the programme to present the relevant contributors.
Shared · Conditional	Sponsors	Managed sponsors can be assigned to simple or complex events and shown publicly when assignments and display content exist.
Shared · Conditional	Documents and resources	Event material can be associated with the event and displayed publicly where suitable records and public content are present.
Simple · Conditional	Speaker, tag and call-to-action content	The simple event editor supports speaker, tag, document and call-to-action content. Display depends on the populated event record and visibility.

7. Ticket classes, eligibility and registration

Availability	Capability	Description / dependency
Shared	Ticket classes	Events can offer ticket classes with visibility, availability and commercial attributes. The complex manager also supports classes linked to tracks.
Complex	Multi-ticket attendee checkout	A buyer can assemble multiple ticket items and add, update or remove attendee details before submitting a complex-event booking.
Shared · Conditional	Eligibility controls	Ticket availability can be restricted by member status, role or group. The service validates restricted classes rather than relying only on the screen.
Complex · Conditional	Group-linked self-registration	For a complex event linked to a group, an authenticated active group member can register only themselves; guest, colleague and buy-many routes are rejected.
Simple · Conditional	Group participant completion	Group event participants can complete registration through a tokenised flow, with locking at the configured cut-off.
Shared	Attendee information	Registration records carry attendee identity and booking information. Complex checkout captures name, email, organisation, phone, job title and optional dietary/accessibility selections.
Complex	Duplicate attendee protection	Checkout normalises email addresses and rejects duplicates within the request and against active or pending bookings. A member profile can fill a missing job title.
Simple	Administrative attendee import	Administrators can import attendee data in CSV form, with per-row errors and warnings, de-duplication and confirmation handling. It does not process payment and can complete partially.
Simple · Conditional	Import warning boundary	Import warns, rather than blocks, a guest placed in a members-only class; administrators should review warnings.

8. Capacity, pricing and payment

Availability	Capability	Description / dependency
Shared	Availability and sold-out status	Registration surfaces calculate availability from configured capacity and confirmed bookings, so sold-out status reflects commercial allocation rather than a display-only flag.
Complex	Strong capacity controls	Event seats use an atomic decrement and ticket-class capacity is checked from confirmed bookings with race protection and rollback.
Simple	Seat restoration	Booking cancellation restores simple-event seats. The regular path has a fallback update when its seat-adjustment operation is unavailable, making it less strongly atomic than the complex path.
Complex	Server-authoritative prices	The service determines ticket prices and totals, including free tickets and early-bird prices before their deadline; mixed checkout currencies are rejected.
Shared · Conditional	Discount codes	Discounts can be scoped by event, ticket, organisation, member, role or group, with expiry and maximum-use checks. The applicable rule determines eligibility.
Shared · Conditional	Payment methods	Card, account, account balance, training fund, voucher and invoice routes are supported for complex checkout; availability depends on login, organisation balances, permitted roles and tenant payment configuration.
Shared · Conditional	Card payment	Card payments use Stripe payment intent validation. A completed, correctly bound payment is required for paid card registrations.
Shared · Conditional	Voucher and training funding	Eligible organisation-owned vouchers and training funds can be applied when balance, expiry and role rules permit. Voucher payment requires full coverage; training fund can be a validated partial contribution.

Availability	Capability	Description / dependency
Shared · Conditional	Account and invoice	Account/invoice registrations are pending and require an authenticated context; purchase-order information can be recorded. Downstream invoice issuance or reconciliation is provider/manual-process dependent for complex checkout.
Simple · Conditional	Regular-event accounting	The regular booking route can create accounting invoices where configured and records ticket, discount, voucher and training-fund allocations.
Shared	Tax boundary	No event-commerce VAT calculation or VAT-inclusive/exclusive line is evidenced in the inspected booking flows. Displayed ticket totals should be treated as final currency amounts in those flows.
Shared	Offer boundary	Early-bird and discount-code pricing are verified. The presence of a general offer label is not evidence that every advertised offer type is calculated at checkout.

9. Booking management, cancellation and transfer

Availability	Capability	Description / dependency
Shared	Booking history and lookup	The platform has unified lookup handling for regular and complex booking sources. Complex member history is enriched with event, session and ticket-track context.
Shared	Cancellation request and approval	Members can create authorised requests and administrators can initiate, approve or reject them. Duplicate pending requests and mixed-source requests are prevented.
Shared	Idempotent cancellation engine	Approval uses one cancellation engine that can safely handle repeat attempts, move booking/allocation status and restore operational inventory.
Shared · Conditional	Reversals	Cancellation can restore seats, Zoom registration, training funds, vouchers, discount usage or a regular programme ticket; Stripe refunds and Xero credit notes depend on configured provider credentials and payment data.
Shared · Conditional	Manual-action handling	Missing or disabled payment/accounting providers, or failed Stripe/Xero reversals, are recorded for manual follow-up. Cancellation may still complete; some best-effort side effects can also require review.
Shared · Conditional	Discount restoration	An expired discount is not automatically restored. A replacement is made only when a reviewer supplies a new expiry date.
Shared	Transfer request	A booking can be transferred through a request and approval flow. Pending transfer and cancellation requests are mutually exclusive.
Shared · Conditional	Transfer rules	Public targets need valid identity details and must not already be members; member transfers can enforce same organisation and role. Approval changes attendee identity, not price or payment.

Availability	Capability	Description / dependency
Shared · Conditional	Transfer follow-up boundary	Zoom, accounting and email work is non-blocking. Public transfers deliberately skip accounting invoice update, so operational follow-up can be needed.
Shared	Safe event deletion	Deletion first puts an event into a cancelling state, blocks new registrations, processes bookings and then removes the event. A preview identifies affected bookings and potential provider follow-up.
Shared · Conditional	Deletion recovery	Processing failures leave the event in cancelling for rerun or manual resolution. Financial items marked for manual action do not by themselves prevent deletion.

10. Communications, virtual delivery and attendance

Availability	Capability	Description / dependency
Shared · Conditional	Event email configuration	Event emails can be configured with timing, custom send point, subject, body, CC and enabled state. Saving schedules simple or complex reminders as appropriate.
Shared · Conditional	Automated reminders	A scheduled reminder process sends enabled event communications. Scheduling outcomes surface skipped items and failures for follow-up.
Simple · Conditional	Agenda in email	Training agenda content can be rendered into confirmations and reminders when the event email uses the agenda schedule content.
Shared	Confirmation resend	Administrators can resend attendee confirmations.
Shared · Conditional	Zoom event delivery	Zoom meetings/webinars can be managed, reassigned and synchronised. Active registrations can be moved when an associated meeting changes.
Complex · Conditional	Session-level virtual delivery	A complex session can specify online mode, provider, Zoom host/type and registration requirement, or a Teams meeting identifier. Zoom can be provisioned, changed and synchronised per session.
Complex · Conditional	Protected join links	Complex-event agenda Zoom join links are shown only to entitled viewers with a confirmed booking; they are not a general public disclosure route.
Shared · Conditional	Microsoft Teams and Outlook	Teams meeting and attendance functions require a connected Outlook organiser and Microsoft administrator consent. Outlook calendar connection, status and synchronisation are supported.
Shared · Conditional	External join links	Online events can hold external join links, including Teams, Zoom or Google Meet-style links. This is not evidence of native Google Calendar integration.

Availability	Capability	Description / dependency
Shared · Conditional	Attendance synchronisation	Zoom and Teams/provider attendance can be synchronised and linked to participant outcomes. Successful provider binding and sync are required.
Shared · Conditional	Attendance outcome	Registration reporting can identify attended, below-threshold and absent outcomes, duration and session detail. Unmatched provider participants can remain unmatched.

11. Surveys, check-in, reporting and workflows

Availability	Capability	Description / dependency
Shared · Conditional	Event survey assignment	A published survey version can be assigned to a simple or complex event with an access mode and open/close window. The assignment retains the event context.
Shared · Conditional	Survey access control	A token resolves the current published survey within its assignment window. Outside the window, context may be shown but the form cannot be completed; access policy can deny access.
Shared · Conditional	Entrance QR check-in	Physical events can include entrance QR codes in confirmation email: one per simple booking and one per registered in-person session for a complex booking. Staff scan them through the check-in service. Online events deliberately have no entrance QR.
Shared	Registration reporting	A registration report brings together booking and attendance information. Complex events can add session-level detail.
Shared · Conditional	Saved exports	Report/export infrastructure and saved-export use are available. Specific output formats are not asserted here because they depend on the report surface selected.
Shared · Conditional	Workflow platform	Administrators have a workflow engine and management surface available in the platform. This review does not establish a complete catalogue of event-specific triggers or actions.

12. Permissions, integrations and safeguards

Availability	Capability	Description / dependency
Shared	Role-based access	Platform roles include event, calendar, cancellation and site-map capabilities. Administrative screens and service operations apply permission and tenant controls.
Shared	Tenant isolation	Public discovery and booking-related operations resolve the tenant and scope data to it, helping prevent one client organisation's events being exposed to another.
Shared	Server-side booking protection	Services validate event state, ticket identity, visibility/access and payment-sensitive data instead of trusting browser-submitted totals.
Shared · Conditional	Registration state controls	Regular registration rejects a past registration deadline. Complex checkout blocks unpublished, draft, closed or cancelling events.
Complex	Complex deadline boundary	The inspected complex public booking and payment-intent paths do not show an equivalent registration-deadline check; event state controls still apply.
Shared · Conditional	Stripe	Stripe supports card payment flows and applicable cancellation refunds. The tenant must have working Stripe configuration.
Shared · Conditional	Xero	Xero settings and booking linkage support regular-event accounting and applicable credit-note outcomes. Provider availability and configuration determine completion.
Shared · Conditional	Zoom	Zoom supports delivery, registration movement and attendance sync when relevant identifiers, host settings and tenant credentials are configured.
Shared · Conditional	Microsoft Graph	Outlook calendars and Teams meeting/attendance functions rely on Microsoft connection, consent and accessible meetings.

13. Important current boundaries

The following are intentionally prominent because they affect planning and stakeholder expectations:

Availability	Capability / boundary	Description / dependency
Simple · Conditional	Immediate and group limitations	Immediate cannot be training or group-limited and does not carry schedule or Zoom data. Group-limited simple events are free-ticket/manual-link mode.
Shared · Conditional	Configuration is not automatic	Sponsors, resources, public tickets, virtual delivery, provider links and restricted access appear only when configured, assigned and permitted.
Shared	Proposed work excluded	Cancellation terms/deadline policies, certain refund/notification changes and member-only experience changes appearing in task planning are not represented as shipped capability.
Shared	Operational follow-up can remain	Some provider-side refund, credit-note, Zoom, accounting or email outcomes are non-blocking and may require manual follow-up.
Shared	No commerce VAT engine evidenced	The reviewed event booking flows do not evidence VAT computation or a VAT line.
Shared	Not an appointment-booking catalogue	Separate agent meeting-booking/calendar functions are not event commerce and are not described as ticket-checkout capability here.

14. Glossary

Availability	Term	Description / dependency
Shared	Attendee	The person registered to attend; they may differ from the person who made or paid for the booking.
Shared	Booking source	The underlying simple/regular or complex booking route; lifecycle controls use this distinction to handle each correctly.
Shared	Complex event	A multi-session programme with days, tracks, sessions and potentially track-limited tickets.
Shared	Conditional	A capability that requires a setting, linked record, eligibility rule or connected external provider.
Shared	Group-limited event	An event associated with a defined member group; visibility and registration are subject to group rules.
Shared	Immediate / TBC	Timing states for simple events. Immediate has no schedule; TBC has no confirmed schedule at creation.
Shared	Simple event	A conventional single event record; it may also be a training or group-limited variant.
Shared	Tenant	The client organisation's isolated iConnect environment, including its data, branding, permissions and integrations.
Shared	Track	A strand of a complex-event programme. Tickets can be configured to allow all tracks or selected tracks.

Document control: Events Functionality Catalogue · Version 1.0 · Published 7 September 2026 · Commercial in Confidence.