

Black-Litterman Model: Portfolio with market views

IEDA 3180 Project, 2024 Spring

Lau, Pak Hei



May 2024

Motivation

We have covered different portfolio formulations utilizing returns (μ) as their input, such as the **Maximum Sharpe Ratio Portfolio** (MSRP) and the **Mean-CVaR Portfolio**.

- We discussed sample estimator and shrinkage estimator for μ .
- However, both of them do not include any prediction power to future's return.

For active investors, especially fund managers, they would like to incorporate their view on μ during portfolio optimization.

Black-Litterman Model offers a way by combining

- The market model (starting point).
- Investor's view (extra information).

Model formulation

Goal: find out "actual" μ , by combining market information and our view.

Market model: $\mathbf{m} = \mu + e_m, \quad e_m \sim \mathcal{N}(0, \tau \Sigma)$

- One example of \mathbf{m} is to directly use the sample estimator $\hat{\mu}$, while factor models (e.g., CAPM) is also appropriate.
- τ corresponds to our uncertainty about the market information. The more uncertain we are, the larger τ we put in the model.

Investor's view: $\mathbf{v} = \mathbf{P}\mu + e_v, \quad e_v \sim \mathcal{N}(0, \Omega)$

- Ω corresponds to the uncertainty of our views.

Example

We have stock A and B. If we believe B will outperform A by $x\%$, with variance σ^2 , then we have $\mathbf{P} = \begin{bmatrix} -1 & 1 \end{bmatrix}$, $\mathbf{v} = [x\%]$, $\Omega = [\sigma^2]$.

Model formulation (con't)

By re-writing the two equations into a block matrix form, we have

$$\begin{bmatrix} \mathbf{m} \\ \mathbf{v} \end{bmatrix} = \begin{bmatrix} \mathbf{I} \\ \mathbf{P} \end{bmatrix} \boldsymbol{\mu} + \mathbf{e}, \quad \mathbf{e} \sim \mathcal{N} \left(0, \begin{pmatrix} \tau \boldsymbol{\Sigma} & 0 \\ 0 & \boldsymbol{\Omega} \end{pmatrix} \right)$$

This problem can be viewed as a weighted least square problem, where we **underweight the errors caused by observation with high variance**.

Alternately, we could utilize the Bayes' Theorem together with the pdf of Normal Distribution to obtain

$$\begin{aligned} \boldsymbol{\mu}_{BL} &= \mathbf{m} + \tau \boldsymbol{\Sigma} \mathbf{P}^T (\tau \mathbf{P} \boldsymbol{\Sigma} \mathbf{P}^T + \boldsymbol{\Omega})^{-1} (\mathbf{v} - \mathbf{P} \mathbf{m}) \\ \boldsymbol{\Sigma}_{BL} &= (1 + \tau) \boldsymbol{\Sigma} - \tau^2 \boldsymbol{\Sigma} \mathbf{P}^T (\tau \mathbf{P} \boldsymbol{\Sigma} \mathbf{P}^T + \boldsymbol{\Omega})^{-1} \mathbf{P} \boldsymbol{\Sigma} \end{aligned}$$

Generating investor's view

Obtaining views (which is the main source of **alpha**) is a very challenging task. Active fund managers usually devote most of the time to this area.

In the literature, there are mainly two classes of methods:

- **Time series modelling**: predicting returns, volatility, or economic factors (e.g., unemployment rate), based on various time series models (e.g., ARIMA, GARCH), and turn the prediction into views.
- **Machine learning techniques**: predicting returns based on methods such as ensemble learning (with random forest) and neural network.

I followed the methodology in [this paper](#) to generate views and perform an empirical study on the BL model on 8 famous technology stocks - 'AAPL', 'AMZN', 'GOOGL', 'META', 'MSFT', 'NFLX', 'NVDA', 'TSLA', from 2018-01-02 to 2020-01-04. The code can be accessed [here](#).

Empirical study - Methodology

Step 1 - Model the log-return by using a suitable ARMA(p,q) model. Parameters are picked from a validation set by minimizing MSE.

Step 2 - Generate a 21-days ahead forecast for the log-return. Only keep the ticker(s) with non-negative predicted return.

Step 3 - Perform Monte-Carlo simulation to obtain price distribution 1-year from now, assuming Geometric Brownian Motion. Only keep the simulated paths with positive returns (matching our hypothesis).

Step 4 - Calculate the expected return and variance based on the simulation. Create views correspondingly for each stock.

Step 5: Compute μ_{BL} and Σ_{BL} , and fit into MSRP.

Empirical study - Result

The performance of BL is compared to other portfolios we have learnt in class, and the performance is decent for this particular realization:

- Ranked 2nd in terms of Sharpe in the in-sample period
- Ranked 2nd in terms of Sharpe in the out-of-sample period

	Sharpe ratio (in-sample)	Sharpe ratio (out-of-sample)
EWP	0.123	2.21
MSRP	0.918	0.99
GMVP	-0.0296	2.75
mean-CVaR	0.237	2.25
mean-max DD	0.381	2.26
BL	0.641	2.67

Summary

In short, BL model is a **great starting point** if you want to incorporate future prediction in portfolio construction.

There are some **criticisms** to the original BL model:

- Naive assumption of normal distribution: Extensions have been developed to handle heavy tailed distribution (e.g., **student-t**).
- Limited ways of specifying views: More flexible ways to specify views and even views on volatility are suggested by **Meucci** and others.

Major references:

- **Y. Feng and D. P. Palomar, 2016**
- **A. Meucci, 2010**
- **B. Kocuk and G. Cornuéjols, 2020**