

--- SCENARIO: historical | VARIABLE: tas ---

--- GLOBAL METADATA ---

history: File was processed by fremetar (GFDL analog of CMOR). TripleID: [exper_id_JeWLYJP7qF,realiz_id_pbMpRPSf2U,run_id_lvywyeBtwv]
table_id: Amon
contact: gfdl.climate.model.info@noaa.gov
experiment: all-forcing simulation for 1921 to 2014
experiment_id: historical
Conventions: CF-1.7
branch_method: Initial conditions for this ensemble member were created using the 1921-1-1 land restart from a historical (1851-1-1 to 1920-12-31) and the 0101-1-1 restarts for the atmosphere, ocean and ice components from a Control experiment using fixed 1850 forcings
frequency: mon
initialization_method: 1
institute_id: NOAA GFDL
institution: NOAA GFDL(201 Forrestal Rd, Princeton, NJ, 08540)
realization: 1
modeling_realm: atmos
model_id: GFDL-SPEAR-MED
parent_experiment_id: none
parent_experiment_rip: r1i1p1f1
physics_version: 1
product: GFDL SPEAR_MED model output
project_id: GFDL-LARGE-ENSEMBLES
source: GFDL-SPEAR (2020, <https://agupubs.onlinelibrary.wiley.com/doi/full/10.1029/2019MS001895>):
aerosol: interactive;
atmos: GFDL-AM4C192 (Cubed-sphere (c192) - 0.5 degree nominal horizontal resolution; 33 levels; top level 1 hPa);
atmosChem: fast chemistry, aerosol only;
land: GFDL-LM4.0.1 (Cubed-sphere (c192) - 0.5 degree nominal horizontal resolution; 20 levels; bot level 10m);
land:Veg:GFDL-LM4.0.1 (dynamic vegetation, dynamic land use);
land:Hydro:GFDL-LM4.0.1 (soil water and ice, multi-layer snow, rivers and lakes);
landIce:GFDL-LM4.0.1;
ocean: GFDL-MOM6, tripolar; 360 x 320 longitude/latitude; 75 levels; top grid cell 0-2 m;
sealce: GFDL-SIS2.0,tripolar ; 360 x 320 longitude/latitude; 5 layers; 5 thickness categories
creation_date: 2021-02-01T17:17:29Z
tracking_id: 5ffd8ad8-5142-460e-bd76-6ca5fdb04ed7
references: SPEAR: The next generation GFDL modeling system for seasonal to multidecadal prediction and projection. Journal of Advances in Modeling Earth Systems, 12, e2019MS001895. <https://agupubs.onlinelibrary.wiley.com/doi/full/10.1029/2019MS001895>. The GFDL Data Portal (<http://nomads.gfdl.noaa.gov/>) provides access to NOAA/GFDL's publicly available model input and output data sets.
title: NOAA GFDL GFDL-SPEAR-MED, all-forcing simulation for 1921 to 2014 (run 1) experiment output for GFDL-LARGE-ENSEMBLES
gfdl_experiment_name: SPEAR-MED.historical.r1
license: CC-BY-SA-4.0
forcing: CMIP6 historical
external_variables: areacella

--- VARIABLE METADATA (tas) ---

long_name: Near-Surface Air Temperature
units: K
valid_range: [100. 400.]
missing_value: 1.0000000200408773e+20

_FillValue: 1.0000000200408773e+20

cell_methods: time: mean

interp_method: conserve_order2

standard_name: air_temperature

cell_measures: area: areacella