

Noodle Delivery App

Product Spec — MVP

This doc is split in two.

Part A — For the Designer | Part B — For the Developer

Background

Every day, an internal operator receives noodle delivery orders from restaurants via messaging apps, then manually enters them into an Excel spreadsheet — logging how many kilograms of Pho and Bun each restaurant ordered, per driver. The same data is then re-entered from scratch into a separate Google Sheets workbook for accounting. There is no connection between the two, so any error has to be caught and fixed in both places independently.

Because data lives in disconnected spreadsheets, there is also no way to review delivery history — questions like which restaurant orders the most, or which driver is busiest, cannot be answered without digging through old files.

This app replaces the Excel step with a purpose-built web tool. Data entered once is stored in a database, enabling basic delivery analytics out of the box and laying the groundwork to eventually push data directly to the accounting sheet — eliminating the double entry entirely. That integration is out of scope for this MVP, but the data model should be built with it in mind.

The goal is small and specific: faster daily data entry, reliable storage, and basic visibility into delivery history.

At a Glance

Item	Detail
What it is	Internal noodle delivery tracking app
Who uses it	One internal operator, recording daily orders
Replaces	Manual Excel spreadsheet
Pages	2 — Data Entry and Analytics
Out of scope	Auth, roles, accounting, automated imports, reporting

PART A — FOR THE DESIGNER

Page 1 — Data Entry

The operator uses this page daily to log deliveries per driver. Speed is the priority — it should feel like filling in a spreadsheet.

User Flow

Step	Action
1 — Open App	Land on Data Entry. Date defaults to today.
2 — Select Driver	Click a driver tab. Their restaurant table loads.
3 — Enter Quantities	Fill in Pho (kg) and Bun (kg) per restaurant. Tab through like a spreadsheet. Blank = 0.
4 — Submit	Click Submit. Data saves. Inputs clear. Stay on page.
5 — Next Driver	Click the next tab. Repeat until all drivers done.


Suggested Layout

Date: [Today ▼]

[Driver A] [Driver B] [Driver C] [+]

Restaurant	Pho (kg)	Bun (kg)
Pho House	[10]	[2]
Saigon Kitchen	[5]	[]
Golden Noodle	[]	[]

[Submit]



Stakeholder sketch — directional reference

28/2	Restaurant	Pho	Noodle
☒	Саларис Тайлан	3	
☒	Саларис Вьетсафе	10	2
☒	Остров мечты	0	
☒	Юго-западная Вьетсафе	10	
☒	[4] Тёплый Стан	0	
☒	[12] Коммунарка	10	2
☒	[10] ФоБо - Колумбус	20	3
☒	[11] Вьеткафе - Колумбус	8	2
☒	Колумбус Тайлан	3	
☒	Бульвар веласкеса д.8	0	
☒	Корабельная 5А	10	
☒	Каширское ш.	10	

Current Excel table — two noodle columns (Pho, Bun), pink rows = zero delivery

Key Behaviors

- Switching driver tabs preserves each driver's entered data — switching back restores it
- After Submit: show a brief 'Saved!' message, clear inputs, stay on the same tab
- Empty state if no restaurants exist: 'No restaurants added yet'
- [+] tab opens a simple form to add a new driver (name + phone)

Note for MVP

Tab-key navigation between inputs is required. No full page reload on submit.


Page 2 — Analytics / Homepage

Serves as the app homepage. Shows delivery performance at a glance, with the option to run custom queries or toggle which charts are visible.

User Flow

Step	Action
1 — Open Page	Default charts load automatically.
2a — Custom Query	Select a restaurant or driver + time range, hit Generate.
2b — Toggle Charts	Show or hide individual default charts as needed.

Suggested Layout



Stakeholder direction — KPI cards at top, charts below, custom query panel underneath

Notes for Designer

- KPI summary cards at the top (e.g. total kg, top restaurant, top driver)
- Charts below: top restaurants, top drivers, kg over time — each showing Pho and Bun separately
- Toggle Charts control lets the operator hide charts they don't need
- Custom query panel at the bottom: entity selector, name, date range, Generate button

Shared UI Notes

- Two-page nav: 'Data Entry' and 'Analytics' — simple top bar or sidebar
- No login screen — app opens directly to Data Entry
- Settings / Manage page (or modal) needed for adding drivers and restaurants — not counted in the two pages but should be planned for

Entity	Fields
Driver	Name, Phone
Restaurant	Name, Address, Phone

PART B — FOR THE DEVELOPER

Database Schema

drivers

Column	Type / Notes
driver_id	INT, Primary Key, Auto Increment
name	VARCHAR(100), NOT NULL
phone	VARCHAR(20)

restaurants

Column	Type / Notes
restaurant_id	INT, Primary Key, Auto Increment
name	VARCHAR(100), NOT NULL
address	VARCHAR(255)
phone	VARCHAR(20)

orders

Column	Type / Notes
order_id	INT, Primary Key, Auto Increment
date	DATE, NOT NULL
driver_id	INT, FK → drivers
restaurant_id	INT, FK → restaurants
pho_kg	DECIMAL(6,2), NOT NULL, DEFAULT 0
bun_kg	DECIMAL(6,2), NOT NULL, DEFAULT 0

Constraint

(date, driver_id, restaurant_id) must be unique. On submit: upsert. Blank inputs submit as 0.

API Endpoints

Drivers

Endpoint	Behavior
GET /drivers	Return all drivers
POST /drivers	Create driver (name, phone)
PUT /drivers/:id	Update driver
DELETE /drivers/:id	Block if orders exist

Restaurants

Endpoint	Behavior
GET /restaurants	Return all restaurants
POST /restaurants	Create restaurant
PUT /restaurants/:id	Update restaurant
DELETE /restaurants/:id	Block if orders exist

Orders

Endpoint	Behavior
GET /orders?date=&driver_id=	Get all orders for a driver on a date
POST /orders/batch	Upsert array of orders (see body shape below)
GET /orders?from=&to=	Get orders in a date range

POST /orders/batch body

```
{ date: 'YYYY-MM-DD', driver_id: 1, orders: [{ restaurant_id: 3, pho_kg: 10, bun_kg: 2 }] }
```

Analytics

Endpoint	Behavior
GET /analytics/top-restaurants?from=&to=	Sum pho_kg + bun_kg by restaurant
GET /analytics/top-drivers?from=&to=	Sum pho_kg + bun_kg by driver
GET /analytics/total-over-time?from=&to=	Total kg per day
GET /analytics/entity?type=&id=&from=&to=	Totals for one driver or restaurant

Tech Stack

No stack is required — pick what lets you move fastest.

Layer	Suggestion
Frontend	React or plain HTML/JS
Backend	Node/Express or Python/FastAPI
Database	SQLite (simplest) or PostgreSQL

APPENDIX

Out of Scope for MVP

The following are explicitly excluded from this build. The Google Sheets export in particular is the most likely next feature after MVP — keep the data model clean enough to support it.

Feature	Notes
Google Sheets accounting export	High priority post-MVP — will eliminate double data entry. Not in this build.
Login / auth	Single internal user — not needed
Role-based permissions	Only one role exists
Automated order import	Manual entry is fine for now
Accounting / invoicing	Handled by existing Google Sheet for now
Mobile app	Web browser is sufficient
Exports / reporting	Covered by future Google Sheets integration

User Stories

- I can open the app and start entering today's orders immediately.
- I can pick a driver tab and fill in Pho and Bun kg per restaurant.
- I can submit one driver's orders and immediately move to the next driver.
- I can change the date if entering data for a past day.
- I can add a new driver or restaurant when needed.
- I can open the analytics page and see which restaurants and drivers were most active.
- I can query a specific restaurant or driver over a custom date range.