

Tables

Monday, June 20, 2016 10:37 AM

Html writes tables row by row fashion

<table>

<tr> indicating start of row

<th> table heading **</th>**

<td>table data**</td>**

</tr>

</table>

<th scope="col"> //identifies the heading for the column

<th scope="row"> //identifies the heading for the row

<td colspan="2"></td> //takes up 2 spaces horizontally of grid

<td rowspan="2"></td> //takes up 2 spaces vertically of grid

Note:

When using **<td colspan="#"></td>** grid boxes become full so remember to check the format so that all of the data aligns well on the table.

Ex)

<table>

<tr>

<th></th> //blank spot usage

<th scope="col"> Saturday**</th>**

<th scope="col"> Sunday**</th>**

<tr>

<tr>

<th scope="row"> Tickets sold: **</th>**

<td>120**</td>**

<td>135**</td>**

</tr>

<tr>

<th scope="row"> Total sales: **</th>**

<td>\$600**</td>**

<td>\$675**</td>**

</tr>

</table>

	Saturday	Sunday
Tickets sold:	120	135
Total sales:	\$600	\$675

Longer tables use:

<thead> headings of the table should sit inside thead **</thead>**

<tbody> the body of the table should sit inside the tbody **</tbody>**

<tfoot> the footer belongs in the tfoot **</tfoot>**