

EVALUATING MODEL FIT: ROC- AUC

Joseph Nelson, Data Science Immersive

AGENDA

- Logistic Regression Quick Review
- Confusion Matrix
- Sensitivity & Specificity Tradeoff
- AUC and ROC Graphs
- Coding Implementation

QUICK REVIEW: LOGISTIC REGRESSION

- ▶ Logistic regression is a modeling tactic where our dependent variable is bound by $[0,1]$ used for class predictions
- ▶ If a value exceeds some threshold, we can say the outputted response is of class =1, or of class =0 if we're below some threshold

The Logistic Function


$$\text{Log} \left[\frac{Y}{(1-Y)} \right] = b_0 + b_1 X_1 + b_2 X_2 + b_3 X_3 + \dots + b_n X_n$$

Log(Likelihood) (pointing to the left side of the equation)

diet score (0-15) (pointing to $b_1 X_1$)

age group (0/1) (pointing to $b_2 X_2$)

sex (0/1) (pointing to $b_3 X_3$)



CONFUSION MATRIX

- ▶ A confusion matrix is a table of how we plot the output of our classifier
- ▶ How many classes are there?
- ▶ How many patients?
- ▶ How many times is a disease predicted?
- ▶ How many patients actually have the disease?

n=165	Predicted: NO	Predicted: YES
	Actual: NO	Actual: YES
	50	10
	5	100


CONFUSION MATRIX

- A confusion matrix is a table of how we plot the output of our classifier
- True Positives
- True Negatives
- False Positives
- False Negatives
- Accuracy: Overall, how often is this correct?
- Misclassification: Overall, how often is this wrong?

n=165		Predicted: NO	Predicted: YES	
		Actual: NO	TN = 50	FP = 10
	Actual: YES	FN = 5	TP = 100	105
		55	110	

CONFUSION MATRIX

Type I error
(false positive)



Type II error
(false negative)




CONFUSION MATRIX


- **Sensitivity:** when actual value is positive, how often is our prediction correct?
(True Positive/Recall)
- **Specificity:** when actual value is negative, how often is our prediction correct?
- **False Positive Rate:** When actual value is negative, how often is our prediction wrong?

n=165		Predicted: NO	Predicted: YES	
		Actual: NO	TN = 50	FP = 10
	60	Actual: YES	FN = 5	TP = 100
			55	110


SENSITIVITY/SPECIFICITY TRADE OFF




SENSITIVITY/SPECIFICITY TRADE OFF




SENSITIVITY/SPECIFICITY TRADE OFF




SENSITIVITY/SPECIFICITY TRADE OFF




SENSITIVITY/SPECIFICITY TRADE OFF



SENSITIVITY/SPECIFICITY TRADE OFF



SENSITIVITY/SPECIFICITY TRADE OFF




AUC AND ROC CURVES

- Sensitivity and Specificity move in opposite directions – but there is an optimum value to be found
- Area under the curve – plotting the sensitivity and specificity against one another yields the strength of our classifier (we want to bring this value to one)
- The most popular AUC is the Receiver Operating Characteristic (ROC) Curve




AUC AND ROC CURVES

- ▶ We plot Sensitivity vs 1-Specificity so that the two move in the same direction
- ▶ The ROC curve compares the true positive rate against the false positive rate. It is unaffected by the distribution of class labels since it is only comparing the correct vs. incorrect label assignments for one class.



AUC AND ROC CURVES



you can't get
 $auc < 0.5$ bc
otw it would
just be
guessing