

PanelStock

Standard Operating Procedures

Receiving · Dispatching · Damage Write-offs · Stocktaking · Settings

Lennox Facades

For all warehouse staff using the PanelStock app on their phone or tablet.

Contents



1. Getting Started
2. Logging In & Registering
3. Viewing Stock & Exporting Reports
4. Receiving Stock
5. Dispatching to a Job
6. Writing Off Damaged Stock
7. Job History
8. CNC Tracker
9. Scheduling CNC Panels (Admin)
10. Stocktaking Procedure (Admin-initiated)
11. Voiding a Mistaken Entry (Admin)
12. Settings: Managing the Materials Catalog
13. Settings: Managing Damage Reason Codes
14. Settings: Managing Users
15. Settings: Email Reports
16. Settings: Backup, Reset & Recovery

1. Getting Started

How to access PanelStock for the first time on your phone or tablet.



Open the app in your browser

On your phone or tablet, open **Safari** (iPhone/iPad) or **Chrome** (Android), and go to:

app.panelstockhq.com

Or scan this code with your phone's camera to open the link directly:



Add it to your home screen (iPhone/iPad — Safari)

1. Tap the **Share** icon (a square with an arrow pointing up) at the bottom of the screen.
2. Scroll down and tap **Add to Home Screen**.
3. Tap **Add** in the top-right corner.

Add it to your home screen (Android — Chrome)

1. Tap the three-dot menu icon in the top-right corner.
2. Tap **Add to Home screen** (sometimes shown as **Install app**).
3. Tap **Add** or **Install** to confirm.

Opening PanelStock going forward

Once installed, a PanelStock icon appears on your home screen just like any other app. Tap it to open PanelStock directly — no browser needed.

You only need to do this once per device. After installing, continue to Section 2 to log in or register.

2. Logging In & Registering



First time using PanelStock on this device

- 1 Open the app, then tap **Register**.
- 2 Enter a username (e.g. your first name).
- 3 Enter the 6-digit **registration code** — ask your admin if you don't have it.
- 4 Tap **Continue**, then choose your own personal PIN and confirm it.

The image shows a smartphone screen displaying the Lennox Facades app's registration interface. At the top, the status bar shows the time 7:39, signal strength, Wi-Fi, and 66% battery. The app's logo is centered on a grey background. Below the logo are two buttons: "Log in" and "Register". The "Register" button is highlighted. Below the buttons is a section titled "Register a new user" with a user icon. It includes instructions: "Ask whoever manages this app for the 6-digit registration code, then choose your own username." There are two input fields: "Choose a username" with the text "test" and "Registration code" with the placeholder "6-digit code". A "Continue" button is at the bottom.

7:39 66%

LENNOX FACADES

Log in Register

Register a new user

Ask whoever manages this app for the 6-digit registration code, then choose your own username.

Choose a username

test

Registration code

6-digit code

Continue


Returning after the app has logged you out

For security, the app automatically logs you out after 30 minutes of not being used.

1 Tap the **Log in** tab (this is the default).

2 Your username is usually already filled in from last time.

3 Enter your PIN and tap **Log in**.



The screenshot shows the app's login interface. At the top, the status bar displays the time 7:39, signal strength, Wi-Fi, and battery at 66%. The main area features the LENNOX FACADES logo. Below the logo are two tabs: 'Log in' (active) and 'Register'. Under the 'Log in' tab, there is a link 'Log in to PanelStock'. The 'Username' field is pre-filled with 'test'. The 'PIN' field is empty and labeled 'Your PIN'. A checkbox 'Remember my username on this device' is checked. A large blue 'Log in' button is at the bottom.

If you don't want the app to remember your username on a shared device, untick "Remember my username on this device" before logging in.

3. Viewing Stock & Exporting Reports




Stock tab

1 Tap **Stock** to see current SOH for all full panels and off-cuts.

2 Use the search bar to quickly find an item by colour, material, size, or SKU.

3 Switch between **Full panels** and **Off-cuts**.



Exporting reports

From Settings, you can export **SOH**, **Recent activity**, and the **Damage report** as Excel (.csv) or PDF. Every export downloads immediately and opens automatically once ready.

Adding an off-cut

Use this when a job leaves a usable leftover piece worth keeping in stock.

1 Go to Stock → Off-cuts → tap **Add**.

2 Search for and select the material the off-cut was cut from — every material in the catalog is listed, even ones at 0 SOH. Colour, material, and thickness carry over automatically.

3 Enter the off-cut's own **Width** and **Height** — usually smaller than the original full sheet.

4 Enter the **Quantity** and an optional **Note**.

5 Tap **Add off-cut**.

4:13

100



Scan QR Code



✂ Add off-cut to SOH

×

Cut from which material?

Search colour, material, size, SKU...

Charcoal · Solid Aluminium

3mm · 4200 × 1575 · AL-AX0BZR

25 SOH

Charcoal · Alpolic

4mm · 4000 × 1270 · AL-KVL2V3

25 SOH

Champagne · Solid Aluminium

3mm · 4000 × 1575 · AL-T9TK41

20 SOH

Champagne · Solid Aluminium

3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium

3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH

Charcoal · Alpolic

4mm · 3200 × 1270 · AL-UN3D22

25 SOH ✓

Off-cut size

Width (mm)

2480

Height (mm)

1270

Quantity

1

Note (optional)

Leftover from order 103

Add off-cut


Fixing a mistake on an off-cut

If an off-cut was entered with the wrong size, quantity, or note, correct it directly rather than deleting and re-adding it.

1 Go to Stock → Off-cuts, then tap the off-cut you want to fix.

2 In the **Fix a mistake** section, update the Width, Height, Quantity, or Note as needed.

3 Tap **Save changes**. The correction is recorded in Recent activity, showing the old and new values.



The screenshot shows the LENNOX FACADES mobile app interface. At the top, the status bar shows the time 1:32, signal strength, Wi-Fi, and battery at 70%. The app header includes the LENNOX FACADES logo and a 'Scan QR Code' button. Below the header is a search bar with the placeholder text 'Search colour, material, size, SKU...'. There are two tabs: 'Full panels (6)' and 'Off-cuts (18)'. Below the tabs are buttons for 'Excel', 'PDF', and '+ Add'. The main content area is titled 'Item detail' and shows a grey square representing the off-cut. To the right of the square, the text reads 'Carbon · Solid Aluminium', '3mm · 4000 × 750mm', and 'SKU AL-INXGXX'. Below this is a QR code with the instruction 'Scan this code with the camera icon in the header to quickly pull up this item next time.' The 'Fix a mistake' section is highlighted, showing fields for 'Width (mm)' (4000), 'Height (mm)' (750), 'Quantity' (1), and 'Note (optional)' (e.g. leftover from WO-1042). A 'Save changes' button is at the bottom of this section. Below the 'Fix a mistake' section is a 'Print label' button.

4. Receiving Stock

Use this whenever new panels physically arrive at the warehouse.



- 1 Tap **Receive** in the bottom navigation.
- 2 Use the search bar to find the colour, material, thickness or SKU you're receiving, then tap it to select it.
- 3 At the bottom of the screen, optionally enter a **Supplier / PO reference**.
- 4 Enter the **Quantity received**.
- 5 Tap **Add to SOH**.

7:40



Scan QR Code



**Receive stock**

Add incoming panels against an approved material

Select material

Search colour, material, size, SKU...



Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH



Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH



Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH ✓



Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH



Mill · Solid Aluminium
3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH



Charcoal · Alpolic
4mm · 3200 × 1270 · AL-UN3D22

25 SOH

Supplier / PO reference (optional)

Quantity received

15

Add to SOH

SOH

Receive

Dispatch

Damage

Jobs

Settings

If the material you need isn't in the list, ask an admin to add it in Settings before you can receive it.

5. Dispatching to a Job

Use this whenever material is being pulled from stock and sent out to a job.



- 1 Tap **Dispatch** in the bottom navigation.
- 2 Search for and select the material being dispatched.
- 3 At the bottom of the screen, enter the **Order number**.
- 4 Optionally enter the **Job reference**.
- 5 Enter the **Quantity to dispatch**.
- 6 Tap **Confirm dispatch**.

7:4165

Scan QR Code

Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH

Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH ✓

Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH

Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium
3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH

Charcoal · Alpolic
4mm · 3200 × 1270 · AL-UN3D22

25 SOH

Order number

Job reference (optional)

Quantity to dispatch

Confirm dispatch

SOH

Receive

Dispatch

Damage

Jobs

Settings

Leaving a usable off-cut behind? Dispatch the full sheet as above, then go to Stock → Off-cuts → Add to log the leftover piece separately.

6. Writing Off Damaged Stock

Use this whenever material is damaged and needs to be removed from stock on hand.



- 1 Tap **Damage** in the bottom navigation.
- 2 Search for and select the damaged material.
- 3 At the bottom of the screen, choose the **Reason** for the damage.
- 4 Enter the **Quantity damaged**.
- 5 Tap **Add photo** and take at least one clear photo of the damage — this is mandatory.
- 6 Tap **Write off stock**.

7:45

64

Scan QR Code

Write off damaged stock
Remove damaged material from SOH

[View log](#)

Select material

Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH ✓

Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH

Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH

Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium

Reason

001 — Scratched

▼

Quantity damaged

*** PHOTO OF DAMAGE ***

Add photo

At least one photo is required before this can be submitted.

Write off stock

SOH

Receive

Dispatch

Damage

Jobs

Settings

Every reason code has a 3-digit number (e.g. 001 — Scratched). This is recorded permanently against the write-off and appears in the Damage Report PDF.


7. Job History

Use this to review past dispatches, grouped by job.



- 1 Tap **Jobs** in the bottom navigation.

- 2 Use the search bar to find a specific job by reference or order number.



8. CNC Tracker

View the CNC cutting schedule and mark panels complete.




Viewing the schedule

Panels are grouped by Job reference, then by Order number, so it's easy to see progress on a job at a glance.

1 Tap **CNC** in the bottom navigation. Tap a job or order heading to expand or collapse it — each shows how many panels are pending and how many are complete.

2 Use **Pending / Completed** to switch views, and the search bar to filter by order, job reference, sheet, or panel number.

3 Tap **Copy shareable link** for a link to a live, browser-viewable version of the tracker that updates automatically — no PanelStock login needed — useful for pasting into a group chat or pinning on a shared screen.




Marking panels complete

Any logged-in user can mark panels complete, not just admins.

- 1 On a pending panel, tap **Complete panel** to finish just that one, or **Complete sheet** to finish every pending panel on that order and sheet in one go.

- 2 Review the confirmation — it lists exactly which panel IDs will be marked complete — then tap **Complete sheet** (or **Complete panel**) to confirm. This records who completed it and when.




Completing a sheet only affects pending panels on that same order and sheet — anything already completed, or on a different sheet, is untouched.

Checking on completed panels



1 Switch to **Completed** to see finished panels grouped the same way, along with who completed each one and when.



The shareable link's live view and spreadsheet download both update automatically as panels are scheduled and completed — there's never a need to re-export or re-send it. Scheduling new panels is covered in Section 9, an admin-only task.

9. Scheduling CNC Panels

Add panels to the CNC cutting schedule, one at a time or in bulk.



ADMIN ONLY

This entire section is admin only. Any staff member can view the schedule and mark panels complete (Section 8).

Scheduling a single panel

- 1 On the CNC tab, tap **Schedule panel**, then enter the **Order number**, **Sheet number**, and **Panel number**. **Job reference** is optional here.

- 2 Tap **Add to schedule**.

The screenshot shows the 'CNC tracker' section of the Lennox Facades app. At the top, there's a status bar with the time 1:30 and battery level 71%. Below the app logo, there's a 'Scan QR Code' button. The main section is titled 'CNC tracker' and contains a search bar for 'Search order, job reference, sheet, or panel number...'. Below the search bar are two buttons: 'Pending (8)' and 'Completed (0)'. There's a 'Copy shareable link' button and a '+ Schedule' button. The 'Schedule multiple panels' section contains four input fields: 'Order number' (with '99' entered), 'Job reference (optional)' (with 'Casino Towers' entered), 'Sheet number' (with '1' entered), and 'Panel number' (with 'Z3-241' entered). Below these fields is a large blue 'Add to schedule' button. At the bottom, there's a summary bar for 'Casino Towers' showing '8 pending · 0/8 complete'. The bottom navigation bar includes icons for SOH, Receive, Dispatch, Damage, CNC (selected), Jobs, and Settings.

Typing the word "Order" before the number (e.g. "Order 98") works fine — PanelStock keeps just the digits and always displays it as "Order 98".


Scheduling many panels on the same order

Use this when several panels share the same order and job — enter those details once, then list each sheet and panel.

1 Tap **Schedule multiple panels**. Enter the **Order number** and **Job reference** — both are required here, even though job reference is optional for a single panel.

2 For each panel, enter its **Sheet number** and **Panel ID**, tapping **+ Add line** for more rows. Use the trash icon to remove a row.

3 Tap **Schedule 3 panels** (the count updates to match your rows) to add them all at once.



The screenshot shows the Lennox Facades mobile app interface. At the top, the status bar shows 1:31, signal strength, Wi-Fi, and 70% battery. The app header includes the Lennox Facades logo and a 'Scan QR Code' button. Below the header, there are two tabs: 'Pending (9)' and 'Completed (0)'. A 'Copy shareable link' button and a '+ Schedule' button are visible. A 'Close bulk entry' link is also present. The main section is titled 'Schedule multiple panels' and contains instructions: 'Enter the order and job once, then add your panels.' Below this, there are input fields for 'Order number *' (containing '102') and 'Job reference *' (containing 'Casino towers'). A table follows with columns 'Sheet number' and 'Panel ID'. It contains three rows, each with a '1' in the 'Sheet number' column and a 'Z3-249', 'Z3-250', and 'Z3-251' in the 'Panel ID' column respectively. Each row has a trash icon to its right. Below the table is a '+ Add line' button. At the bottom of the form, there are two buttons: 'Schedule 3 panels' and 'Cancel'. The bottom navigation bar includes icons for SOH, Receive, Dispatch, Damage, CNC (highlighted), Jobs, and Settings.

10. Stocktaking Procedure

Follow this process when doing a full physical stock count.




ADMIN ONLY

Step 1 is admin only. Steps 2 and 3 are done by regular staff, following the admin's reset.

Step 1 — Reset SOH (before the count begins)

1 Go to Settings → Stocktake reset. Type **RESET** to confirm.

2 Tap **Reset all SOH for stocktake**. This clears all off-cuts and sets every panel's SOH to zero — catalog, damage reasons, and activity history are untouched.



Step 2 — Physically count the warehouse

Walk the warehouse and count every panel and usable off-cut piece by material, colour, thickness and size.

Step 3 — Enter the counted quantities

For each material, go to **Receive** and enter the counted quantity as if it were a fresh delivery. For off-cuts, go to Stock →

11. Voiding a Mistaken Entry



ADMIN ONLY


Voiding an entry is admin only. Settings → Recent activity.

In Settings, **Recent activity** shows a running log of every receipt, dispatch, and damage write-off, newest first.

1 Tap **Recent activity** to expand it.

2 Tap **VOID** next to the entry, then confirm. The stock effect is automatically reversed — a receipt is subtracted back out, a dispatch or damage write-off is added back in.

3 The entry stays in the log — it's never deleted — shown with a line through it and "VOIDED by [name] on [date]" underneath.



Voided entries also show clearly in the Excel and PDF activity exports — struck through, with the void details noted.

12. Settings: Managing the Materials Catalog



ADMIN ONLY

This entire section is only visible to admins, in Settings → Materials catalog.

Adding a single material

1 Tap **+ Add material**.

2 Enter the Colour/finish, Material, Thickness, Width, Height, and an optional Reorder point.

3 Tap **Add to catalog**. A SKU is generated automatically.


The screenshot shows the mobile app interface for managing materials. At the top, the status bar shows 7:47, signal strength, Wi-Fi, and 63% battery. The app header features the Lennox Facades logo and a 'Scan QR Code' button. The main section is titled 'Materials catalog' with 'Bulk upload' and 'Cancel' links. Below this is a descriptive text: 'This is the only list Receive can pull from — add every colour, material, thickness and size combination your team stocks.' The form contains several input fields: 'Colour / finish' (e.g. Bronze Anodised), 'Material' (e.g. ACP, Solid Aluminium), 'Thickness (mm)', 'Width (mm)', 'Height (mm)', and 'Reorder point (optional)' (e.g. 10). A prominent 'Add to catalog' button is below the form. The bottom of the screen shows a list of existing materials, grouped by material type (Charcoal and Champagne). Each entry displays the material name, dimensions, and a generated SKU, with edit and delete icons.

Material	Thickness (mm)	Width (mm)	Height (mm)	Reorder point (optional)	SKU
Charcoal · Solid Aluminium	3mm	4200	1575		AL-AX0BZR
Charcoal · Alpolic	4mm	4000	1270		AL-KVL2V3
Champagne · Solid Aluminium	3mm	4000	1575		AL-T9TK41
Champagne · Solid Aluminium	3mm	3200	1250		AL-IFL8XC

The catalog list is grouped by material and sorted largest sheet first within each group, matching how Stock on Hand is organised.

Bulk uploading from a spreadsheet

- 1 Tap **Bulk upload**.
- 2 Tap **Download template CSV**, or export your own list using the same column headings.
- 3 Tap **Choose CSV file** and select your completed file.
- 4 Review the preview list. Invalid rows are skipped and listed as errors — valid rows still import.
- 5 Tap **Import** to add all valid materials to the catalog in one go.



Use the pencil icon to edit a material's details, or the trash icon to remove it from the catalog.


13. Settings: Managing Damage Reason Codes



ADMIN ONLY

This entire section is only visible to admins, in Settings → Damage reason codes.

- 1 Each reason is shown with its 3-digit code (e.g. 001), assigned automatically and never reused.
- 2 To add a reason, type it into the field at the bottom and tap the + button.
- 3 To remove a reason, tap the trash icon next to it.




14. Settings: Managing Users



ADMIN ONLY

This entire section is only visible to admins, in Settings → Manage users & admins.

- 1 New staff need the current **registration code** to register.
Tap Open, enter your PIN to unlock, then view or change it here.
- 2 Each user has a green/red **Admin** switch — tap it to grant or revoke admin access.
- 3 Tap **Reset PIN** to revert a forgotten PIN back to the current registration code.
- 4 Tap the trash icon to remove a user entirely.



15. Settings: Email Reports



ADMIN ONLY

This entire section is only visible to admins, in Settings → Shared backend & email reports.

- 1 Add one or more recipient email addresses.
- 2 Choose which days of the week reports are sent.
- 3 Set the time.
- 4 Tick **Enabled** and tap **Save settings**.
- 5 Use **Send test now** to confirm it's working.

The screenshot shows the 'Shared backend & email reports' settings in the Lennox Facades app. At the top, there's a status bar with the time 7:47 and battery level 63%. The app header includes the Lennox Facades logo and a 'Scan QR Code' button. Below the header, there's a section for 'Shared backend & email reports' with a 'Close' button. The text indicates that stock data syncs across every device automatically and that email reports are enabled for weekdays at 06:00 to 0 recipients. There's a 'Recipients' section with a text input field containing 'name@company.com' and a '+' button. Below this, it says 'No recipients yet.' The 'Send on these days' section shows a row of buttons for Sun, Mon, Tue, Wed, Thu, Fri, and Sat, with 'All', 'Weekdays', and 'None' options below. The 'Time' section has a dropdown menu set to '06:00'. A note states 'Times use your device's current timezone: Australia/Brisbane.' There's a checkbox for 'Enabled' which is checked. At the bottom of this section are 'Save settings' and 'Send test now' buttons. A note explains that if this is the first device connecting to a brand-new shared backend with real stock data, the 'Send test now' button can be used to seed the backend. Below this is a button labeled 'Push this device's data to shared backend (first-time setup only)'. The bottom section is 'Materials catalog' with 'Bulk upload' and '+ Add material' links. A note states 'This is the only list Receive can pull from — add every colour, material,'. At the very bottom is a navigation bar with icons for SOH, Receive, Dispatch, Damage, Jobs, and Settings (which is highlighted).

Reports are sent automatically by the server on the schedule you set, even if nobody has the app open at the time.

16. Settings: Backup, Reset & Recovery




ADMIN ONLY

This entire section is only visible to admins, in Settings → Backup & restore / Stocktake reset / Full reset.

- 1 Tap **Copy full backup** to save a snapshot before making major changes.


- 2 Use **Restore from backup** (right next to it) to roll back to a previous snapshot if needed.



Stocktake reset & Full reset

- 1 **Stocktake reset:** type RESET, then tap Reset all SOH for stocktake. Zeroes SOH, clears off-cuts, keeps everything else.

- 2 **Full reset — all information:** type DELETE ALL, then tap Reset all information. Wipes catalog, SOH, reasons, and activity — logins are not affected. This cannot be undone.




Automated backups

In addition to the manual backup above, a snapshot is taken automatically once a day and kept for 14 days — no need to remember to back up yourself.

1 In **Backup & restore**, tap **Automated backups** to expand it.

2 Enter your PIN and tap **Unlock**. A list of available backup dates appears (oldest kept for 14 days).

3 Tap **Restore** next to a date to roll everything back to that day's snapshot.



Restoring replaces all current stock data, catalog, and activity history with that day's snapshot. This cannot be undone — consider taking a manual backup first if you want to keep what's there now.