

PanelStock

Standard Operating Procedures

Receiving · Dispatching · Damage Write-offs · Stocktaking · Settings

Lennox Facades

For all warehouse staff using the PanelStock app on their phone or tablet.

Contents



1. Getting Started
2. Logging In & Registering
3. Viewing Stock & Exporting Reports
4. Receiving Stock
5. Dispatching to a Job
6. Writing Off Damaged Stock
7. Job History
8. Stocktaking Procedure (Admin-initiated)
9. Voiding a Mistaken Entry (Admin)
10. Settings: Managing the Materials Catalog
11. Settings: Managing Damage Reason Codes
12. Settings: Managing Users
13. Settings: Email Reports
14. Settings: Backup, Reset & Recovery

1. Getting Started

How to access PanelStock for the first time on your phone or tablet.



Open the app in your browser

On your phone or tablet, open **Safari** (iPhone/iPad) or **Chrome** (Android), and go to:

app.panelstockhq.com

Add it to your home screen (iPhone/iPad — Safari)

1. Tap the **Share** icon (a square with an arrow pointing up) at the bottom of the screen.
2. Scroll down and tap **Add to Home Screen**.
3. Tap **Add** in the top-right corner.

Add it to your home screen (Android — Chrome)

1. Tap the three-dot menu icon in the top-right corner.
2. Tap **Add to Home screen** (sometimes shown as **Install app**).
3. Tap **Add** or **Install** to confirm.

Opening PanelStock going forward

Once installed, a PanelStock icon appears on your home screen just like any other app. Tap it to open PanelStock directly — no browser needed.

You only need to do this once per device. After installing, continue to Section 2 to log in or register.

2. Logging In & Registering



First time using PanelStock on this device

- 1 Open the app, then tap **Register**.
- 2 Enter a username (e.g. your first name).
- 3 Enter the 6-digit **registration code** — ask your admin if you don't have it.
- 4 Tap **Continue**, then choose your own personal PIN and confirm it.

A smartphone screen displaying the Lennox Facades app's registration interface. The status bar at the top shows the time 7:39, signal strength, Wi-Fi, and 66% battery. The app's logo is centered on a grey background. At the bottom, there are two buttons: "Log in" and "Register". Below these is a section titled "Register a new user" with a user icon. It includes instructions to ask an admin for a 6-digit registration code and choose a username. There are two input fields: one for the username containing the text "test", and another for the "6-digit code". A large blue "Continue" button is at the bottom of the form area.

7:39 66

LENNOX FACADES

Log in Register

Register a new user

Ask whoever manages this app for the 6-digit registration code, then choose your own username.

Choose a username

test

Registration code

6-digit code

Continue


Returning after the app has logged you out

For security, the app automatically logs you out after 30 minutes of not being used.

1 Tap the **Log in** tab (this is the default).

2 Your username is usually already filled in from last time.

3 Enter your PIN and tap **Log in**.



The screenshot shows the app's login interface. At the top, the status bar displays the time 7:39, signal strength, Wi-Fi, and battery at 66%. The main area features the LENNOX FACADES logo. Below the logo are two tabs: 'Log in' (active) and 'Register'. Under the 'Log in' tab, there is a section titled 'Log in to PanelStock' with a user icon. It contains two input fields: 'Username' with the text 'test' and 'PIN' with the placeholder 'Your PIN'. Below these fields is a checked checkbox labeled 'Remember my username on this device'. At the bottom is a large blue 'Log in' button.

If you don't want the app to remember your username on a shared device, untick "Remember my username on this device" before logging in.

3. Viewing Stock & Exporting Reports




Stock tab

1 Tap **Stock** to see current SOH for all full panels and off-cuts.

2 Use the search bar to quickly find an item by colour, material, size, or SKU.

3 Switch between **Full panels** and **Off-cuts**.



Exporting reports

From Settings, you can export **SOH**, **Recent activity**, and the **Damage report** as Excel (.csv) or PDF. Every export downloads immediately and opens automatically once ready.

Adding an off-cut

Use this when a job leaves a usable leftover piece worth keeping in stock.

1 Go to Stock → Off-cuts → tap **Add**.

2 Search for and select the material the off-cut was cut from — every material in the catalog is listed, even ones at 0 SOH. Colour, material, and thickness carry over automatically.

3 Enter the off-cut's own **Width** and **Height** — usually smaller than the original full sheet.

4 Enter the **Quantity** and an optional **Note**.

5 Tap **Add off-cut**.

4:13

100



Scan QR Code



✂ Add off-cut to SOH

×

Cut from which material?

Search colour, material, size, SKU...

Charcoal · Solid Aluminium

3mm · 4200 × 1575 · AL-AX0BZR

25 SOH

Charcoal · Alpolic

4mm · 4000 × 1270 · AL-KVL2V3

25 SOH

Champagne · Solid Aluminium

3mm · 4000 × 1575 · AL-T9TK41

20 SOH

Champagne · Solid Aluminium

3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium

3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH

Charcoal · Alpolic

4mm · 3200 × 1270 · AL-UN3D22

25 SOH ✓

Off-cut size

Width (mm)

2480

Height (mm)

1270

Quantity

1

Note (optional)

Leftover from order 103

Add off-cut

4. Receiving Stock

Use this whenever new panels physically arrive at the warehouse.



1 Tap **Receive** in the bottom navigation.

2 Use the search bar to find the colour, material, thickness or SKU you're receiving, then tap it to select it.

3 At the bottom of the screen, optionally enter a **Supplier / PO reference**.

4 Enter the **Quantity received**.

5 Tap **Add to SOH**.

7:40

Scan QR Code

Receive stock
Add incoming panels against an approved material

Select material

Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH

Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH

Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH ✓

Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium
3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH

Charcoal · Alpolic
4mm · 3200 × 1270 · AL-UN3D22

25 SOH

Supplier / PO reference (optional)

Quantity received

Add to SOH

SOH

Receive

Dispatch

Damage

Jobs

Settings

If the material you need isn't in the list, ask an admin to add it in Settings before you can receive it.

5. Dispatching to a Job

Use this whenever material is being pulled from stock and sent out to a job.



- 1 Tap **Dispatch** in the bottom navigation.
- 2 Search for and select the material being dispatched.
- 3 At the bottom of the screen, enter the **Order number**.
- 4 Optionally enter the **Job reference**.
- 5 Enter the **Quantity to dispatch**.
- 6 Tap **Confirm dispatch**.

7:41

 Scan QR Code 



Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH



Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH ✓



Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH



Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH



Mill · Solid Aluminium
3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH



Charcoal · Alpolic
4mm · 3200 × 1270 · AL-UN3D22

25 SOH

Order number

Job reference (optional)

Quantity to dispatch

Confirm dispatch

 SOH

 Receive

 Dispatch

 Damage

 Jobs

 Settings

Leaving a usable off-cut behind? Dispatch the full sheet as above, then go to Stock → Off-cuts → Add to log the leftover piece separately.

6. Writing Off Damaged Stock

Use this whenever material is damaged and needs to be removed from stock on hand.



- 1 Tap **Damage** in the bottom navigation.
- 2 Search for and select the damaged material.
- 3 At the bottom of the screen, choose the **Reason** for the damage.
- 4 Enter the **Quantity damaged**.
- 5 Tap **Add photo** and take at least one clear photo of the damage — this is mandatory.
- 6 Tap **Write off stock**.

7:45

 Scan QR Code 

 **Write off damaged stock**
Remove damaged material from SOH [View log](#)

Select material

 **Charcoal · Solid Aluminium**
3mm · 4200 × 1575 · AL-AX0BZR 25 SOH ✓

 **Charcoal · Alpolic**
4mm · 4000 × 1270 · AL-KVL2V3 25 SOH

 **Champagne · Solid Aluminium**
3mm · 4000 × 1575 · AL-T9TK41 20 SOH

 **Champagne · Solid Aluminium**
3mm · 3200 × 1250 · AL-IFL8XC 25 SOH

 **Mill · Solid Aluminium**
3mm · 4000 × 1270 · AL-KVL2V3 25 SOH

Reason

001 — Scratched

▼

Quantity damaged

*** PHOTO OF DAMAGE ***

 Add photo

At least one photo is required before this can be submitted.

Write off stock

 SOH  Receive  Dispatch  **Damage**  Jobs  Settings

Every reason code has a 3-digit number (e.g. 001 — Scratched). This is recorded permanently against the write-off and appears in the Damage Report PDF.


7. Job History

Use this to review past dispatches, grouped by job.



- 1 Tap **Jobs** in the bottom navigation.

- 2 Use the search bar to find a specific job by reference or order number.



8. Stocktaking Procedure

Follow this process when doing a full physical stock count.




ADMIN ONLY

Step 1 is admin only. Steps 2 and 3 are done by regular staff, following the admin's reset.

Step 1 — Reset SOH (before the count begins)

1 Go to Settings → Stocktake reset. Type **RESET** to confirm.

2 Tap **Reset all SOH for stocktake**. This clears all off-cuts and sets every panel's SOH to zero — catalog, damage reasons, and activity history are untouched.



Step 2 — Physically count the warehouse

Walk the warehouse and count every panel and usable off-cut piece by material, colour, thickness and size.

Step 3 — Enter the counted quantities

For each material, go to **Receive** and enter the counted quantity as if it were a fresh delivery. For off-cuts, go to Stock →

9. Voiding a Mistaken Entry



ADMIN ONLY


Voiding an entry is admin only. Settings → Recent activity.

In Settings, **Recent activity** shows a running log of every receipt, dispatch, and damage write-off, newest first.

1 Tap **Recent activity** to expand it.

2 Tap **VOID** next to the entry, then confirm. The stock effect is automatically reversed — a receipt is subtracted back out, a dispatch or damage write-off is added back in.

3 The entry stays in the log — it's never deleted — shown with a line through it and "VOIDED by [name] on [date]" underneath.



Voided entries also show clearly in the Excel and PDF activity exports — struck through, with the void details noted.

10. Settings: Managing the Materials Catalog



ADMIN ONLY

This entire section is only visible to admins, in Settings → Materials catalog.

Adding a single material

- 1 Tap **+ Add material**.
- 2 Enter the Colour/finish, Material, Thickness, Width, Height, and an optional Reorder point.
- 3 Tap **Add to catalog**. A SKU is generated automatically.

The screenshot shows the 'Materials catalog' screen in the Lennox Facades mobile app. At the top, there's a status bar with the time 7:47 and battery level 63%. Below the status bar is the app's header with the Lennox Facades logo and a 'Scan QR Code' button. The main content area is titled 'Materials catalog' with 'Bulk upload' and 'Cancel' links. A descriptive text states: 'This is the only list Receive can pull from — add every colour, material, thickness and size combination your team stocks.' The form contains several input fields: 'Colour / finish' (with placeholder 'e.g. Bronze Anodised'), 'Material' (with placeholder 'e.g. ACP, Solid Aluminium'), 'Thickness (mm)', 'Width (mm)', 'Height (mm)', and 'Reorder point (optional)' (with placeholder 'e.g. 10'). A prominent 'Add to catalog' button is below the form. At the bottom, a list of existing materials is shown, grouped by material type. Each entry includes a color swatch, the material name, dimensions, a generated SKU, and edit/delete icons.


Material	Thickness (mm)	Width (mm)	Height (mm)	SKU
Charcoal · Solid Aluminium	3mm	4200	1575	AL-AX0BZR
Charcoal · Alpolic	4mm	4000	1270	AL-KVL2V3
Champagne · Solid Aluminium	3mm	4000	1575	AL-T9TK41
Champagne · Solid Aluminium	3mm	3200	1250	AL-IFL8XC

The bottom navigation bar includes icons for SOH, Receive, Dispatch, Damage, Jobs, and Settings (which is highlighted).

The catalog list is grouped by material and sorted largest sheet first within each group, matching how Stock on Hand is organised.

Bulk uploading from a spreadsheet

- 1 Tap **Bulk upload**.
- 2 Tap **Download template CSV**, or export your own list using the same column headings.
- 3 Tap **Choose CSV file** and select your completed file.
- 4 Review the preview list. Invalid rows are skipped and listed as errors — valid rows still import.
- 5 Tap **Import** to add all valid materials to the catalog in one go.



Use the pencil icon to edit a material's details, or the trash icon to remove it from the catalog.


11. Settings: Managing Damage Reason Codes



ADMIN ONLY

This entire section is only visible to admins, in Settings → Damage reason codes.

- 1 Each reason is shown with its 3-digit code (e.g. 001), assigned automatically and never reused.
- 2 To add a reason, type it into the field at the bottom and tap the + button.
- 3 To remove a reason, tap the trash icon next to it.




12. Settings: Managing Users



ADMIN ONLY

This entire section is only visible to admins, in Settings → Manage users & admins.

- 1 New staff need the current **registration code** to register.
Tap Open, enter your PIN to unlock, then view or change it here.
- 2 Each user has a green/red **Admin** switch — tap it to grant or revoke admin access.
- 3 Tap **Reset PIN** to revert a forgotten PIN back to the current registration code.
- 4 Tap the trash icon to remove a user entirely.



13. Settings: Email Reports



ADMIN ONLY

This entire section is only visible to admins, in Settings → Shared backend & email reports.

- 1 Add one or more recipient email addresses.
- 2 Choose which days of the week reports are sent.
- 3 Set the time.
- 4 Tick **Enabled** and tap **Save settings**.
- 5 Use **Send test now** to confirm it's working.

The screenshot shows the 'Shared backend & email reports' settings in the Lennox Facades app. At the top, there's a status bar with the time 7:47 and battery level 63%. The app header includes the Lennox Facades logo and a 'Scan QR Code' button. Below the header, there's a section for 'Shared backend & email reports' with a 'Close' button. The settings are as follows:

- Stock data syncs across every device automatically. Email reports:** Enabled — Weekdays at 06:00, to 0 recipients.
- Recipients:** A text input field contains 'name@company.com' and a '+' button is next to it. Below it, it says 'No recipients yet.'
- Send on these days:** A row of buttons for Sun, Mon, Tue, Wed, Thu, Fri, and Sat. 'Mon' through 'Fri' are selected (dark blue), while 'Sun' and 'Sat' are not (light grey).
- All · Weekdays · None:** A row of buttons where 'Weekdays' is selected.
- Time:** A dropdown menu showing '06:00'.
- Times use your device's current timezone:** Australia/Brisbane.
- Enabled:** A checkbox is checked.
- Buttons:** 'Save settings' (dark blue) and 'Send test now' (light grey).
- Instructions:** 'If this is the very first device connecting to a brand-new shared backend and it already has real stock data, use the button below once to seed the backend with it.'
- Push this device's data to shared backend (first-time setup only):** A button with a dashed border.
- Materials catalog:** A section with 'Bulk upload' and '+ Add material' links. Below it, it says 'This is the only list Receive can pull from — add every colour, material,'.

At the bottom, there's a navigation bar with icons for SOH, Receive, Dispatch, Damage, Jobs, and Settings (which is highlighted).

Reports are sent automatically by the server on the schedule you set, even if nobody has the app open at the time.

14. Settings: Backup, Reset & Recovery




ADMIN ONLY

This entire section is only visible to admins, in Settings → Backup & restore / Stocktake reset / Full reset.

- 1 Tap **Copy full backup** to save a snapshot before making major changes.


- 2 Use **Restore from backup** (right next to it) to roll back to a previous snapshot if needed.



Stocktake reset & Full reset

- 1 **Stocktake reset:** type RESET, then tap Reset all SOH for stocktake. Zeroes SOH, clears off-cuts, keeps everything else.

- 2 **Full reset — all information:** type DELETE ALL, then tap Reset all information. Wipes catalog, SOH, reasons, and activity — logins are not affected. This cannot be undone.




Automated backups

In addition to the manual backup above, a snapshot is taken automatically once a day and kept for 14 days — no need to remember to back up yourself.

1 In **Backup & restore**, tap **Automated backups** to expand it.

2 Enter your PIN and tap **Unlock**. A list of available backup dates appears (oldest kept for 14 days).

3 Tap **Restore** next to a date to roll everything back to that day's snapshot.



Restoring replaces all current stock data, catalog, and activity history with that day's snapshot. This cannot be undone — consider taking a manual backup first if you want to keep what's there now.