

PanelStock

Standard Operating Procedures

Receiving · Dispatching · Damage Write-offs · Stocktaking · Administration

Lennox Facades

For all warehouse staff using the PanelStock app on their phone or tablet.

Contents



1. Logging In & Registering
2. Receiving Stock
3. Dispatching to a Job
4. Writing Off Damaged Stock
5. Stocktaking Procedure
6. Viewing Stock & Exporting Reports
7. Admin: Managing the Materials Catalog
8. Admin: Managing Damage Reason Codes
9. Admin: Managing Users
10. Admin: Email Reports
11. Admin: Backup, Reset & Recovery

1. Logging In & Registering



First time using PanelStock on this device

- 1 Open the app, then tap **Register**.
- 2 Enter a username (e.g. your first name).
- 3 Enter the 6-digit **registration code** — ask your admin if you don't have it.
- 4 Tap **Continue**, then choose your own personal PIN and confirm it.

The image shows a mobile app interface for registration. At the top, the status bar shows the time 7:39, signal strength, Wi-Fi, and battery at 66%. The main screen has a grey background with the Lennox Facades logo in the center. Below the logo are two buttons: "Log in" and "Register". Underneath these buttons is a section titled "Register a new user" with a small icon of a person. Below this title is a line of text: "Ask whoever manages this app for the 6-digit registration code, then choose your own username." This is followed by two input fields: "Choose a username" with the text "test" entered, and "Registration code" with the placeholder "6-digit code". At the bottom of this section is a large blue button labeled "Continue".

7:39 66%

LENNOX FACADES

Log in Register

Register a new user

Ask whoever manages this app for the 6-digit registration code, then choose your own username.

Choose a username

test

Registration code

6-digit code

Continue


Returning after the app has logged you out

For security, the app automatically logs you out after 30 minutes of not being used.

1 Tap the **Log in** tab (this is the default).

2 Your username is usually already filled in from last time.

3 Enter your PIN and tap **Log in**.



The screenshot shows the app's login interface. At the top, the status bar displays the time 7:39, signal strength, Wi-Fi, and battery at 66%. The main area features the LENNOX FACADES logo. Below the logo are two tabs: 'Log in' (active) and 'Register'. Under the 'Log in' tab, there is a link 'Log in to PanelStock' with a user icon. The 'Username' field is pre-filled with 'test'. The 'PIN' field is empty and labeled 'Your PIN'. A checkbox 'Remember my username on this device' is checked. A large blue 'Log in' button is at the bottom.

If you don't want the app to remember your username on a shared device, untick "Remember my username on this device" before logging in.

2. Receiving Stock

Use this whenever new panels physically arrive at the warehouse.



1 Tap **Receive** in the bottom navigation.

2 Use the search bar to find the colour, material, thickness or SKU you're receiving, then tap it to select it.

3 At the bottom of the screen, optionally enter a **Supplier / PO reference**.

4 Enter the **Quantity received**.

5 Tap **Add to SOH**.

7:40

Scan QR Code

Receive stock
Add incoming panels against an approved material

Select material

Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH

Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH

Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH ✓

Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium
3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH

Charcoal · Alpolic
4mm · 3200 × 1270 · AL-UN3D22

25 SOH

Supplier / PO reference (optional)

Quantity received

Add to SOH

SOH

Receive

Dispatch

Damage

Jobs

Settings

If the material you need isn't in the list, ask an admin to add it in Settings before you can receive it.

3. Dispatching to a Job

Use this whenever material is being pulled from stock and sent out to a job.



- 1 Tap **Dispatch** in the bottom navigation.
- 2 Search for and select the material being dispatched.
- 3 At the bottom of the screen, enter the **Order number**.
- 4 Optionally enter the **Job reference**.
- 5 Enter the **Quantity to dispatch**.
- 6 Tap **Confirm dispatch**.

7:41

 Scan QR Code 

 **Charcoal · Solid Aluminium**
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH

 **Charcoal · Alpolic**
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH ✓

 **Champagne · Solid Aluminium**
3mm · 4000 × 1575 · AL-T9TK41

20 SOH

 **Champagne · Solid Aluminium**
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

 **Mill · Solid Aluminium**
3mm · 2400 × 1200 · AL-Q5TA0F

25 SOH

 **Charcoal · Alpolic**
4mm · 3200 × 1270 · AL-UN3D22

25 SOH

Order number

Job reference (optional)

Quantity to dispatch

Confirm dispatch

 SOH

 Receive

 **Dispatch**

 Damage

 Jobs

 Settings

Leaving a usable off-cut behind? Dispatch the full sheet as above, then go to Stock → Off-cuts → Add to log the leftover piece separately.

4. Writing Off Damaged Stock

Use this whenever material is damaged and needs to be removed from stock on hand.



- 1 Tap **Damage** in the bottom navigation.
- 2 Search for and select the damaged material.
- 3 At the bottom of the screen, choose the **Reason** for the damage.
- 4 Enter the **Quantity damaged**.
- 5 Tap **Add photo** and take at least one clear photo of the damage — this is mandatory.
- 6 Tap **Write off stock**.

7:45

64

Scan QR Code

Write off damaged stock
Remove damaged material from SOH

[View log](#)

Select material

Charcoal · Solid Aluminium
3mm · 4200 × 1575 · AL-AX0BZR

25 SOH ✓

Charcoal · Alpolic
4mm · 4000 × 1270 · AL-KVL2V3

25 SOH

Champagne · Solid Aluminium
3mm · 4000 × 1575 · AL-T9TK41

20 SOH

Champagne · Solid Aluminium
3mm · 3200 × 1250 · AL-IFL8XC

25 SOH

Mill · Solid Aluminium

Reason

001 — Scratched

▼

Quantity damaged

*** PHOTO OF DAMAGE ***

Add photo

At least one photo is required before this can be submitted.

Write off stock

SOH

Receive

Dispatch

Damage

Jobs

Settings

Every reason code has a 3-digit number (e.g. 001 — Scratched). This is recorded permanently against the write-off and appears in the Damage Report PDF.

5. Stocktaking Procedure


Follow this process when doing a full physical stock count.



Step 1 — Reset SOH (Admin only, before the count begins)

1 Go to Settings → Stocktake reset. Type **RESET** to confirm.

2 Tap **Reset all SOH for stocktake**. This clears all off-cuts and sets every panel's SOH to zero — catalog, damage reasons, and activity history are untouched.



Step 2 — Physically count the warehouse

Walk the warehouse and count every panel and usable off-cut piece by material, colour, thickness and size.

Step 3 — Enter the counted quantities

For each material, go to **Receive** and enter the counted quantity as if it were a fresh delivery. For off-cuts, go to Stock → Off-cuts → Add.

6. Viewing Stock & Exporting Reports




Stock tab

1 Tap **Stock** to see current SOH for all full panels and off-cuts.

2 Use the search bar to quickly find an item by colour, material, size, or SKU.

3 Switch between **Full panels** and **Off-cuts**.



Exporting reports


From Settings, you can export **SOH**, **Recent activity**, and the **Damage report** as Excel (.csv) or PDF. Every export downloads immediately and opens automatically once ready.

Jobs tab



- 1 Tap **Jobs** to see dispatch history grouped by job reference and order number.

- 2 Use the search bar to find a specific job quickly.



7. Admin: Managing the Materials Catalog



ADMIN ONLY

This entire section is only visible to admins, in Settings → Materials catalog.

Adding a single material

- 1 Tap **+ Add material**.
- 2 Enter the Colour/finish, Material, Thickness, Width, Height, and an optional Reorder point.
- 3 Tap **Add to catalog**. A SKU is generated automatically.

The screenshot shows the mobile app interface for managing materials. At the top, the status bar shows 7:47, signal strength, Wi-Fi, and 63% battery. The app header includes the Lennox Facades logo and a 'Scan QR Code' button. The main section is titled 'Materials catalog' with 'Bulk upload' and 'Cancel' links. Below this is a descriptive text: 'This is the only list Receive can pull from — add every colour, material, thickness and size combination your team stocks.' The form contains several input fields: 'Colour / finish' (e.g. Bronze Anodised), 'Material' (e.g. ACP, Solid Aluminium), 'Thickness (mm)', 'Width (mm)', 'Height (mm)', and 'Reorder point (optional)' (e.g. 10). A large blue 'Add to catalog' button is positioned below the form. Below the button is a list of existing materials, each with a color swatch, name, dimensions, SKU, and edit/delete icons. The bottom navigation bar includes icons for SOH, Receive, Dispatch, Damage, Jobs, and Settings.

Materials catalog [Bulk upload](#) [Cancel](#)

This is the only list Receive can pull from — add every colour, material, thickness and size combination your team stocks.

Colour / finish
e.g. Bronze Anodised

Material
e.g. ACP, Solid Aluminium

Thickness (mm) Width (mm) Height (mm)

Reorder point (optional)
e.g. 10


Add to catalog

	Charcoal · Solid Aluminium 3mm · 4200 × 1575 · AL-AX0BZR		
	Charcoal · Alpolic 4mm · 4000 × 1270 · AL-KVL2V3		
	Champagne · Solid Aluminium 3mm · 4000 × 1575 · AL-T9TK41		
	Champagne · Solid Aluminium 3mm · 3200 × 1250 · AL-IFL8XC		

SOH Receive Dispatch Damage Jobs **Settings**

Bulk uploading from a spreadsheet

- 1 Tap **Bulk upload**.
- 2 Tap **Download template CSV**, or export your own list using the same column headings.
- 3 Tap **Choose CSV file** and select your completed file.
- 4 Review the preview list. Invalid rows are skipped and listed as errors — valid rows still import.
- 5 Tap **Import** to add all valid materials to the catalog in one go.



Use the pencil icon to edit a material's details, or the trash icon to remove it from the catalog.

8. Admin: Managing Damage Reason Codes



ADMIN ONLY

Settings → Damage reason codes.

1


Each reason is shown with its 3-digit code (e.g. 001), assigned automatically and never reused.

2

To add a reason, type it into the field at the bottom and tap the + button.

3

To remove a reason, tap the trash icon next to it.




9. Admin: Managing Users



ADMIN ONLY

Settings → Manage users & admins.

- 1 New staff need the current **registration code** to register.
Tap Open, enter your PIN to unlock, then view or change it here.
- 2 Each user has a green/red **Admin** switch — tap it to grant or revoke admin access.
- 3 Tap **Reset PIN** to revert a forgotten PIN back to the current registration code.
- 4 Tap the trash icon to remove a user entirely.



10. Admin: Email Reports



ADMIN ONLY

Settings → Shared backend & email reports.

- 1 Add one or more recipient email addresses.
- 2 Choose which days of the week reports are sent.
- 3 Set the time.
- 4 Tick **Enabled** and tap **Save settings**.
- 5 Use **Send test now** to confirm it's working.

The screenshot shows the 'Shared backend & email reports' settings screen in the Lennox Facades app. At the top, there's a status bar with the time 7:47 and battery level 63%. Below the status bar is a header with the Lennox Facades logo and a 'Scan QR Code' button. A text box contains the instruction: 'Grant or remove admin access, reset a forgotten PIN, or remove a user entirely.' The main section is titled 'Shared backend & email reports' with a 'Close' button. It states: 'Stock data syncs across every device automatically. Email reports: Enabled — Weekdays at 06:00, to 0 recipients.' Under 'Recipients', there's a text input field with 'name@company.com' and a '+' button. Below this, it says 'No recipients yet.' The 'Send on these days' section shows a row of buttons for Sun, Mon, Tue, Wed, Thu, Fri, and Sat, with 'Mon' through 'Fri' selected. Below the days, it says 'All · Weekdays · None'. The 'Time' section has a dropdown menu set to '06:00'. Below this, it says 'Times use your device's current timezone: Australia/Brisbane.' There's a checkbox labeled 'Enabled' which is checked. At the bottom of this section are two buttons: 'Save settings' and 'Send test now'. Below these buttons, there's a text block: 'If this is the very first device connecting to a brand-new shared backend and it already has real stock data, use the button below once to seed the backend with it.' Below this text is a button labeled 'Push this device's data to shared backend (first-time setup only)'. The bottom section is titled 'Materials catalog' with a 'Bulk upload' button and a '+ Add material' button. It says: 'This is the only list Receive can pull from — add every colour, material,'. At the very bottom is a navigation bar with icons for SOH, Receive, Dispatch, Damage, Jobs, and Settings (which is highlighted).

Reports are sent automatically by the server on the schedule you set, even if nobody has the app open at the time.

11. Admin: Backup, Reset & Recovery




ADMIN ONLY

Settings → Backup & restore / Stocktake reset / Full reset — all admin only.

- 1 Tap **Copy full backup** to save a snapshot before making major changes.

- 2 Use **Restore from backup** (right next to it) to roll back to a previous snapshot if needed.



Stocktake reset & Full reset

- 1 **Stocktake reset:** type RESET, then tap Reset all SOH for stocktake. Zeroes SOH, clears off-cuts, keeps everything else.

- 2 **Full reset — all information:** type DELETE ALL, then tap Reset all information. Wipes catalog, SOH, reasons, and activity — logins are not affected. This cannot be undone.

