## **Class Structure**

#### Main

- 1. init stage
- 2. init Debug Utilities (Stats, Logger etc)
- 3. init **Preloader**
- 4. init ServerInterface
- 5. init **Game**

## Dependency:

- 1. App dependencies loaded in index.html
- 2. Main entry point called in index.html

#### Preloader

- 1. Load **Setup**
- 2. Load **Sounds**
- 3. Load **Spritesheets**
- 4. Notify **Game** with **LOAD COMPLETE** Event
- 5. Cache loaded Assets in **DJ / Artist / GameState**

#### Dependency:

- 1. Initialised by Main
- 2. Game
- 3. Should be aware of Device OS & Browser capability
- 4. DJ
- 5. Gallery
- 6. GameState

#### DJ

- 1. Cache loaded **Sound**s
- 2. Respond to **SOUND\_EVENTS** to play Sounds
- 3. Or provide callbacks to play sounds

## Gallery

- 1. Cache loaded Art Assets
- 2. Provide getters to the rest of the game to access Art.

#### Game

- 1. Store **GameState**
- 2. Init GameComponents
- 3. Run stage update **Ticker**
- 4. Init **UI Events**
- 5. Init CommandQueue

### Dependency:

- 1. GameState
- 2. GameComponents
- 3. stage
- 4. ServerInterface
- 5. CommandQueue

#### ServerInterface

- 1. Verify connection to Server
- 2. Handle connection Success
- 3. Handle connection Error
- 4. Handle timeouts
- 5. Define server requests
- 6. Handle server responses and Notify Game

#### Dependency:

- 1. Initialised by **Main**
- 2. Game
- 3. A Server

## **GameComponents**

- 1. Component Display
- 2. Wire UI Events to ServerInterface
- 3. Wire Commands from ServerInterface

#### Dependency:

- 1. User
- 2. ServerInterface
- 3. stage

#### CommandQueue

1. Creates arrays of Commands which can be scheduled

- 2. Can execute Commands over time
- 3. Calls out to QueueFactory to generate specific preset queues

### Dependency:

- 1. QueueFactory
- 2. Command

#### Command

- 1. Is given data to initialise itself (eg. a WinLine Data)
- 2. Is given a GameComponent to call based on data (eg. a WinLine)
- 3. Has an execute function which runs necessary functions on GameComponent Dependency:
  - 1. GameComponent
  - 2. Model

## QueueFactory

1. Creates Preset CommandQueues and returns them to CommandQueue

## Dependency:

- 1. Setup
- 2. GameComponents
- 3. Command
- 4. CommandQueue

# **GameComponents**

### Reels

- Display **Reels** according to setup
- Insert New **Reels** according to **ServerInterface**
- Spin **Reels** with customisable Tweens
- Notify Game with REEL\_SPIN\_COMPLETE Event

#### **SymbolWins**

- Should be able to create DisplayList and initialise **Sprites** upfront

- Run Winning **SymbolWin** animations
- Blink or Frame based Spritesheet Animations.
- Called by **SymbolWinCommand**

#### WinLines

- Should be able to create DisplayList upfront
- Cache vector drawings
- Display and animate WinLines in correct positions
- Called by WinLineCommand

## **BigWin**

- Should be able to create DisplayList and initialise **Sprites** upfront.
- Display and animate **BigWin** animations
- Called by **BigWinCommand**

# **ParticlesLayer**

- Should be able to craete DisplayList upfront
- Run celebratory particle animation
- Called by ParticlesCommand

#### GaffMenu

- Should create a **GaffMenu** with a set of buttons based on **Setup** Options
- Should be able to show/hide based on user keyboard/touch Events.
- Should be able to execute customisable actions in the game based on **Setup**.