

Sugar Open Source Release Notes

Version 4.5.0j

Sugar Open Source Release Notes Version 4.5.0j, 2007

Copyright © 2004-2007 SugarCRM Inc. www.sugarcrm.com

This document is subject to change without notice.

License

The contents of this document are subject to the Sugar Public License and the SugarCRM Community License Agreement ("License"). You may not use this document except in compliance with the License that you choose.

Disclaimer

Software and documents distributed under the License are distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

Trademarks

All SugarCRM logos in this document are registered trademarks of SugarCRM Inc. See the SugarCRM trademark policies at www.sugarcrm.com/trademark for more information on how SugarCRM trademarks can be used.

Introduction

This document describes fixed bugs in Sugar Open Source 4.5.0j.

CAUTION: It is recommended that you make a copy of your production systems and use it to test version 4.5.0j.

Please continue providing feedback on this release as we continue to develop Sugar Suite functionality for the upcoming releases. We will continue to work to incorporate your feedback into the development process. The SugarCRM Development Team is closely monitoring the following channels and is making every effort to fold your feedback into upcoming releases.

You can provide feedback through the SugarCRM Bug Portal, accessible through *http://www.sugarcrm.com/crm/sugarbugs.html*. Use 4.5.0j to designate new bugs found in this release. Otherwise, please update existing bugs with additional information.

Check the Bug Portal for known issues prior to submitting bugs.

Topics include:

- "Requirements for 4.5.0" on page 1
- "Compatibility Matrix" on page 2
- "Known Issues" on page 5
- "Known Limitations" on page 6
- "Fixed Bugs in 4.5.0j" on page 7
- "Fixed Bugs in 4.5.0i" on page 8
- "Fixed Bugs in 4.5.0h" on page 8
- "Fixed Bugs in 4.5.0g" on page 9
- "Fixed Bugs in 4.5.0f" on page 12
- "Fixed Bugs in 4.5.0e" on page 13
- "Fixed Bugs in 4.5.0d" on page 16
- "Fixed Bugs in 4.5.0c" on page 17
- "Fixed Bugs in 4.5.0b" on page 19
- "Known Bugs in 4.5" on page 20

Requirements for 4.5.0

- To install Sugar Suite 4.5 successfully, ensure that the MB String module is installed in your PHP libraries.
- If you are using MySQL, you must install version 4.1.2 or higher to use with Sugar Suite 4.5.
- For Microsoft Exchange, Sugar Suite supports only versions 2000 and higher.

Compatibility Matrix

SUGAR BUILDING BLOCKS	SUPPORTED VERSIONS	COMMENTS
Platform		
• Linux	Any flavor of Linux (Ex: RHEL 4.0)	Sugar runs on all versions that run PHP
• Windows	2000, XP,2003	
• MacOS	X	
PHP	4.3.11	
	4.4.1 - 4.4.2	
	5.0.1 – 5.0.4	
	5.1.0, 5.1.2, 5.1.4	
Databases		
• MySQL	4.1.2 or higher,	
SQL Server	2005	
Web Server		
• Apache	1.3.x, 2.0.x, 2.2.x	Supports any version that runs PHP
• IIS	5.x, 6.0	Supports any version that runs PHP
Sugar Plug-ins		
Sugar Plug-In for Microsoft Outlook	Outlook 2000, Outlook 2002(XP), Outlook 2003	
Sugar Plug-in for Microsoft Word	Office 2003, Office XP	
Client Browser		
	latest Mozilla	
	latest Firefox	
	IE 6.0	
Recommended Stacks		
Linux Stack		
PHP version	5.1.4	

SUGAR BUILDING BLOCKS	SUPPORTED VERSIONS	COMMENTS
• Apache	2.2.3	
RedHat Enterprise	Workstation 4	
Windows Stack		
PHP version	5.1.4	
• IIS	6.0	
Microsoft Windows	2003	
Preferred Databases		
• MySQL	5.0.24a	
SQL Server	2005	

Note: PHP version 4.3.10 is not supported.

New and Enhanced Features

Internationalization.

Sugar Suite now supports UTF-8 and multi-byte character sets to enable organizations with offices in different language zones to use the same installation of Sugar Suite. You can store data, perform a search, create reports, and send emails in any language.

Configurable Home Page.

The Home module now displays information as a collection of *dashlets*. Users can reconfigure these dashlets to display only the information that they want to view. In each dashlet, you can add and remove columns, set filters to view information for a specific time period, a specific team, a specific user, and so on. Users can add and remove dashlets and move them to any location on the page to reconfigure their home page.

Forums.

The Forums module allows organizations to create different forums as a means of collaboration on technical, sales, or general topics among their users. For each forum, you can create one or more threads of discussion on a specific opportunity, bug, or case.

Forums is not a core module. Administrators will need to load it using the Module Loader.

Studio.

The new Studio wizard guides administrators through the process of editing module layout, custom fields, drop-down list, and the history information. You can also reconfigure and rename tabs, edit workflows, and edit portals.

Sugar Suite Licensing.

For Sugar Open Source, SugarCRM now offers two licensing options:

- Sugar Public License (SPL), which you can use with MySQL.
- SugarCRM Community License (S-CL), which you can use with MS SQL Server.

Module Functionality.

- When you schedule a call, you can now associate it with a contact.
- You can compose an email about a bug, you can now associate it with a case number.

Sugar Themes.

- The default theme, Sugar, has changed. Additionally, Sugar Suite now has a new theme named Spectrum.
- For the Sugar theme and the Bold Move theme, you can change the color and the font by clicking the appropriate box located next to the About button on the Home page.

Merging Duplicate Records.

Sugar Suite now supports merging duplicate records for the following modules: Accounts, Contacts, Leads, Opportunities, Cases, and Bugs. You can merge a maximum of five duplicate records at a time.

If you have more than one record for an item, you can merge them to update and clean up your data. You can select which fields you want to merge and when the process completes, the system deletes the duplicate records.

Active Directory Authentication Plugin.

Sugar Suite can now authenticate AD users who attempt to log into Sugar Suite, by validating user names and passwords against AD. Administrators can also use AD to create new users in Sugar Suite. This feature also works with open LDAP.

Upgrade Wizard.

The Upgrade Wizard has been enhanced to perform system checks and commit upgrade files to allow administrators to effortlessly upgrade their current Sugar Suite application.

Import.

When you import data into Sugar Suite, you can check indexes for duplicate values.

MS SQL Server Support.

Sugar Suite now provides support for MS SQL.

Saved Search and Layout.

After you perform a search, you can now save the search results for future use. You can filter and rearrange the search results by hiding unwanted columns and sorting the visible columns in ascending or descending order. You can also order the search results by columns.

Global Search.

You can now set filters to specify the modules that you want to search for information.

List view.

Each row in the list view now displays Edit and View icons. Clicking the Edit icon displays the edit view for the record; similarly, clicking the View icon displays the detail view for the record.

Sub-panels.

On a module detail page, you can minimize sub-panels that you do not need to view. You can also drag and drop a sub-panel to a different location on the page. These changes are persistent across sessions.

Documentation.

The Graphical User Interface now provides online help.

Known Issues

Solutions to known issues are listed below.

• In order to use the freebusy feature in IIS 5.1 or 6.0, you must configure IIS as follows:

IIS 5.1

- a. In IIS, open your IIS Website directory and click the **Configuration** button. The Mapping tab displays.
- b. Click the **Add** button.
- c. In the Executable field, click **Browse** and navigate to the location of your *php isapi.dll* file.
- d. In the Extension field, enter *.*
- e. Uncheck the Check that file exists box.

IIS 6.0

- a. In IIS, open the Properties window for your IIS Website.
- b. In the Home Directory tab, click **Configuration**.
- c. In the Wildcard application maps section, click **Insert**.

The Add/Edit Application Extension Mapping dialog box displays.

- d. In the Executable field, navigate to the *php isapi.dll* and uncheck the Verify that file exists box.
- To resolve Bug 9365 on IIS, ensure that only authenticated users can access Sugar documents. To do this, you must set the security for the cache/upload folder as follows:
 - a. Open the IIS Administrative Console and navigate to the cache/upload folder.
 - b. Right-click the folder, select Properties, and click the Directory Security tab.
 - c. In the Anonymous Access and Authentication Control section, click the Edit button
 - d. In the Authenticated Access section, select either the Basic Authentication checkbox or the Integrated Windows Authentication checkbox.
 - e. Uncheck the Anonymous Access checkbox.
 - f. Press OK to save your settings and close all the windows.

Known Limitations

- PHP 5.1.1 does not work with SSL.
- If you are using a Microsoft SQL Server database, the Sugar installer allows database names with a hyphen, for example, "sugarcrm-343". However, the name is invalid because SQL Server does not allow hyphens in database names.
- If you share a MySQL database user name between two instances of Sugar Suite applications where one is a pre-4.5.0 version and another is a 4.5.0 version, you may run into periodic collation errors. An example error is:

```
MySQL error 1267: Illegal mix of collations (utf8_general_ci,COERCIBLE) and (latin1 swedish ci,IMPLICIT) for operation...
```

This is caused by sharing of connections between two applications using different collations. Release 4.5.0 uses UTF-8 encoding and collation, while prior releases used the default setting.

To correct this problem, please use different user names for accessing the MySQL databases. This is a general issue, therefore the interference could also happen between the Sugar Suite application and another application.

• If you have created an index in MySQL database with key length of more than 333 characters, the upgrade to Sugar 4.5 will cause an error during the database character set conversion. MySQL displays the following error message:

"Specified key was too long; max key length is 1000 bytes"

This is a MySQL limitation. The 333 characters limit is for the combined length of all fields you specified as key for the index.

You must drop the index and recreate it so the index uses fewer characters from the columns. Internally, MySQL accounts 3 bytes for each character during the UTF-8 conversion.

- After you upgrade the Upgrade Wizard, the system directs the user to the value specified for the Site URL parameter in the config.php file. Therefore, ensure that this value is set to your test instance instead of your production instance before you begin upgrading the Upgrade Wizard. This will prevent inadvertent changes to your production instance.
- When you upload a module, it might take a few minutes to display on the Module Loader page if the cache has not yet been refreshed. It can take up to five minutes for the cache to refresh.
- Automated upgrading is not supported for the Sugar Portal and for the Forums module. To upgrade, you will need to manually unzip the files and replace the existing files on the system with the new files.
- Because stripping the Style tag from inbound emails can cause loss of HTML formatting in inbound emails, the Style tag has been deselected in the Email Security Settings sub-panel on the Email Settings page. For more information, see See "Bug 10559" on page 8.

Fixed Bugs in 4.5.0j

Security

Bug 12008

An Admin User in Sugar Suite can construct a malicious string to trigger deletion of any file to which the Web server can write.

Bug 12269

The login authentication mechanism can be used to include any PHP file in the system.

Bug 12270

The JavaScript variable associated_javascript_data embedded in the user selection popup menu contains sensitive user data.

Bug 12272

The Last Viewed tracker values can be manipulated to execute JavaScript.

Bug 12273

Malicious RSS feeds can trigger JavaScript executions in Sugar Suite.

Bug 12274

Json server is vulnerable to "CSRF".

Note: For more information on XSS and CSRF, see the "Security" section at http://www.sugarcrm.com/wiki/index.php?title=Sugar_Developer_Wiki

Sugar Modules

Bug 12595

On a record's detail page, when you click Select to pick a record, it does not get selected

Bug 12603

In the Leads module, when you attempt to merge duplicate records, the system displays the following error message: "SQL Error: Invalid column name 'name'".

Administration

Bug 12596

After you add a custom field to a module's Search Form in Studio and then perform a search using that field as a filter, the search result displays all the records instead of displaying only records that meet the criteria.

Fixed Bugs in 4.5.0i

DST Dates

A patch has been issued to update the DST dates on Sugar systems to reflect the new U.S. DST rules in effect from 2007.

Fixed Bugs in 4.5.0h

Administration

Bug 10559

The HTML formatting of your inbound emails, especially in Microsoft Outlook, may be lost and display emails as raw HTML.

This is because, by default, various HTML tags are stripped for inbound emails for security purposes. This is done in the Email Security Settings sub-panel of the Email Settings page.

To ensure that the HTML formatting is not lost the Style tag has been unchecked, but at the risk of allowing harmful email content. To strip this tag from emails, select the Style tag box in the Email Security Settings sub-panel.

Bug 10558

When you upgrade from 4.5.0g to 4.5.0h, the Preflight Check screen of the Upgrade Wizard displays auto-preserved files that require to be manually merged in the File Merge field. If you had manually modified these files, then you must manually merge them. If not, you can override these files on the subsequent screen.

Users, such as administrators, who have full access to Sugar Suite may inherit roles from other users. As a result, depending on the role inherited, they are no longer able to view some modules

Bug 8934

Notification emails may not display the user's name as specified in your locale settings.

Fixed Bugs in 4.5.0g

Installation

Bug 10285

When installing 4.5.0f, the installation hangs at Step 7 where you specify the locale settings and language packs.

Bug 9542

An attempt to log into the application after installation fails with an error message because the application is not updated with the license information entered during installation.

Sugar Modules

Bug 10283

When you upgrade from 4.2.1 to 4.5.0f, the system displayed a warning notice in the existing My Opportunities dashlet.

Bug 10257

You cannot use contacts to search for related notes.

Bug 10255

A meeting's status automatically changes from "Planned" to "Held" when you click the Close and Create New button.

Bug 10254

In the Forums module, when you create a sticky, it is saved as a non-sticky thread.

Bug 10253

After you schedule a meeting, if you click the Shared button in the Calendar module, a fatal error message displays.

Bug 10094

In the Forums module, when you attempt to save a new thread, the Thread List view displays as the current page along with a warning notice.

In the Forums module, when the administrator changes an existing non-sticky thread to a sticky thread, if a user then attempts to edit the thread, the system automatically reverts it back to a non-sticky thread.

Bug 10060

In the Forums module, when you change the name of a topic, you can no longer view any of the forums that were displayed under that topic.

Bug 10042

In the Forums module, when you attempt to save a new forum, the system displays warning notices.

Bug 9911

When you edit a meeting whose status is set to "Held", the status reverts to "Planned".

Bug 9883

If you are using PHP 5.2.0 version, when you log into Sugar Suite, the home page displays a fatal error message.

Bug 6212

Email templates were sent out without the email text.

Bug 7313

When you perform a global search without selecting any of the criteria, if there are no results, the system displays all the criteria as selected.

Bug 9329

When you select an email from your inbox and click **Next**, the system displays the Email list instead of the list of emails in the inbox.

Bug 9723

When you send an email with an attachment, the attachment is sent out without a file extension.

Bug 9829

If you create a meeting with a start time that is close to midnight or slightly past midnight, the system incorrectly displays the date as GMT-0 in the meeting list view.

Bug 9832

The Free/Busy server fails with time zones that do not have daylight savings definition

Bug 9864

When you create a call, if you do not enter information for a required field the system does not display a warning message.

Bug 9869

Maliciously crafted emails containing XSS (cross-site scripting) attacks can survive intact enough to still cause problems.

When you create a meeting and set its status to something other than "Planned", the system does not save the updated status. Hence, when you edit the meeting, the status reverts to "Planned".

Administration

Bug 10221

In Studio, custom decimal fields that are created in the module layout are not saved.

Bug 10096

In Studio, when you click a field name in a module layout view, a forward slash is displayed.

Bug 10078

In Studio, when you attempt to create a custom field with the same name as an existing field, the system does not display a warning even though it does not create the new custom field.

Bug 9448

In Studio, forward slashes display in various layout columns when you move fields around.

Bug 9374

In Studio, when you create a custom checkbox, it displays as selected even when it is not.

Bug 9275

In Studio, if you remove the Status drop-down list from the Edit view and then add it back, the systems changes the parameter name from STATUS_OPTIONS to OPTIONS STATUS. Hence, its value does not display in the Edit view.

Bug 9212

You cannot import custom fields.

Bug 9013

In the JavaScript of the Leads Edit View page, the LEAD_SOURCE_OPTION parameter is incorrectly referred to as OPTIONS_LEAD_SOURCE.

Bug 8806

In Studio, the Notes module's layout options do not include List View.

Sugar Plug-ins

Bug 9979

The Sugar Offline Client plug-in only synchronizes the first 1000 contacts.

If you localize Sugar Plug-in for Microsoft Outlook and create a bug using the New Sugar Record option, information on the bug's status and priority are not saved in Sugar Suite.

Bug 9605

Mail merge fails when you select all the listed records in a module.

Bug 9211

When you install Sugar Portal, version 4.5.0c, the message confirming that installation is complete incorrectly states that 4.5.0b has been installed.

Bug 8525

When a meeting in Sugar Suite is synchronized with Outlook, its subject and description are garbled on Outlook if they contain multi-byte characters.

Fixed Bugs in 4.5.0f

Sugar Modules

Bug 9667

When you upgrade from 4.5.0c to 4.5.0d, custom field labels do not display.

Bug 9679

On the Home page, when you close a record such as a task or meeting in a dashlet, they appear to be duplicated.

Bug 9690

When forwarding or replying to an email, if you uncheck the "Send HTML Email" option, the recipient receives the original email but not the text that you added to the email.

Bug 9709

When an email is flagged as HTML but has no HTML content, it comes through to Outlook as a blank message.

Bug 9730

An attempt to send plain-text emails results in blank messages.

Installation

Bug 9718

During a patch upgrade on Sugar Open Source, some files may need to be manually merged.

Bug 9721

A patch upgrade may fail because a connection to the server cannot be established. This is because the port number is missing from the URL.

During an upgrade on IIS, the system displays some files as needing a manual merge. This is incorrect.

Bug 9740

If there is no current database connection, an error occurs when the scheduled cron job attempts to run.

Fixed Bugs in 4.5.0e

Sugar Modules

Bug 7883

Email replies are not visible under account history or contact history, even if the Team is set to Global. They are only visible under Sent Emails of the user who sent the reply.

Bug 8529

Scheduled meetings do not display in the "My Meetings" list of the participants.

Bug 8924

You cannot receive emails when you select IMAP as the mail server protocol.

Bug 8956

When you use the Mass Update Delete button to delete an email, you are redirected to the email list view instead of your inbox.

Bug 8974

If an email (HTML) contains a german character, the rest of the email is not displayed.

Bug 8999

If you attempt to delete an email after responding to it, the system displays an error message or a blank screen.

Bug 9012

Internet Explorer fails to detect a charset header when an imported email has a multipart content.

Bug 9077

When you create a new lead, its status is blank instead of "New".

Bug 9089

When you create a new meeting from the contacts page, the date defaults to 12-31-1969 06:00PM even if you enter a different date and time.

Bug 9092

The suppression list in the Campaign's module does not work correctly.

When you assign one or more emails to another user from the Mass Update panel and then refresh your inbox, the system displays all emails including sent emails and those assigned to other users.

Bug 9104

When you reply or forward an email sent in HTML format, the formatting is lost and plain text is used instead.

Bug 9107

When you forward an email with attachments, the attachments are not forwarded.

Bug 9131

A private mailbox is owned by subordinate users.

Bug 9196

The time stamp of inbound emails display the wrong time zone.

Bug 9249

When you create a forum and attempt to save it, the system displays warning notices.

Bug 9281

The Opportunity sub-panel displays significant digits as ".00" even when it is set to zero.

Bug 9316

On FireFox, when you point the cursor in front of the subject line of a bug, a red "Loading" message displays on the top of the page.

Bug 9364

My Calls and My Meetings dashlets only display calls and meetings that are assigned to you.

Bug 9395

When an inbound email contains a special character, the rest of the email following the character is truncated.

Bug 9428

If you create an email and select two or more contacts to send the email to, only one of the contacts receives the email.

Bug 9494

An attempt to send an invitation for a meeting may result in a fatal error.

Bug 9496

An attempt to assign a different user to an account may result in a fatal error.

Bug 9506

Portal users cannot view notes.

An attempt to import contacts could results in a fatal error.

Administration

Bug 9210

You cannot customize the Task module through Studio.

Bug 9229

In Studio, if you create a custom field and then add it to Edit Layout, the field displays on the View page but not the Edit page.

Bug 9328

When using a language pack other than US English, you cannot delete a module that you uploaded through the Module Loader.

Bug 9453

InboundEmail fails to correctly test SSL connections (IMAP or POP3).

Bug 9551

In Studio, when you edit a module to create multi-select custom fields, the list view does not display those fields.

Bug 9552

In Studio, multi-select custom fields do not show as multi-select fields in the Mass Update panel.

Bug 9593

The system displays warning messages if you perform a global search when the search field is not empty.

Bug 9614

In some email clients such as Apple Mail 2.0, the subject line of a meeting or call invitation displays incorrectly because of a line break. As a result, the subject does not display in the emails list view.

Installation

Bug 9468

The BitRock installer sets particular variables in the client's *config.php* file to NULL after installation, and this action blocks particular functions on the client side.

Bug 9484

When attempting to install Sugar Suite 4.5.0d, you may encounter MySQL error 1101.

Fixed Bugs in 4.5.0d

Sugar Modules

Bug 8974

If you receive an email containing a special character, the text following the character does not display.

Bug 9182

The system sets the date on which an inbound email was sent as the GMT time.

Bug 9233

Special characters do not display correctly in email attachments.

Bug 9266

When you use the quick-create form to create a call or a meeting, if you select a non-default date format, the system does not display the correct date.

Bug 9291

When you schedule a call from a contact's detail page and then view the call from the Activities module, the call's detail page displays the related contact information instead of the related account information.

Bug 9306

The get_mailmerge_document call is not defined in the WSDL for Sugar Suite Open Source.

Bug 9310

If you upgrade from the latest Sugar v. 4.2.1 to v. 4.5 and then upgrade to 4.5.0c, the email POP account password gets scrambled. As a result, your inbound emails are not displayed in your inbox. See "Known Issues" on page 5 for the solution.

Bug 9327

An attempt to save your signature fails with an error message.

Bug 9365

Documents in the Sugar file system can be manually linked because the system fails to authenticate users who download documents. This fix applies to Apache only. For IIS, see "Known Issues" on page 5.

Bug 9394

When you display email settings of an inbound mailbox, the system displays a warning stating that header information cannot be modified.

Administration

Bug 9143

All Inbound Emails are assigned to the Admin team by default.

The system cannot monitor inbound emails if you create an inbound email account with a known bad password.

Fixed Bugs in 4.5.0c

Sugar Modules

Bug 7034

The system does not localize the salutation when you localize Sugar Suite.

Bug 8913

On MS SQL server, you cannot search for opportunities by the expected close date when the default date format in Sugar Suite is different from the date format in MS SQL Server.

Bug 8947/9125

When you send an email with an attachment, the system does not transmit the attachment.

Bug 8978

The document list view displays all the existing revisions of a document.

Bug 9009

In the Opportunities and Contacts modules, you cannot sort the list view by accounts.

Bug 9011

When you enter a call or a meeting directly in the calendar, it defaults to the Global team instead of the Default team

Bug 9014

The Salutation drop-down list displays whole words instead of abbreviations.

Bug 9024

In the Document list view, when you click the Document Type icon, the system displays the contents in the browser instead of displaying the Download pop-up window.

Bug 9030

When you upgrade to 4.5b, you cannot open existing email attachments.

Bug 9050

The Status drop-down list in the Mass update panel in the Employees module displays incorrect values. When you select a value and click Update, the system does not register the change.

Bug 9059

Dropdown names and keys cannot contain trailing white spaces.

The date for inbound email date is set to 1999-12-31.

Bug 9120

When you log into Sugar Suite as an end-user, the Employees module list view displays the Mass Update panel, which should only be displayed to administrators.

Bug 9123

Performing an advanced search on Opportunities with Expected Close Date as the criteria does not return any results, even though the list view shows values that match the search criteria.

Bug 9124

The Notes page does not display the Search button and the Clear button.

Bug 9142

In the Opportunities module, if you create a note with an attachment and then send an email, the system sends out the attachment along with the email.

Bug 9156

You cannot delete a forum topic even after you have deleted all related forums.

Bug 9160

In the Forums module, attempting to delete a thread results in a parse error message.

Bug 9180

If you hide the Activities tab, when you click the View History button in the History sub-panel in any module, the system displays a warning.

Bug 9237

You cannot send meeting invitations to people on your contacts list.

Administration

Bug 6157

If you set the value of require_accounts to false in the *config.php* file, the system ignores the change and does not allow you to convert a lead into an opportunity without first creating an account.

Bug 8874

If the site_url protocol that you specified during installation is different from the site_url protocol specified in the *config.php* file, users cannot schedule meetings and calls in the Activities module.

Bug 9114

The Repair option on the Administration page displays a link for Repair Sugar Entries. Clicking this link results in a PHP warning message.

Security

A maliciously-crafted email may allow cross-site scripting attacks via inbound emails. To address this issue, Sugar Suite will strip the following blacklisted tags from HTML emails:

```
'applet', 'base', 'basefont', 'bgsound', 'blink', 'body',
'embed', 'frame', 'frameset', 'head', 'html', 'ilayer',
'iframe', 'layer', 'link', 'meta', 'object', 'style',
'title', 'script'
```

In addition, any content found within the boundaries of the following tags will also be deleted:

```
'script', 'style', 'title', 'xml'
```

Fixed Bugs in 4.5.0b

Sugar Modules

Bug 8882

The system displays an error message when you attempt to open an email attachment.

Bug 7963

When you log into Sugar Suite, the system does not display the Home page until you refresh the screen.

Administration

Bug 8987

Sometimes, the changes that you make to the Projects and Project Tasks list view through the Studio Editor are not reflected in the Projects module.

Bug 8931

When you click the Migrate Custom Fields option in the Studio Wizard, the Import Custom Fields Structure and the Export Custom Fields Structure options do not display in the Studio Wizard.

Bug 8928

When you attempt to edit a module layout in Studio, the system displays a blank page.

Security

Bug 8982

The get/post/request parameters have various security issues.

Sugar Plug-ins

Bug 8998

Sometimes, you cannot log into Sugar Suite through the Sugar Plug-in for Microsoft Outlook.

Bug 8927

When the Portal option is enabled in System Settings, you cannot log in through the Sugar Plug-in for Microsoft Outlook.

Known Bugs in 4.5

Sugar Installation

Bug 8406

When you install Sugar Suite with the Chinese Yuan as the default currency, the system displays the currency symbol before the amount instead of displaying it after the amount.

Bug 8654

During installation, if you select MySQL database, the MySQL version does not display.

Sugar Modules

Bug 6906

When you duplicate a bug, the original value in the Display in Portal field is replaced with the default value.

Bug 8360

When you open an existing opportunity and save it without making changes, the system still creates a Change Log file for it.

Bug 8363

When you attempt to edit the value of a custom field using the Mass Update panel, the system displays an "Undefined property" notice.

Bug 8402

When you create a new custom field with a default value and add it to the Edit view of a module, the value does not display in the detail view.

Bug 8410

The last page of a list view does not display records if the number of records in the module is a multiple of the number of records per page in the list view (for example, if the number of records per page is 100 and the total number of records is 1000).

Bug 8609

When you import records into a module and sort them, the system displays an "Undefined index" notice.

Bug 8616

When you view the status of an email campaign that was sent, the system displays an "Undefined index" notice.

Bug 8686

When you attempt to cancel a case that you tried to create using the Create Case quick form from an inbound email, the system displays a warning and a fatal error message.

When you edit an email that you already sent, the History sub-panel displays only the edited version of the email though it displays the total number of records as 2.

Bug 8701

When the Notes sub-panel of the Contacts module is paginated and you click the Next button, the system displays an error message.

Bug 8711

The icon for the attachment type in the document list view displays as a blank column name in Saved Search.

Administration

Bug 8254

When you select the group modules option, the system does not group the tabs under the Configure Group Tabs option in Studio.

Bug 8280

When a user is granted a restricted role for one module and the administrator role for another module, the administrator privileges do not take effect.

Bug 8364

When you preview the history of a module in Studio, the system displays an "Undefined index" notice.

Sugar Plug-ins

Bug 8622

When using the Sugar Plug-in for Microsoft Outlook, an attempt to synchronize appointments and tasks fails.