Apixaban PBPK/PD model: fit PD

1 Methods: Apixaban PBPK/PD model: fit PD

1.1 Parameters and data

8 parameters were optimized: relative increase of the INR per apixaban concentration (`COAG__slope_api_INR`), relative increase of the prothrombin time per apixaban concentration (`COAG__slope_api_PT`), maximal relative increase of the modified prothrombin time (`COAG__Emax_mPT`), apixaban concentration of the half-maximal effect on the modified prothrombin time (`COAG__EC50_api_mPT`), maximal relative increase of the activated partial thromboplastin (`COAG__Emax_aPTT`), apixaban concentration of the half-maximal effect on the activated partial thromboplastin (`COAG__EC50_api_aPTT`), anti-FXa activity per apixaban concentration (`COAG__antiXa_slope`) and anti-FXa activity (apixaban calibrated) per apixaban concentration (`COAG__antiXa_gram_slope`). The parameters of the adopted fit PK_20261031_104725__64222 were fixed at their fitted values.

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 63 fit mappings of training data with 504 data points, whose residuals enter the objective; 41 fit mappings of validation data with 555 data points, which were simulated and evaluated with the fitted parameters but not fitted; and 16 fit mappings of outliers with 120 data points, data the fit dropped as not usable, which were evaluated like the validation data so that the decision to drop them can be checked. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w^p_{i,k}$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r^2_{i,k}$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w^p_{i,k} = |y_{i,k} \frac{|}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w^p_{i,k} = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 1 run with the trust region reflective method [2] of the least squares optimizer of SciPy [3], with a Jacobian of finite forward differences with the relative step 0.001. A run stopped at the tolerances of the change of the cost, of the parameters and of the gradient, ftol = 10^{-8}, xtol = 10^{-8} and gtol = 10^{-8}.

Every run started from the start values of the parameters.

The convergence of the run was assessed from the trace of its cost, and its parameter set was used.

The models were simulated with libRoadRunner [4] and its integrator CVODE [5] with the relative tolerance 10^{-6} and the absolute tolerances 10^{-12} of an amount, 10^{-12} of a concentration and 10^{-6} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start

of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data, validation data and outliers) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i \left(y_i - \overline{y}\right)^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [6] and Schwarz [7] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [8] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d} \pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [9], [10]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l \ne j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.001. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with F_{min} the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is

identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [11].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max\left(|p_j|, 1\right),\ \varepsilon = 0.01$ of the parameter p_j:

$$I = J^\top J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 8 of 8, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 1370; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PD_20261104_193909__02221 was run on 2026-11-04 18:40:00 UTC with sbmlsim 0.16.0 [1], libRoadRunner 2.11.0 [4], SciPy 1.18.1 [3], NumPy 2.5.4 [12] and Python 3.14.10 (seed 1234). The models and data were those of commit `14bb64560bfdb2d0af68a26f49eaa3b6c92f931f` of `/home/mkoenig/git/pkdb_models-apixaban` with uncommitted changes; their SHA-256 checksums are listed in Table 1. The fit kept the values `ftissue_api` = 12.9389, `Kp_api` = 0.226161, `LI__API2M_k` = 0.0787734, `GU__APISEC_k` = 0.269457, `ka_api` = 2.77586, `fabs_api` = 0.682971, `Ka_dis_api` = 1.08229, `D50_dis_api` = 9.0956, `fu_ref_api_m1` = 0.0417292, `fu_ref_api_m7` = 0.001285, `LI__M1EXBI_k` = 0.0372352, `LI__M7EXBI_k` = 0.132284 and `LI__M22M1_k` = 0.00568318 of the model fixed.

Table 1: SHA-256 checksums of the models and data of the fit PD_20261104_193909__02221, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
`pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_Fig3.tsv`	`beab9f0b83be...`
`pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_Tab2.tsv`	`8ac4ac667c6e...`
`pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_TabGroups.tsv`	`4b2afcc9e647...`
`pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_TabIndividuals.tsv`	`e62f45cd320d...`
`pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_TabInterventions.tsv`	`b9d283a852a6...`
`pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_study.json`	`19d6a1724b6b...`
`pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_Fig2.tsv`	`37b7e6b56a9e...`
`pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_Fig3.tsv`	`c0b098b79eb3...`
`pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_Tab2.tsv`	`1a2c45fd1a07...`
`pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_TabGroups.tsv`	`7cb72ef30f92...`
`pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_TabIndividuals.tsv`	`e62f45cd320d...`

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_TabInterventions.tsv	0504accca66b...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_study.json	dfe72b9073ec...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_Fig1.tsv	c5c845481ea1...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_Tab2.tsv	945d7272dc20...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_TabGroups.tsv	11e2e582aa9f...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_TabInterventions.tsv	e43413a14aff...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_study.json	8ade6cb7a1dd...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_Fig1.tsv	8f5499e4344e...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_Fig2.tsv	d4b212e4327d...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_Tab2.tsv	f0704bdbb239...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_TabGroups.tsv	73aac81eccc0...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_TabInterventions.tsv	621257cb8c15...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_study.json	9c37b25a3493...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Fig1.tsv	fc8de83371ba...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Fig3.tsv	db0dfd7a516b...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Tab2A.tsv	0dc8598879e0...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Tab3.tsv	56f63a6b9bf7...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_TabGroups.tsv	3fbcb6adca6b...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_TabInterventions.tsv	57fb5484bf6f...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_study.json	9399c296bf97...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig1.tsv	5c43a705d634...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig2.tsv	0366e460bdf1...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig3.tsv	56dda1a349f9...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig4.tsv	a0fad84f6d75...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Tab2.tsv	5441b03444ef...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Tab3.tsv	36a01471360e...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_TabGroups.tsv	8ac1ffea1f8f...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_TabInterventions.tsv	4ebdd262d230...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_study.json	2c82b82b4f5a...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Fig2.tsv	0e80c2b79a4b...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Fig3.tsv	99574f135008...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Fig4.tsv	a17c2ccb9820...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Tab2.tsv	2870377b189b...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_TabGroups.tsv	459bcabec8e5...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_TabIndividuals.tsv	6cef70f6b764...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_TabInterventions.tsv	f39bd3b9efc8...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_study.json	95002996a154...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Fig2.tsv	613ca49239b2...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Fig3.tsv	3e42e8799df3...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Tab2.tsv	9fa4abb8cbe1...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Tab3.tsv	52f2a2f769e7...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_TabGroups.tsv	1d70bdb16635...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_TabIndividuals.tsv	69425158b3e6...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_TabInterventions.tsv	6365f548ba9e...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_study.json	94f4b857aaff...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig1.tsv	53fdf30fc536...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig2.tsv	69e91dfa705c...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig3.tsv	b5f8df9555da...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig4.tsv	903aa3fe27f7...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Tab2.tsv	31e03194f7e8...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Tab3.tsv	ebf8071f5ffc...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_TabGroups.tsv	7a65ae30e78b...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_TabInterventions.tsv	9fd02490a547...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_study.json	991249b70646...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_Fig2.tsv	4b6bf40ddb50...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_Tab2.tsv	f5220a81a089...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_TabGroups.tsv	49babbab8231...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_TabInterventions.tsv	b7087c920af8...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_study.json	b95ad44b20ce...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_Fig3.tsv	4a2bcef50441...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_Tab3.tsv	a1fd6779e11a...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_TabGroups.tsv	9bd131bd313c...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_TabInterventions.tsv	f8f10cb23d1d...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_study.json	98ea26ff6c0d...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Fig2.tsv	26a24958b972...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Fig3.tsv	36c40ae04c38...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Tab2.tsv	08a5e69df8be...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Tab3.tsv	1db7dc52322f...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_TabGroups.tsv	4d08a771df30...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_TabInterventions.tsv	76f056d3916b...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_study.json	f630a7513260...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Fig1.tsv	602f8265baae...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Fig2.tsv	37950a4d07c3...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Fig3.tsv	7325781dd0b2...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Tab2.tsv	e9a33bde207d...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_TabGroups.tsv	e3a5a05d836b...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_TabIndividuals.tsv	0e3b876b720d...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_TabInterventions.tsv	926cbdb6d0ff...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_study.json	24eebd8258b6...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Fig1.tsv	794e71066cd8...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Fig2.tsv	249a1f59c0f9...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Fig3.tsv	72e88f14bfc6...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Tab2.tsv	d175cabacad0...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_TabGroups.tsv	50b58b299022...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_TabInterventions.tsv	97088207b2f2...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_study.json	7a600b2ee38b...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig1.tsv	345020ed95c3...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig2A.tsv	ce3095ce2843...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig2B.tsv	f5bbd6decae3...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig3A.tsv	1d906b4fcb99...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig3B.tsv	292c47d0e0ac...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Tab2.tsv	8aa871aa669c...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_TabGroups.tsv	a87515e7af62...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_TabInterventions.tsv	c6da948712c2...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_study.json	20453f9970f8...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_Fig2.tsv	1de6b7e9a1cf...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_Tab2.tsv	f86fb6bfd9fa...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_TabGroups.tsv	88428fbe4343...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_TabInterventions.tsv	89be1c20421a...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_study.json	66dadbf8b3f3...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_Fig4.tsv	3dd795b13e99...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_Tab1.tsv	6e770eb9cad2...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_TabGroups.tsv	2f869be2745a...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_TabInterventions.tsv	c5b9fa40513c...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_study.json	8a1acacc370c...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Fig2.tsv	f4b05a947582...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Fig3.tsv	dafa13675322...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Fig6.tsv	77cd39dc3e50...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_FigS1.tsv	7f12d29c406a...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Tab2.tsv	8371ba901ada...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabGroups.tsv	5912d84416b3...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabInterventions.tsv	7de7fab09e94...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabS2.tsv	747eedaa9c93...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_study.json	27e31738b128...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_Fig1.tsv	1a43c7530ce0...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_Tab1.tsv	3467c9f03483...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_TabGroups.tsv	7d79deeec5cc...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_TabInterventions.tsv	8c3b64c9f51b...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_study.json	f45f7991d1a0...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Fig1.tsv	396e2611f184...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Tab1.tsv	0180d9ac3b8d...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Tab3.tsv	6672e295271a...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Tab4.tsv	4c7c4be01bf6...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_TabGroups.tsv	0831d7d5cc61...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_TabInterventions.tsv	fa197b227227...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_study.json	c821635064e6...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_Fig5.tsv	ee77dce35a2c...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_Tab7.tsv	12711573236a...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_TabGroups.tsv	94c62eab1f11...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_TabInterventions.tsv	4a101ac63317...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_study.json	1831525b3a3d...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_Fig1.tsv	887168e87b84...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_Tab2.tsv	c97120f94a9c...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_TabGroups.tsv	27231eca5fc8...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_TabInterventions.tsv	be210a86ab7c...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_study.json	767f9972aae3...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_Fig1.tsv	b7ad45a549a7...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_Fig2.tsv	7c2758793791...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_Tab3.tsv	6ef7f40362bb...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_TabGroups.tsv	5724acff1d3d...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_TabInterventions.tsv	5e8332d72f88...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_study.json	3c709d105f92...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Fig2.tsv	3faec340671f...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Fig3.tsv	ea4061d87f51...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Tab2.tsv	658a13644e70...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Tab4.tsv	5ffdf23a058d...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_TabGroups.tsv	683d9737dd08...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_TabIndividuals.tsv	a4deb6f8c63b...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_TabInterventions.tsv	0115df3cf366...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_study.json	57933fa4110f...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Fig1.tsv	042e04061787...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Fig2.tsv	c752c87e2917...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Fig4.tsv	efba33bd1866...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Tab2.tsv	ccb9914da1b6...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_TabGroups.tsv	a03c95aa400b...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_TabInterventions.tsv	0c2c54325eeb...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_study.json	18b049c46149...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_Fig1.tsv	43f57814003e...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_Tab2.tsv	c8172fa899fc...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_TabGroups.tsv	1ca6e50435c5...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_TabInterventions.tsv	a72c21da8af4...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_study.json	b84272fb546f...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_Fig2.tsv	09358aae72ed...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_Tab2.tsv	6bac92767d1c...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_TabGroups.tsv	c27b14ee1208...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_TabInterventions.tsv	556a754e5f3b...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_study.json	82636a5bd8e7...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_Fig1.tsv	d69f7962b171...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_Tab2.tsv	f85c1f8e7915...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_TabGroups.tsv	e062d09c3586...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_TabInterventions.tsv	478296e08bc5...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_study.json	6a300888c2b8...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_Fig1.tsv	5792cda43eeb...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_Tab2.tsv	fb329069f3e9...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_TabGroups.tsv	0a4860969248...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_TabInterventions.tsv	2021315c570b...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_study.json	65ef6a4734c5...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Fig1.tsv	d748c13696a1...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Fig2.tsv	a469a9202542...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Fig3.tsv	74e1c0d8e603...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Tab2.tsv	4af4c56939bb...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Tab3.tsv	5b9a2d332b9d...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_TabGroups.tsv	98379e7bd37f...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_TabInterventions.tsv	b43b26deb99b...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_study.json	d4d4c2e770b9...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_Fig2.tsv	e908ecfd4200...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_Tab1.tsv	1705a3283cbf...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_Tab2.tsv	5174a5a64a7e...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabGroups.tsv	472f81b235da...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabInterventions.tsv	4de32e9cf476...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabS1.tsv	ba972b8d6d28...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_study.json	a18cecbc5d16...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Fig2.tsv	9ef3255e50e6...

File	SHA-256
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Fig3.tsv	f3b11b7662c0...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Fig4.tsv	120b7b7f48d1...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Tab1.tsv	b6f04a9ef681...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Tab2.tsv	85b5ce558944...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Tab3.tsv	d00392f55387...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_TabGroups.tsv	610218a8c02b...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_TabInterventions.tsv	2ebde57933c5...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_study.json	78dd39204051...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_Fig1.tsv	8fbc4162fb7f...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_Tab2.tsv	cb5b69248ed1...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_TabGroups.tsv	8e90dc0e4e84...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_TabIndividuals.tsv	632b916218ea...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_TabInterventions.tsv	434cad4202c3...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_study.json	7754e3a76097...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Fig1.tsv	67c7cc6e7680...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Tab1.tsv	faf7c720b148...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Tab2.tsv	e2c1f88444dc...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Tab4.tsv	e49e955bb55d...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_TabGroups.tsv	7b8ddb29ab80...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_TabInterventions.tsv	ddd1e8caa7cc...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_study.json	1f20f04462dc...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_Fig2.tsv	0deebe1ae6a0...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_Tab1.tsv	ea79e2e253b6...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_TabGroups.tsv	f436ee13baff...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_TabInterventions.tsv	f3cee0abf151...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_study.json	4cc62c2ebdb8...
pkdb_models/models/apixaban/models/output/models/apixaban_body_female_flat.xml	90b9e25833bf...
pkdb_models/models/apixaban/models/output/models/apixaban_body_flat.xml	5e2fc92dea09...

2 Results: Apixaban PBPK/PD model: fit PD

2.1 Parameters

Table 2: Parameters of the fit PD_20261104_193909__02221, the parameter set PD_20261104_193909__02221_0, cost 62.7, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
COAG__slope_api_INR	relative increase of the INR per apixaban concentration	485 [432, 539]	1/(mmol/l)	[10, 1e+05]	yes
COAG__slope_api_PT	relative increase of the prothrombin time per apixaban concentration	975 [LB, 3.68e+03]	1/(mmol/l)	[10, 1e+05]	no (LB)
COAG__Emax_mPT	maximal relative increase of the modified prothrombin time	6.05 [2.82, UB]	dimensionless	[0.1, 10]	no (UB)
COAG__EC50_api_mPT	apixaban concentration of the half-maximal effect on the modified prothrombin time	0.00191 [0.000633, 0.00399]	mmol/l	[1e-05, 0.01]	yes
COAG__Emax_aPTT	maximal relative increase of the activated partial thromboplastin	0.36 [0.234, 0.727]	dimensionless	[0.05, 5]	yes
COAG__EC50_api_aPTT	apixaban concentration of the half-maximal effect on the activated partial thromboplastin	0.000721 [0.000328, 0.00203]	mmol/l	[0.0001, 0.01]	yes
COAG__antiXa_slope	anti-FXa activity per apixaban concentration	5.43e+03 [5.02e+03, 5.83e+03]	1/ml/(mmol/l)	[500, 5e+04]	yes
COAG__antiXa_gram_slope	anti-FXa activity (apixaban calibrated) per apixaban concentration	4.3e+05 [3.81e+05, 4.79e+05]	ng/ml/(mmol/l)	[2e+05, 1e+06]	yes

2.2 Data

Table 3: Data of the fit PD_20261104_193909__02221: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Cui2013	1 (8)	1 (10)	-	2 (18)
Frost2013	21 (161)	-	-	21 (161)
Frost2013a	-	18 (284)	3 (48)	21 (332)
Frost2014	-	1 (21)	-	1 (21)
Frost2014a	2 (3)	-	-	2 (3)
Frost2015	4 (64)	4 (64)	-	8 (128)
Frost2018	18 (90)	-	12 (60)	30 (150)
Frost2021	10 (121)	-	1 (12)	11 (133)
Frost2021a	3 (21)	6 (42)	-	9 (63)

Study	Training	Validation	Outlier	Total
Kreutz2017	-	3 (38)	-	3 (38)
Wang2016	4 (36)	8 (96)	-	12 (132)
Total	63 (504)	41 (555)	16 (120)	120 (1179)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PD_20261104_193909__02221 per kind of data, the parameter set PD_20261104_193909__02221_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	504	62.7	37.4	6.12	0.248	0.499	0.984	94.0	1841.6	1875.4
validation	555	-	40.4	6.36	0.217	0.41	0.974	93.0	2068.9	2103.4
outlier	120	-	2.34	1.53	3.37	6.82	0.995	89.6	118.2	140.5

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PD_20261104_193909__02221. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PD_20261104_193909__02221. Within twofold of the data are 441 of the 469 training data points (94.0%), 505 of the 543 validation data points (93.0%) and 69 of the 77 outlier data points (89.6%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R^2, its normalized RMSE, the RMSE of the residuals of the cost, its fold errors GMFE and AFE and the percentages of its points within twofold and within two standard deviations of the data.




Figure 3: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PD_20261104_193909__02221. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 4: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PD_20261104_193909__02221. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PD_20261104_193909__02221: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PD_20261104_193909__02221`
Created	2026-11-04 18:40:00 UTC
Seed	1234
Python	3.14.10
sbmlsim	0.16.0
libRoadRunner	2.11.0
SciPy	1.18.1
NumPy	2.5.4
Repository	`/home/mkoenig/git/pkdb_models-apixaban`
Commit	`14bb64560bfdb2d0af68a26f49eaa3b6c92f931f`
Uncommitted changes	yes

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.16.0.

[2] M. A. Branch, T. F. Coleman, and Y. Li, "A subspace, interior, and conjugate gradient method for large-scale bound-constrained minimization problems," *SIAM Journal on Scientific Computing*, vol. 21, no. 1, pp. 1–23, 1999, doi: 10.1137/S1064827595289108.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.11.0.

[5] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[6] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[7] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[8] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[9] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[10] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[11] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[12] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.4.