Apixaban PBPK/PD model: fit PK

1 Methods: Apixaban PBPK/PD model: fit PK

1.1 Parameters and data

13 parameters were optimized: whole-body exchange api [l/min] (`ftissue_api`), tissue to plasma coefficient api (`Kp_api`), clearance per volume API2M [1/min] (`LI__API2M_k`), clearance per volume APISEC [1/min] (`GU__APISEC_k`), absorption api [1/hr] (`ka_api`), fraction absorbed api (`fabs_api`), dissolution rate api [1/hr] (`Ka_dis_api`), undissolved amount of half the dissolution rate api [mg] (`D50_dis_api`), reference fraction unbound api_m1 (`fu_ref_api_m1`), reference fraction unbound api_m7 (`fu_ref_api_m7`), clearance per volume M1EXBI [1/min] (`LI__M1EXBI_k`), clearance per volume M7EXBI [1/min] (`LI__M7EXBI_k`) and clearance per volume M22M1 [1/min] (`LI__M22M1_k`).

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 95 fit mappings of training data with 923 data points, whose residuals enter the objective; and 93 fit mappings of validation data with 933 data points, which were simulated and evaluated with the fitted parameters but not fitted. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w^p_{i,k}$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r^2_{i,k}$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w^p_{i,k} = |y_{i,k} \frac{1}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w^p_{i,k} = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 24 runs with the trust region reflective method [2] of the least squares optimizer of SciPy [3], with a Jacobian of finite forward differences with the relative step 0.001. A run stopped at the tolerances of the change of the cost, of the parameters and of the gradient, ftol = 10^{-8}, xtol = 10^{-8} and gtol = 10^{-8}.

The start values of the runs were drawn by latin hypercube sampling [4] log-uniformly, i.e. uniformly in the logarithm of the parameters, within their bounds, with the seed 1234.

The convergence of the runs was assessed from the traces of their cost and the waterfall plot of their final costs, and the parameter set with the lowest cost was used.

The models were simulated with libRoadRunner [5] and its integrator CVODE [6] with the relative tolerance 10^{-6} and the absolute tolerances 10^{-12} of an amount, 10^{-12} of a concentration and 10^{-6} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first

data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data and validation data) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i \left(y_i - \overline{y}\right)^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [7] and Schwarz [8] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [9] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d} \pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [10], [11]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l \ne j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.001. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with F_{min} the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence

interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [12].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max(|p_j|, 1),\ \varepsilon = 0.01$ of the parameter p_j:

$$I = J^\top J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 13 of 13, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 2590; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PK_20261031_104725__64222 was run on 2026-10-31 09:48:03 UTC with sbmlsim 0.14.0 [1], libRoadRunner 2.11.0 [5], SciPy 1.18.1 [3], NumPy 2.5.3 [13] and Python 3.14.9 (seed 1234). The models and data were those of commit `53b0fa081232f0ff11dc4b3100c292cf59010d79` of `/home/mkoenig/git/pkdb_models-pbpk` with uncommitted changes; their SHA-256 checksums are listed in Table 1.

Table 1: SHA-256 checksums of the models and data of the fit PK_20261031_104725__64222, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_Fig3.tsv	beab9f0b83be...
pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_Tab2.tsv	8ac4ac667c6e...
pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_TabGroups.tsv	4b2afcc9e647...
pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Abdollahizad2025/.Abdollahizad2025_TabInterventions.tsv	b9d283a852a6...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_Fig2.tsv	37b7e6b56a9e...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_Fig3.tsv	c0b098b79eb3...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_Tab2.tsv	1a2c45fd1a07...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_TabGroups.tsv	7cb72ef30f92...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Bashir2018/.Bashir2018_TabInterventions.tsv	0504accca66b...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_Fig1.tsv	c5c845481ea1...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_Tab2.tsv	945d7272dc20...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_TabGroups.tsv	11e2e582aa9f...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Chang2016/.Chang2016_TabInterventions.tsv	e43413a14aff...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_Fig1.tsv	8f5499e4344e...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_Fig2.tsv	d4b212e4327d...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_Tab2.tsv	f0704bdbb239...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_TabGroups.tsv	73aac81eccc0...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Cui2013/.Cui2013_TabInterventions.tsv	621257cb8c15...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Fig1.tsv	fc8de83371ba...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Fig3.tsv	db0dfd7a516b...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Tab2A.tsv	0dc8598879e0...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_Tab3.tsv	56f63a6b9bf7...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_TabGroups.tsv	3fbcb6adca6b...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2013/.Frost2013_TabInterventions.tsv	57fb5484bf6f...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig1.tsv	5c43a705d634...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig2.tsv	0366e460bdf1...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig3.tsv	56dda1a349f9...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Fig4.tsv	a0fad84f6d75...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Tab2.tsv	5441b03444ef...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_Tab3.tsv	36a01471360e...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_TabGroups.tsv	8ac1ffea1f8f...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2013a/.Frost2013a_TabInterventions.tsv	4ebdd262d230...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Fig2.tsv	0e80c2b79a4b...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Fig3.tsv	99574f135008...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Fig4.tsv	a17c2ccb9820...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_Tab2.tsv	2870377b189b...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_TabGroups.tsv	459bcabec8e5...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_TabIndividuals.tsv	6cef70f6b764...
pkdb_models/models/apixaban/data/apixaban/Frost2014/.Frost2014_TabInterventions.tsv	f39bd3b9efc8...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Fig2.tsv	613ca49239b2...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Fig3.tsv	3e42e8799df3...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Tab2.tsv	9fa4abb8cbe1...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_Tab3.tsv	52f2a2f769e7...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_TabGroups.tsv	1d70bdb16635...
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_TabIndividuals.tsv	69425158b3e6...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Frost2014a/.Frost2014a_TabInterventions.tsv	6365f548ba9e...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig1.tsv	53fdf30fc536...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig2.tsv	69e91dfa705c...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig3.tsv	b5f8df9555da...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Fig4.tsv	903aa3fe27f7...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Tab2.tsv	31e03194f7e8...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_Tab3.tsv	ebf8071f5ffc...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_TabGroups.tsv	7a65ae30e78b...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2015/.Frost2015_TabInterventions.tsv	9fd02490a547...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_Fig2.tsv	4b6bf40ddb50...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_Tab2.tsv	f5220a81a089...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_TabGroups.tsv	49babbab8231...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2015a/.Frost2015a_TabInterventions.tsv	b7087c920af8...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_Fig3.tsv	4a2bcef50441...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_Tab3.tsv	a1fd6779e11a...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_TabGroups.tsv	9bd131bd313c...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2015b/.Frost2015b_TabInterventions.tsv	f8f10cb23d1d...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Fig2.tsv	26a24958b972...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Fig3.tsv	36c40ae04c38...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Tab2.tsv	08a5e69df8be...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_Tab3.tsv	1db7dc52322f...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_TabGroups.tsv	4d08a771df30...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2017/.Frost2017_TabInterventions.tsv	76f056d3916b...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Fig1.tsv	602f8265baae...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Fig2.tsv	37950a4d07c3...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Fig3.tsv	7325781dd0b2...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_Tab2.tsv	e9a33bde207d...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_TabGroups.tsv	e3a5a05d836b...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_TabIndividuals.tsv	0e3b876b720d...
pkdb_models/models/apixaban/data/apixaban/Frost2018/.Frost2018_TabInterventions.tsv	926cbdb6d0ff...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Fig1.tsv	794e71066cd8...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Fig2.tsv	249a1f59c0f9...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Fig3.tsv	72e88f14bfc6...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_Tab2.tsv	d175cabacad0...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_TabGroups.tsv	50b58b299022...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2021/.Frost2021_TabInterventions.tsv	97088207b2f2...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig1.tsv	345020ed95c3...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig2A.tsv	ce3095ce2843...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig2B.tsv	f5bbd6decae3...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig3A.tsv	1d906b4fcb99...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Fig3B.tsv	292c47d0e0ac...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_Tab2.tsv	8aa871aa669c...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_TabGroups.tsv	a87515e7af62...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Frost2021a/.Frost2021a_TabInterventions.tsv	c6da948712c2...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_Fig2.tsv	1de6b7e9a1cf...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_Tab2.tsv	f86fb6bfd9fa...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_TabGroups.tsv	88428fbe4343...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Garonzik2019/.Garonzik2019_TabInterventions.tsv	89be1c20421a...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_Fig4.tsv	3dd795b13e99...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_Tab1.tsv	6e770eb9cad2...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_TabGroups.tsv	2f869be2745a...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Jeong2019/.Jeong2019_TabInterventions.tsv	c5b9fa40513c...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Fig2.tsv	f4b05a947582...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Fig3.tsv	dafa13675322...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Fig6.tsv	77cd39dc3e50...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_FigS1.tsv	7f12d29c406a...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_Tab2.tsv	8371ba901ada...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabGroups.tsv	5912d84416b3...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabInterventions.tsv	7de7fab09e94...
pkdb_models/models/apixaban/data/apixaban/Kreutz2017/.Kreutz2017_TabS2.tsv	747eedaa9c93...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_Fig1.tsv	1a43c7530ce0...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_Tab1.tsv	3467c9f03483...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_TabGroups.tsv	7d79deeec5cc...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Leong2024/.Leong2024_TabInterventions.tsv	8c3b64c9f51b...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Fig1.tsv	396e2611f184...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Tab1.tsv	0180d9ac3b8d...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Tab3.tsv	6672e295271a...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_Tab4.tsv	4c7c4be01bf6...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_TabGroups.tsv	0831d7d5cc61...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Raghavan2009/.Raghavan2009_TabInterventions.tsv	fa197b227227...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_Fig5.tsv	ee77dce35a2c...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_Tab7.tsv	12711573236a...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_TabGroups.tsv	94c62eab1f11...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Shaikh2021/.Shaikh2021_TabInterventions.tsv	4a101ac63317...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_Fig1.tsv	887168e87b84...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_Tab2.tsv	c97120f94a9c...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_TabGroups.tsv	27231eca5fc8...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Song2015/.Song2015_TabInterventions.tsv	be210a86ab7c...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_Fig1.tsv	b7ad45a549a7...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_Fig2.tsv	7c2758793791...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_Tab3.tsv	6ef7f40362bb...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_TabGroups.tsv	5724acff1d3d...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Song2016/.Song2016_TabInterventions.tsv	5e8332d72f88...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Fig2.tsv	3faec340671f...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Fig3.tsv	ea4061d87f51...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Tab2.tsv	658a13644e70...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_Tab4.tsv	5ffdf23a058d...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_TabGroups.tsv	683d9737dd08...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_TabIndividuals.tsv	a4deb6f8c63b...
pkdb_models/models/apixaban/data/apixaban/Tirona2018/.Tirona2018_TabInterventions.tsv	0115df3cf366...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Fig1.tsv	042e04061787...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Fig2.tsv	c752c87e2917...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Fig4.tsv	efba33bd1866...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_Tab2.tsv	ccb9914da1b6...

File	SHA-256
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_TabGroups.tsv	a03c95aa400b...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Upreti2013/.Upreti2013_TabInterventions.tsv	0c2c54325eeb...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_Fig1.tsv	43f57814003e...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_Tab2.tsv	c8172fa899fc...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_TabGroups.tsv	1ca6e50435c5...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Upreti2013a/.Upreti2013a_TabInterventions.tsv	a72c21da8af4...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_Fig2.tsv	09358aae72ed...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_Tab2.tsv	6bac92767d1c...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_TabGroups.tsv	c27b14ee1208...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Vakkalagadda2016/.Vakkalagadda2016_TabInterventions.tsv	556a754e5f3b...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_Fig1.tsv	d69f7962b171...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_Tab2.tsv	f85c1f8e7915...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_TabGroups.tsv	e062d09c3586...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/VandenBosch2021/.VandenBosch2021_TabInterventions.tsv	478296e08bc5...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_Fig1.tsv	5792cda43eeb...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_Tab2.tsv	fb329069f3e9...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_TabGroups.tsv	0a4860969248...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Wang2014/.Wang2014_TabInterventions.tsv	2021315c570b...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Fig1.tsv	d748c13696a1...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Fig2.tsv	a469a9202542...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Fig3.tsv	74e1c0d8e603...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Tab2.tsv	4af4c56939bb...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_Tab3.tsv	5b9a2d332b9d...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_TabGroups.tsv	98379e7bd37f...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/apixaban/Wang2016/.Wang2016_TabInterventions.tsv	b43b26deb99b...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_Fig2.tsv	e908ecfd4200...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_Tab1.tsv	1705a3283cbf...

File	SHA-256
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_Tab2.tsv	5174a5a64a7e...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabGroups.tsv	472f81b235da...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabInterventions.tsv	4de32e9cf476...
pkdb_models/models/apixaban/data/edoxaban/Lenard2024/.Lenard2024_TabS1.tsv	ba972b8d6d28...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Fig2.tsv	9ef3255e50e6...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Fig3.tsv	f3b11b7662c0...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Fig4.tsv	120b7b7f48d1...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Tab1.tsv	b6f04a9ef681...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Tab2.tsv	85b5ce558944...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_Tab3.tsv	d00392f55387...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_TabGroups.tsv	610218a8c02b...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Lenard2025/.Lenard2025_TabInterventions.tsv	2ebde57933c5...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_Fig1.tsv	8fbc4162fb7f...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_Tab2.tsv	cb5b69248ed1...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_TabGroups.tsv	8e90dc0e4e84...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_TabIndividuals.tsv	632b916218ea...
pkdb_models/models/apixaban/data/edoxaban/Metze2021/.Metze2021_TabInterventions.tsv	434cad4202c3...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Fig1.tsv	67c7cc6e7680...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Tab1.tsv	faf7c720b148...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Tab2.tsv	e2c1f88444dc...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_Tab4.tsv	e49e955bb55d...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_TabGroups.tsv	7b8ddb29ab80...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Mikus2019/.Mikus2019_TabInterventions.tsv	ddd1e8caa7cc...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_Fig2.tsv	0deebe1ae6a0...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_Tab1.tsv	ea79e2e253b6...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_TabGroups.tsv	f436ee13baff...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_TabIndividuals.tsv	e62f45cd320d...
pkdb_models/models/apixaban/data/edoxaban/Rohr2024/.Rohr2024_TabInterventions.tsv	f3cee0abf151...
pkdb_models/models/apixaban/models/output/models/apixaban_body_female_flat.xml	8a47194a0a8c...
pkdb_models/models/apixaban/models/output/models/apixaban_body_flat.xml	ea1cac2e870e...

2 Results: Apixaban PBPK/PD model: fit PK

2.1 Parameters

Table 2: Parameters of the fit PK_20261031_104725__64222, the parameter set PK_20261031_104725__64222_0, cost 114, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and

UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
ftissue_api	whole-body exchange api [l/min]	12.9 [9.28, 19.8]	l/min	[0.028, 70]	yes
Kp_api	tissue to plasma coefficient api	0.226 [0.199, 0.258]	dimensionless	[0.039, 1.97]	yes
LI__API2M_k	clearance per volume API2M [1/min]	0.0788 [0.0596, 0.0977]	1/min	[0.005, 1]	yes
GU__APISEC_k	clearance per volume APISEC [1/min]	0.269 [0.0944, 0.531]	1/min	[0.000961, 9.61]	yes
ka_api	absorption api [1/hr]	2.78 [1.91, 4.16]	1/hr	[0.00179, 17.9]	yes
fabs_api	fraction absorbed api	0.683 [0.592, 0.798]	dimensionless	[0.01, 1]	yes
Ka_dis_api	dissolution rate api [1/hr]	1.08 [0.872, 1.39]	1/hr	[0.05, 10]	yes
D50_dis_api	undissolved amount of half the dissolution rate api [mg]	9.1 [6.34, 12.8]	mg	[1, 500]	yes
fu_ref_api_m1	reference fraction unbound api_m1	0.0417 [0.0294, 0.0558]	dimensionless	[0.001, 1]	yes
fu_ref_api_m7	reference fraction unbound api_m7	0.00128 [LB, UB]	dimensionless	[0.001, 1]	no
LI__M1EXBI_k	clearance per volume M1EXBI [1/min]	0.0372 [0.0213, 0.0613]	1/min	[0.00182, 18.2]	yes
LI__M7EXBI_k	clearance per volume M7EXBI [1/min]	0.132 [0.0767, 0.215]	1/min	[0.0059, 59]	yes
LI__M22M1_k	clearance per volume M22M1 [1/min]	0.00568 [0.0041, 0.00825]	1/min	[0.0001, 0.1]	yes

2.2 Data

Table 3: Data of the fit PK_20261031_104725__64222: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Abdollahizad2025	1 (17)	-	-	1 (17)
Bashir2018	1 (8)	2 (16)	-	3 (24)
Chang2016	-	8 (76)	-	8 (76)
Cui2013	1 (15)	1 (15)	-	2 (30)
Frost2013	8 (118)	1 (13)	-	9 (131)
Frost2013a	-	6 (156)	-	6 (156)
Frost2014	-	1 (22)	-	1 (22)
Frost2014a	1 (14)	-	-	1 (14)
Frost2015	3 (30)	3 (31)	-	6 (61)
Frost2015a	2 (24)	2 (24)	-	4 (48)
Frost2015b	4 (44)	-	-	4 (44)
Frost2017	1 (12)	1 (12)	-	2 (24)

Study	Training	Validation	Outlier	Total
Frost2018	16 (132)	-	-	16 (132)
Frost2021	12 (95)	-	-	12 (95)
Frost2021a	2 (17)	4 (35)	-	6 (52)
Garonzik2019	1 (9)	1 (9)	-	2 (18)
Jeong2019	-	3 (27)	-	3 (27)
Kreutz2017	-	1 (24)	-	1 (24)
Lenard2024	1 (17)	1 (17)	-	2 (34)
Lenard2025	3 (51)	3 (51)	-	6 (102)
Leong2024	-	2 (38)	-	2 (38)
Metze2021	-	20 (80)	-	20 (80)
Mikus2019	2 (16)	2 (16)	-	4 (32)
Raghavan2009	16 (58)	4 (8)	-	20 (66)
Rohr2024	2 (12)	2 (12)	-	4 (24)
Shaikh2021	2 (50)	-	-	2 (50)
Song2015	4 (64)	4 (64)	-	8 (128)
Song2016	2 (28)	3 (44)	-	5 (72)
Tirona2018	-	4 (22)	-	4 (22)
Upreti2013	2 (16)	4 (32)	-	6 (48)
Upreti2013a	1 (12)	1 (12)	-	2 (24)
Vakkalagadda2016	4 (26)	4 (25)	-	8 (51)
VandenBosch2021	-	2 (14)	-	2 (14)
Wang2014	1 (18)	-	-	1 (18)
Wang2016	2 (20)	3 (38)	-	5 (58)
Total	95 (923)	93 (933)	-	188 (1856)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PK_20261031_104725__64222 per kind of data, the parameter set PK_20261031_104725__64222_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	923	114	7.87e-08	0.000281	0.287	0.498	0.917	81.6	−15071.9	−15009.2
validation	933	-	1.07e-07	0.000327	2.75	6.13	0.709	79.2	−14948.4	−14885.5

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PK_20261031_104725__64222. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Cost of the optimization runs, ordered, fit PK_20261031_104725__64222. The final cost of the runs, ordered. A flat plateau at the left is the global optimum found repeatedly, which is the evidence that the multistart converged; steps to the right are local minima.




Figure 3: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PK_20261031_104725__64222. Within twofold of the data are 722 of the 885 training data points (81.6%) and 685 of the 865 validation data points (79.2%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R^2, its normalized RMSE, the RMSE of the residuals of the cost, its fold errors GMFE and AFE and the percentages of its points within twofold and within two standard deviations of the data.




Figure 4: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PK_20261031_104725__64222. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 5: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PK_20261031_104725__64222. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PK_20261031_104725__64222: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PK_20261031_104725__64222`
Created	2026-10-31 09:48:03 UTC
Seed	1234
Python	3.14.9
sbmlsim	0.14.0
libRoadRunner	2.11.0
SciPy	1.18.1
NumPy	2.5.3
Repository	`/home/mkoenig/git/pkdb_models-pbpk`
Commit	`53b0fa081232f0ff11dc4b3100c292cf59010d79`
Uncommitted changes	yes

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.14.0.

[2] M. A. Branch, T. F. Coleman, and Y. Li, "A subspace, interior, and conjugate gradient method for large-scale bound-constrained minimization problems," *SIAM Journal on Scientific Computing*, vol. 21, no. 1, pp. 1–23, 1999, doi: 10.1137/S1064827595289108.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] M. D. McKay, R. J. Beckman, and W. J. Conover, "A comparison of three methods for selecting values of input variables in the analysis of output from a computer code," *Technometrics*, vol. 21, no. 2, pp. 239–245, 1979, doi: 10.2307/1268522.

[5] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.11.0.

[6] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[7] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[8] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[9] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[10] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[11] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[12] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[13] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.3.