

cy3sbml: a Cytoscape app for SBML

Matthias König^{1,*}, Nicolas Rodriguez² and Andreas Dräger^{3,4}

¹Institute for Theoretical Biology, Humboldt University Berlin, Berlin, Germany

²Babraham Institute, Babraham Research Campus, Cambridge, UK.

³University of California, San Diego, La Jolla, CA, USA, ⁴Center for Bioinformatics Tuebingen (ZBIT), University of Tuebingen, Tuebingen, Germany.

Received on XXXXX; revised on XXXXX; accepted on XXXXX

Associate Editor: XXXXXXX

ABSTRACT

Summary: We present cy3sbml, a Cytoscape 3 app for the work with the community format SBML providing the following features: SBML import; support of the SBML Layout, Qualitative Model, Groups, Hierarchical Model Composition and Flux Balance Constraints packages, navigation in network layouts based on SBML structure, access to MIRIAM and SBO-based annotations, and SBML validation. Cy3sbml includes importer for BioModels and BiGG models to load SBML from standard repositories.

Software available from: <http://apps.cytoscape.org/apps/cy3sbml>

Latest source code: <https://github.com/matthiascoenig/cy3sbml>

Archive source code as at the time of publication: <http://dx.doi.org/10.5281/zenodo.57432>

License: GNU General Public License, version 3 (GPL-3.0)

Mailing list: <https://groups.google.com/forum/#!forum/cysbml-cyfluxviz>

Contact: koenigmatt@googlemail.com

1 INTRODUCTION

SBML (Systems Biology Markup Language) is a free and open interchange format for computer models of biological processes {Hucka2003} currently supported by over 280 software tools [July 2016]. SBML is used to represent models for a wide range of cell biology, including cell signaling, metabolism, and gene regulation. SBML provides a common standard of interoperability and exchange allowing several researchers to work with diverse tools on building, curation, annotation, simulation, analysis, and visualization of the same model. Standard repositories of SBML models such as BioModels {Li2010,Chelliah2015} have been established, providing annotated models on a molecular level for a wide range of biological questions with access to their resources via web services {Li2010}. However, preserving models without the semantic layer of information needed for an unambiguous identification and interpretation of model components is meaningless {Courtot2011}. To this end, SBML can be annotated following MIRIAM (Minimum Information Required for the Annotation of Models) guidelines {LeNovere2005} using controlled identifiers {Juty2012} and SBO (Systems Biology Ontology) {Courtot2011}, a set of controlled vocabularies in systems biology.

Cytoscape {Shannon2003}, a widely used open-source platform for complex network analysis and visualization, currently only provides rudimentary SBML capabilities: Its application to SBML models is limited to a subset of SBML: The SBML document structure is inaccessible for visualization, validation of SBML files is not possible, and neither the information from SBO or MIRIAM annotation nor SBML packages for layout information or qualitative models are supported.

Important developments in SBML and Cytoscape have taken place since the initial release of CySBML for Cytoscape 2 {Koenig2012}: SBML

- release of package for Hierarchical Model Composition (comp) {Smith2015}
- release of package for Groups (groups) {Hucka2016}
- release of package for Flux Balance Constraints (fbc) {Olivier2015}
- release of package for Model Layout (layout) {Gauges2015}

With the release of Cytoscape 3

- major update in infrastructure (OSGI, service model, Apache Maven)
- New features, including new user interfaces, advanced visualization functions, headless (command-line) distribution, RESTful API, and GPU support. Cytoscape v3, which refactored major internal data models and greatly improved support for third-party plugin applications (via the App Store, semantic versioning disciplines, published APIs, and code management via OSGi). Visual styles (VizMapper), fast node filtering, network capacity, and overall speed and UI consistency and new Network Viewer.

Here, we report cy3sbml an app for using models encoded in SBML within Cytoscape 3. In addition to porting all functionality to the new Cytoscape 3 architecture a multitude of new features have been implemented since the initial release for Cytoscape 2

- support of the recently released SBML packages comp, groups and layout, and support for fbc v2 and latest SBML core specification (L2V5 and L3V1).
SBML parsing by community library JSBML which provides bugfixes and support for latest specification via simple update of the dependencies
- Implementation of a kinetic network graph giving access not only to the species-reaction graph, but the full SBML information
- Integration with additional annotation information using annotation information
- integration with additional apps and systems biology workflows via OSGI APIs and commands available via CyREST
- BiGG integration & model loading via URL
- redesign of GUI using web technology (JavaFx WebView)
- Simple installation via app store

MIRIAM and identifiers.org {Juty2012}

Secondary information is retrieved for instance for UniProt {UniProt-Consortium2014, Patient2008} or ChEBI {Hastings2013} annotations.

2 DESCRIPTION

We present cy3sbml, a Cytoscape 3 app for SBML based on JSBML {Draeger2011, Rodriguez2015}, a free, open-source Java™ library for SBML. cy3sbml ports all major features from Cytoscape 2 to Cytoscape 3, i.e. supports all versions and levels of SBML, handles models in SBML and the SBML Qualitative Model format, includes validation of imported SBML files, and easy access to BioModels {Juty2015} and BiGG {King2016} via web services.

Many additional features have been implemented: comp, groups and fbc v2 support, full kinetic networks providing access not only to species and reactions but to parameters and kinetics. A full set of examples is now included with cy3sbml directly accessible from the menu.

layout & networks

Cy3sbml utilizes layout information encoded via the SBML Layout extension {Gauges2006} or alternatively applies standard layouts based on visual styles optimized for the bipartite species/reaction model underlying SBML core. Species and reactions are assigned to different visualization classes with nodes being color coded according to their SBML compartment.

- now full kinetic graph with access to parameters, kinetic laws, function definitions, compartments, ...
- cofactor nodes
- additional visual styles (SBML information available as node and edge attributes which can be used in the VisualMappings)

cy3sbml was successfully tested with all networks from the SBML Test Suite [version 3.1.1], BioModels [release 30], and BiGG models [release v1.2] {King2016}.

fbc, groups, comp

annotation

Special focus was put on making annotation information and the semantic layer accessible to the user and linking these data to additional web resources. cy3sbml reads RDF-based MIRIAM annotations of the SBML elements and provides access to the annotated resources within the network visualization (**Figure 1**). Clicking at links to online annotation resources and databases opens additional information in the browser. In this way, information from a wide range of resources and databases can be integrated within the visualization. Key information for the RDF annotations are retrieved via the REST interface of the new Ontology Lookup Service (OLS) {Cote2006, Jupp2015}, like terms and term definitions.

- uniprot & ChEBI secondary information

model import

SBML files from BioModels can be imported either by their identifier or searched via name or authors. Multiple models can be imported at once for comparative analysis. In addition BiGG models can now be imported directly via the BiGG web service.

model validation

Validation of the imported and loaded SBML is available via the menu bar. Validation results can be filtered with respect to warnings and error types.

API & integration

cy3sbml is now implemented as an OSGI bundle providing an API for other apps to consume (or via python/R and CyREST). This provides easy integration with additional functionality, like using it for the visualization of kinetic information from SABIO-RK {Wittig2012} {Koenig2016} via the cy3sbml API.

GUI redesign

Redesign and implementation of the information display based on JavaFX.




Fig. 1. Cy3sbml interface. Example SBML for hepatic glucose metabolism of the Human liver from {Koenig2012}. SBML file is provided as **Supplementary File 1**.

CONCLUSION

Cy3sbml combines SBML, the standard format of models of biological processes, with Cytoscape, one of the standard platforms for the visualization of biological networks. With this release all functionality from the original plugin {Koenig2012}, like support for SBML groups, fbc and comp model.

The provided API/OSGI allows ...

ACKNOWLEDGEMENTS

We thank the SBML community for their help and support.

Funding: MK is supported by the Federal Ministry of Education and Research (BMBF, Germany) within the research network Systems Medicine of the Liver (LiSyM, grant number 031L0054) and Virtual Liver Network (grant number 0315756), and by the National Resource for Network Biology (NRNB) within the NRNB Academy Summer Session 2015.

NR is supported by the BBSRC grant BBS/E/B/000C0419 and NIGMS GM070923-13.

AD is supported by a Marie Curie International Outgoing Fellowship within the EU 7th Framework Program for Research and Technological Development (project AMBiCon, 332020).

Conflict of Interest: none declared

REFERENCES

- Côté, R. G., Jones, P., Apweiler, R., & Hermjakob, H. (2006). The Ontology Lookup Service, a lightweight cross-platform tool for controlled vocabulary queries. *BMC bioinformatics*, 7(1), 97.
- Courtot, M., Juty, N., Knüpfer et al. (2011) Controlled vocabularies and semantics in systems biology, *Mol Syst Biol*, 7, 543.
- Chelliah, V., Juty, N., Ajmera, I., Raza, A., Dumousseau, M., Glont, M., Hucka, M., Jalowicki, G., Keating, S., Knight-Schrijver, V., Lloret-Villas, A., Natarajan, K., Pettit, J.-B., Rodriguez, N., Schubert, M., Wimalaratne, S., Zhou, Y., Hermjakob, H., Le Novère, N., Laibe, C. (2015) BioModels: ten year anniversary. *Nucleic Acids Res*, 43 (D1): D542-D548

- Dräger, A., Rodriguez, N., Dumousseau, M., Dörr, A., Wrzodek, C., Le Novère, N., Zell, A. and Hucka, M. (2011) JSBML: a flexible Java library for working with SBML, *Bioinformatics*, 27, 2167--2168.
- Gauges, R., Rost, U., Sahle, S., Wengler, K., Bergmann, F.T. (2015) The Systems Biology Markup Language (SBML) Level 3 Package: Layout, Version 1 Core. *J Integr Bioinfo*, 12(2):267..
- Hastings, J., de Matos, P., Dekker, A., Ennis, M., Harsha, B., Kale, N., et al. (2013). The ChEBI reference database and ontology for biologically relevant chemistry: enhancements for 2013. *Nucleic acids research*, 41(D1), D456-D463.
- Hucka, M., Finney, A., Sauro, H.M., Bolouri et al. (2003) The systems biology markup language (SBML): a medium for representation and exchange of biochemical network models, *Bioinformatics*, 19, 524--531.
- Hucka, M., Smith, L.P. (2016) SBML Level 3 Package Specification: Groups, Version 1 Release 1. Available from COMBINE <<http://identifiers.org/combine.specifications/sbml.level-3.version-1.groups.version-1.release-1>>
- Juty, N., Le Novère, N., & Laibe, C. (2012). Identifiers. org and MIRIAM Registry: community resources to provide persistent identification. *Nucleic acids research*, 40(D1), D580-D586.
- Jupp, S., Burdett, T., Malone, J., Leroy, C., Pearce, M., McMurry, J., & Parkinson, H. (2015). A New Ontology Lookup Service at EMBL-EBI. In *Proceedings of SWAT4LS International Conference*.
- King, Z. A., Lu, J., Dräger, A., Miller, P., Federowicz, S., Lerman, J. A., et al. (2016). BiGG Models: A platform for integrating, standardizing and sharing genome-scale models. *Nucleic acids research*, 44(D1), D515-D522.
- König, M., Bulik, S., & Holzhütter, H. (2012). Quantifying the contribution of the liver to glucose homeostasis: a detailed kinetic model of human hepatic glucose metabolism. *PLoS Comput Biol*, 8(6), e1002577.
- König, M., Dräger, A., & Holzhütter, H. (2012). CySBML: a Cytoscape plugin for SBML. *Bioinformatics*, 28(18), 2402-2403.
- König, M. (2016) cy3sabiork: A Cytoscape app for visualizing kinetic data from SABIO-RK [version 1; referees: awaiting peer review]. *F1000Research* 2016, 5:1736 (doi: [10.12688/f1000research.9211.1](https://doi.org/10.12688/f1000research.9211.1))
- Le Novère, N., Finney, A., Hucka, M., Bhalla, U.S., Campagne, F., Collado-Vides, J., Crampin, E.J., Halstead, M., Klipp, E., Mendes, P., Nielsen, P., Sauro, H., Shapiro, B., Snoep, J.L., Spence, H.D., Wanner, B.L. (2005) Minimum Information Requested In the Annotation of biochemical Models (MIRIAM). *Nat Biotechnol*, 23: 1509-1515.
- Li, C., Donizelli, M., Rodriguez, N., Dharuri, H., Endler, L., Chelliah, V., Li, L., He, E., Henry, A., Stefan, M.I., Snoep, J.L., Hucka, M., Le Novère, N. and Laibe, C. (2010) BioModels Database: An enhanced, curated and annotated resource for published quantitative kinetic models, *BMC Syst Biol*, 4, 92.
- Olivier, B.G., Bergmann, F.T. (2015) The Systems Biology Markup Language (SBML) Level 3 Package: Flux Balance Constraints. *J Integr Bioinfo*, 12(2):269.
- Patient, S., Wieser, D., Kleen, M., Kretschmann, E., Martin, M. J., & Apweiler, R. (2008). UniProtAPI: a remote API for accessing UniProt data. *Bioinformatics*, 24(10), 1321-1322..
- Rodriguez, N., Myers, C., Hucka, M., & Dräger, A. (2015). JSBML 1.0: providing a smorgasbord of options to encode systems biology models
- Shannon, P., Markiel, A., Ozier, O., Baliga, N.S., Wang, J.T., Ramage, D., Amin, N., Schwikowski, B. and Ideker, T. (2003) Cytoscape: a software environment for integrated models of biomolecular interaction networks, *Genome Res*, 13, 2498-2504
- Smith, L.P., Hucka, M., Hoops, S., Finney, A., Ginkel, M., Myers, C.J., Moraru, I., Liebermeister, W. (2015) SBML Level 3 package: Hierarchical Model Composition, Version 1 Release 3. *J Integr Bioinfo*, 12(2):268.
- UniProt Consortium (2014). UniProt: a hub for protein information. *Nucleic acids research*, gku989.
- Wittig, U., Kania, R., Golebiewski, M., Rey, M., Shi, L., Jong, L., et al. (2012). SABIO-RK—database for biochemical reaction kinetics. *Nucleic acids research*, 40(D1), D790-D796.

OPEN ISSUES

[Milestone 0.5.0](#) for manuscript

- full comp support
<https://github.com/matthiaskoenig/cy3sbml/issues/34>
- groups support
<https://github.com/matthiaskoenig/cy3sbml/issues/70>
- layout support
<https://github.com/matthiaskoenig/cy3sbml/issues/71>
- Combine Archive & RO
<https://github.com/matthiaskoenig/cy3sbml/issues/116>
- BiGG access
<https://github.com/matthiaskoenig/cy3sbml/issues/104>
- API (commands, cyREST, OSGI)
<https://github.com/matthiaskoenig/cy3sbml/issues/72>
- cofactor nodes
<https://github.com/matthiaskoenig/cy3sbml/issues/47>
- Documentation
<https://github.com/matthiaskoenig/cy3sbml/issues/82>
<https://github.com/matthiaskoenig/cy3sbml/issues/33>