Enalapril PBPK/PD model: fit PD

1 Methods: Enalapril PBPK/PD model: fit PD

1.1 Parameters and data

4 parameters were optimized: EC50 of the ACE inhibition by enalaprilat (`ANG1ANG2_EC50_eat`), maximum increase of the renin secretion without angiotensin II (`RENSEC_ang2_E`), half-life of the delay of the renin feedback (`RENSEC_ang2_t`) and effect of angiotensin II on blood pressure [-] (`BP_ang2_fe`). The parameters of the adopted fit PK_20261020_114902__1f0f7 were fixed at their fitted values.

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 37 fit mappings of training data with 397 data points, whose residuals enter the objective; and 91 fit mappings of validation data with 915 data points, which were simulated and evaluated with the fitted parameters but not fitted. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w^p_{i,k}$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r^2_{i,k}$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w^p_{i,k} = |y_{i,k} \frac{1}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w^p_{i,k} = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 3 runs with differential evolution [2] of SciPy [3] within the bounds of the parameters, with the strategy `best1bin`, a population of 15 times the number of parameters, at most 1000 generations, the relative tolerance 0.01 of convergence, the recombination constant 0.7 and a mutation dithered between 0.5 and 1. The initial population of a run was drawn by latin hypercube sampling [4], with a seed of every run derived from the seed 1234 of the fit. The best member of the final population was polished with the L-BFGS-B method of SciPy.

The convergence of the runs was assessed from the traces of their cost and the waterfall plot of their final costs, and the parameter set with the lowest cost was used.

The models were simulated with libRoadRunner [5] and its integrator CVODE [6] with the relative tolerance 10^{-6} and the absolute tolerances 10^{-12} of an amount, 10^{-12} of a concentration and 10^{-6} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment, and 6 states of its own. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data and validation data) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i \left(y_i - \overline{y}\right)^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [7] and Schwarz [8] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [9] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d} \pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [10], [11]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l \ne j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.05. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with F_{min} the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-

identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [12].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max(|p_j|, 1),\ \varepsilon = 10^{-6}$ of the parameter p_j:

$$I = J^\top J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 4 of 4, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 6.45; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PD_20261020_125416__5ce99 was run on 2026-10-20 10:54:20 UTC with sbmlsim 0.10.0 [1], libRoadRunner 2.10.0 [5], SciPy 1.18.1 [3], NumPy 2.5.3 [13] and Python 3.14.4 (seed 1234). The models and data were those of commit `6c9c8a3f83a2f076ec4216770c402b33d099e29f` of `/home/mkoenig/git/pkdb_models-enalapril` their SHA-256 checksums are listed in Table 1. The fit kept the values `Ka_dis_ena` = 1.2106, `GU__ENAABS_k` = 0.0228894, `GU__F_ena_abs` = 0.577262, `GU__FED_f_dissolution` = 0.426771, `Kp_ena` = 0.0217554, `LI__ENA2EAT_Vmax` = 0.643377, `KI__ENAEX_f` = 2.87792, `Kp_eat` = 0.0200773, `LI__EATEX_Vmax` = 0.00145697, `KI__EATEX_f` = 2.56411, `EATACE_Bmax` = $5.58 \cdot 10^{-5}$ and `EATACE_Kd` = $8.39 \cdot 10^{-7}$ of the model fixed.

Table 1: SHA-256 checksums of the models and data of the fit PD_20261020_125416__5ce99, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Fig1.tsv`	`8fa3bd2ac3c7...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Fig2.tsv`	`69bc82ef0606...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Fig3.tsv`	`0be807123a40...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Tab1.tsv`	`c91217907a24...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Tab10mgvs20mg.tsv`	`e964b899f69b...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Tab1Mean.tsv`	`cf7fd4c7b002...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Tab2.tsv`	`23e67f9473bb...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_Tab2Mean.tsv`	`14d73f284ac1...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_TabGroups.tsv`	`aebca4bfe4e3...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_TabIndividuals.tsv`	`1c6523c275dd...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_TabInterventions.tsv`	`262c9f105891...`
`pkdb_models/models/enalapril/data/enalapril/Arafat2005/.Arafat2005_TabText.tsv`	`83404f8ef113...`
`pkdb_models/models/enalapril/data/enalapril/Baba1990/.Baba1990_Fig1.tsv`	`985ff701e7fe...`
`pkdb_models/models/enalapril/data/enalapril/Baba1990/.Baba1990_Tab1.tsv`	`2282e79551b7...`
`pkdb_models/models/enalapril/data/enalapril/Baba1990/.Baba1990_TabGroups.tsv`	`ed6b67555b66...`
`pkdb_models/models/enalapril/data/enalapril/Baba1990/.Baba1990_TabInterventions.tsv`	`e74f776fbe59...`
`pkdb_models/models/enalapril/data/enalapril/Biollaz1982/.Biollaz1982_Fig1.tsv`	`b34313ba553f...`

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Biollaz1982/.Biollaz1982_Fig2.tsv	8fab6d7ce06b...
pkdb_models/models/enalapril/data/enalapril/Biollaz1982/.Biollaz1982_TabGroups.tsv	09788cc3c5bd...
pkdb_models/models/enalapril/data/enalapril/Biollaz1982/.Biollaz1982_TabInterventions.tsv	1b44b0dff57f...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Fig2.tsv	ddeecf424a20...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Fig3.tsv	bbf1c83c7b5f...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Fig3Mean.tsv	68e1f0231f80...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Fig4.tsv	7cc2d905e18d...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Fig4Mean.tsv	d59ccc729d18...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Fig6.tsv	8412de4a5110...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Tab2.tsv	b7ffff5fbb5c...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Tab3.tsv	23e9db24629e...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Tab5.tsv	9e170a406d7d...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_Tab6.tsv	edb7553cd2f1...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_TabGroups.tsv	4fbbe6349766...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_TabIndividuals.tsv	369eb9e79060...
pkdb_models/models/enalapril/data/enalapril/Burckhardt2015/.Burckhardt2015_TabInterventions.tsv	31fbd276352c...
pkdb_models/models/enalapril/data/enalapril/Dayyih2017/.Dayyih2017_Fig5.tsv	a2fe255484a3...
pkdb_models/models/enalapril/data/enalapril/Dayyih2017/.Dayyih2017_Fig6.tsv	791cdc2b7337...
pkdb_models/models/enalapril/data/enalapril/Dayyih2017/.Dayyih2017_Tab6.tsv	01c367007a74...
pkdb_models/models/enalapril/data/enalapril/Dayyih2017/.Dayyih2017_TabGroups.tsv	12733d2d4d49...
pkdb_models/models/enalapril/data/enalapril/Dayyih2017/.Dayyih2017_TabInterventions.tsv	c4350169842e...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Fig1.tsv	b0c45d504fad...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Fig2.tsv	1aefc3fd350d...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Fig3.tsv	c21912ea1945...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Fig4.tsv	320c365c6325...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Fig5.tsv	f466351a85b5...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Tab1.tsv	052d8b038511...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Tab1_Mean.tsv	0cef444758aa...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Tab2.tsv	8800ba501668...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Tab3.tsv	186877a70df7...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_Tab4.tsv	50e668d62fcf...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_TabGroups.tsv	b3f75012e49f...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_TabIndividuals.tsv	33b470880cfc...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987/.Dickstein1987_TabInterventions.tsv	0097192a22a2...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987a/.Dickstein1987a_Fig1.tsv	6a6fec999688...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987a/.Dickstein1987a_Fig2.tsv	5e87d3c76c8d...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987a/.Dickstein1987a_Tab1.tsv	fa2a3741b86b...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987a/.Dickstein1987a_Tab2.tsv	8e3746213437...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987a/.Dickstein1987a_TabGroups.tsv	36b7a8c0e8ad...
pkdb_models/models/enalapril/data/enalapril/Dickstein1987a/.Dickstein1987a_TabInterventions.tsv	4d9ab8d48663...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Fig1.tsv	3f0c3309f0c0...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Fig2.tsv	cca03272e295...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Fig3.tsv	bf77f1101e08...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Fig4.tsv	0bff612126f0...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Fig4_Time.tsv	9b9c573884fb...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Tab1.tsv	b4c28674481b...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Tab1_Mean.tsv	f51c54317677...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Tab2.tsv	dfc00c3a577b...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Tab2_Mean.tsv	04d045cff124...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Tab3.tsv	0de5232f16b6...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_Tab3_Mean.tsv	55dac573716f...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_TabGroups.tsv	5a53cb6b6bc8...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_TabIndividuals.tsv	d1fa568ab9ba...
pkdb_models/models/enalapril/data/enalapril/Donnelly1990/.Donnelly1990_TabInterventions.tsv	79ce1b89bc23...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_Fig2.tsv	795eccc55f63...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_Fig3.tsv	3ab09f36e59a...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_Fig4.tsv	9b8c3e1b0580...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_Tab1.tsv	79a0f240e75e...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_Tab2.tsv	78e3fd73a9b8...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_TabGroups.tsv	6f722792db08...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_TabIndividuals.tsv	115af0e4f0d7...
pkdb_models/models/enalapril/data/enalapril/ElungJensen2001/.ElungJensen2001_TabInterventions.tsv	7394ff5f37d9...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Fig1.tsv	1d3d68a3ee95...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Fig2.tsv	45ab74a90a3d...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Fig3.tsv	76ef21dbbd8a...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Fig4.tsv	bcf137dd6ec7...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Tab1.tsv	f092a71c1da0...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Tab2.tsv	8a2f9d475e27...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Tab3.tsv	6ad7556b7de5...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Tab4.tsv	8a3d95bb5511...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_Tab4_Mean.tsv	97d6ba04e42b...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_TabGroups.tsv	1d5598948125...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_TabIndividuals.tsv	749d795d97d3...
pkdb_models/models/enalapril/data/enalapril/Fruncillo1987/.Fruncillo1987_TabInterventions.tsv	dfa927cfab8d...
pkdb_models/models/enalapril/data/enalapril/Ghosh2012/.Ghosh2012_Fig5A.tsv	44fb620ff5bb...
pkdb_models/models/enalapril/data/enalapril/Ghosh2012/.Ghosh2012_Fig5B.tsv	2a4dd03163a9...
pkdb_models/models/enalapril/data/enalapril/Ghosh2012/.Ghosh2012_TabGroups.tsv	65dc6d2aeb3b...
pkdb_models/models/enalapril/data/enalapril/Ghosh2012/.Ghosh2012_TabInterventions.tsv	8aba174c0d12...
pkdb_models/models/enalapril/data/enalapril/Ghosh2012/.Ghosh2012_TabText1.tsv	0ae803802d0a...
pkdb_models/models/enalapril/data/enalapril/Gu2004/.Gu2004_Fig3.tsv	094ee0413fe5...
pkdb_models/models/enalapril/data/enalapril/Gu2004/.Gu2004_TabGroups.tsv	4b9e0b484553...
pkdb_models/models/enalapril/data/enalapril/Gu2004/.Gu2004_TabIndividuals.tsv	86dc6df1b392...
pkdb_models/models/enalapril/data/enalapril/Gu2004/.Gu2004_TabInterventions.tsv	111ff0885fde...
pkdb_models/models/enalapril/data/enalapril/Gu2004/.Gu2004_TabText1.tsv	bc39ff9b4906...
pkdb_models/models/enalapril/data/enalapril/He2014/.He2014_Fig1.tsv	60ee17524964...
pkdb_models/models/enalapril/data/enalapril/He2014/.He2014_Tab2.tsv	391df5e54526...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/He2014/.He2014_Tab3.tsv	ec4ba7f40a57...
pkdb_models/models/enalapril/data/enalapril/He2014/.He2014_TabGroups.tsv	4454a39e9af6...
pkdb_models/models/enalapril/data/enalapril/He2014/.He2014_TabInterventions.tsv	25d8f6771e14...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_Fig3.tsv	36e12fc3b3c0...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_Fig4.tsv	4c6f25909856...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_Fig4_Mean.tsv	cbaa243499ec...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_Fig6.tsv	7d5eaa40ec1e...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_Tab3.tsv	1ce50d524133...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_TabGroups.tsv	fd350f080468...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_TabIndividuals.tsv	a6201645c3a4...
pkdb_models/models/enalapril/data/enalapril/Her2021/.Her2021_TabInterventions.tsv	647e7f6d68bd...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Fig1.tsv	1cde2440794b...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Fig2.tsv	0ce7926a68da...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Fig3.tsv	2ab3caf4f4d0...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Fig4.tsv	6e53b9fd7855...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab1.tsv	2d8f0c0c98ac...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab1Mean.tsv	11622ac490c8...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab2.tsv	cd222936b6f4...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab2Mean.tsv	0ad498572cae...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab3.tsv	3162c04a96fd...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab3Mean.tsv	a10e4b1d8120...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab4.tsv	25dfd9108e8c...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_Tab4Mean.tsv	74ead297515f...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_TabGroups.tsv	a30ade132354...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_TabIndividuals.tsv	a643d6dbcfb7...
pkdb_models/models/enalapril/data/enalapril/Hockings1986/.Hockings1986_TabInterventions.tsv	1c8ddd64b29b...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Fig1.tsv	72086158ca11...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Fig2.tsv	535fc40daf98...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Fig3.tsv	8ef83c2329e3...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Fig4.tsv	96c3149a5ec2...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Fig4Mean.tsv	30aeb23faa9e...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Fig5.tsv	e5a5e835bbb0...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_Tab2.tsv	cee234c44cf7...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_TabGroups.tsv	adfa4388c82b...
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_TabIndividuals.tsv	8e2b5d548132...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Ishizaki1988/.Ishizaki1988_TabInterventions.tsv	87f953acf5e8...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_Fig1.tsv	f96da70a41ac...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_Fig2.tsv	2f4b6ee94362...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_Fig3.tsv	0e13bab38841...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_Tab1.tsv	696fac438ac1...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_Tab2.tsv	a33a879d42bc...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_TabGroups.tsv	51c30887d49d...
pkdb_models/models/enalapril/data/enalapril/Johnston1992/.Johnston1992_TabInterventions.tsv	0925c88a8863...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig1.tsv	920819579715...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig2.tsv	e80e17c9bb4f...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig3.tsv	3ec0874683c0...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig4.tsv	6081c9dcfb88...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig5.tsv	7a0e18330c64...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig6.tsv	de8c02b23024...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Fig7.tsv	747d5964198a...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Tab1.tsv	014beec6f3ff...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_Tab2.tsv	cecaca264cf8...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_TabGroups.tsv	f5a549b4da66...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_TabIndividuals.tsv	741be5447724...
pkdb_models/models/enalapril/data/enalapril/Kelly1986/.Kelly1986_TabInterventions.tsv	d620f58ee03e...
pkdb_models/models/enalapril/data/enalapril/Lee2003/.Lee2003_Fig4.tsv	732cc46c6b87...
pkdb_models/models/enalapril/data/enalapril/Lee2003/.Lee2003_TabGroups.tsv	1e97f28dc096...
pkdb_models/models/enalapril/data/enalapril/Lee2003/.Lee2003_TabInterventions.tsv	8f54cbe96b03...
pkdb_models/models/enalapril/data/enalapril/Lee2003/.Lee2003_TabText1.tsv	1ab3ef47ca6a...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_Fig1.tsv	1e57ce2c99cf...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_Fig2.tsv	fc0772130a24...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_Tab2.tsv	8766476d7bdd...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_Tab2_Mean.tsv	bebc6613cf76...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_Tab3.tsv	3b359c255493...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_Tab3_Mean.tsv	50db7f82cdea...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_TabGroups.tsv	41f78010ea15...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_TabIndividuals.tsv	ec192f80fffa...
pkdb_models/models/enalapril/data/enalapril/Lees1987a/.Lees1987a_TabInterventions.tsv	e0191f877c16...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Fig1.tsv	1fffc374b73c...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Fig2.tsv	f1a41ae2eb85...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Fig3.tsv	80cebca4efa9...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Fig4.tsv	b0ba9dde3c11...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab1.tsv	0d253fa814dd...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab2.tsv	d9f811169a40...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab2Median.tsv	491ea7120c0e...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab3.tsv	71ee26f6cb06...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab3Mean.tsv	5dd8072fd862...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab4.tsv	c2ceedbd2a36...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_Tab5.tsv	6825e648a41c...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_TabGroups.tsv	68d147f80656...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_TabIndividuals.tsv	d915ea1dce70...
pkdb_models/models/enalapril/data/enalapril/Lowenthal1985/.Lowenthal1985_TabInterventions.tsv	0c3ec8d50926...
pkdb_models/models/enalapril/data/enalapril/Lu2009/.Lu2009_Fig3.tsv	c22462e6cf9d...
pkdb_models/models/enalapril/data/enalapril/Lu2009/.Lu2009_TabGroups.tsv	bdfa29a73a47...
pkdb_models/models/enalapril/data/enalapril/Lu2009/.Lu2009_TabIndividuals.tsv	b8775ac957cd...
pkdb_models/models/enalapril/data/enalapril/Lu2009/.Lu2009_TabInterventions.tsv	9ee6cab68313...
pkdb_models/models/enalapril/data/enalapril/Lu2009/.Lu2009_TabText1.tsv	f39ff43f97e2...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_Fig1.tsv	f973e1dad086...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_Fig2.tsv	eac6edc029ed...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_Tab1.tsv	23e33b762243...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_Tab2.tsv	4518738826f7...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_Tab2Mean.tsv	53a35f676df3...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_TabGroups.tsv	7340ecc1525b...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_TabIndividuals.tsv	cfa60bad504f...
pkdb_models/models/enalapril/data/enalapril/MacDonald1993/.MacDonald1993_TabInterventions.tsv	7a27963d389e...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_Fig6.tsv	7dcd33404e92...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_Fig7.tsv	ee588a1f2cfd...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_Tab3.tsv	8e40656650c0...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_Tab4.tsv	3421134ffe13...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_Tab5.tsv	d31383eaae3d...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_TabGroups.tsv	acc22249237e...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_TabIndividuals.tsv	9ee6a0bc2eb5...
pkdb_models/models/enalapril/data/enalapril/Marzo2002/.Marzo2002_TabInterventions.tsv	e1274d94fad3...
pkdb_models/models/enalapril/data/enalapril/Matalka2002/.Matalka2002_Fig2.tsv	bcd889c869d9...
pkdb_models/models/enalapril/data/enalapril/Matalka2002/.Matalka2002_Fig3.tsv	3b7c09e03666...
pkdb_models/models/enalapril/data/enalapril/Matalka2002/.Matalka2002_Fig4.tsv	e89aa290a867...
pkdb_models/models/enalapril/data/enalapril/Matalka2002/.Matalka2002_Tab1.tsv	2a84c8bf04b4...
pkdb_models/models/enalapril/data/enalapril/Matalka2002/.Matalka2002_TabGroups.tsv	ba272b65f30c...
pkdb_models/models/enalapril/data/enalapril/Matalka2002/.Matalka2002_TabInterventions.tsv	9e62d7a198b7...
pkdb_models/models/enalapril/data/enalapril/Moffett2014/.Moffett2014_Fig1.tsv	70b79b6faa79...
pkdb_models/models/enalapril/data/enalapril/Moffett2014/.Moffett2014_Fig2.tsv	544b0f776e20...
pkdb_models/models/enalapril/data/enalapril/Moffett2014/.Moffett2014_Tab1.tsv	817ff9b3b845...
pkdb_models/models/enalapril/data/enalapril/Moffett2014/.Moffett2014_TabGroups.tsv	869d18f8860a...
pkdb_models/models/enalapril/data/enalapril/Moffett2014/.Moffett2014_TabInterventions.tsv	007acc712704...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_Fig1.tsv	50d85b51c54b...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_Fig2.tsv	68169509dd8f...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_Fig4.tsv	c11a90d2f0f7...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_Tab1.tsv	d63c000d031b...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_Tab1_Mean.tsv	c4290701d753...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_TabGroups.tsv	9527daaf5bf3...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_TabIndividuals.tsv	2f4ed38370e5...
pkdb_models/models/enalapril/data/enalapril/Mujais1992/.Mujais1992_TabInterventions.tsv	c5f8a663fbd0...
pkdb_models/models/enalapril/data/enalapril/Najib2003a/.Najib2003a_Fig1.tsv	28bfdd3b5c53...
pkdb_models/models/enalapril/data/enalapril/Najib2003a/.Najib2003a_Tab1.tsv	5ad8f842d70a...
pkdb_models/models/enalapril/data/enalapril/Najib2003a/.Najib2003a_TabGroups.tsv	4c4c80c4b459...
pkdb_models/models/enalapril/data/enalapril/Najib2003a/.Najib2003a_TabInterventions.tsv	248dfccb70c1...
pkdb_models/models/enalapril/data/enalapril/Niopas2011/.Niopas2011_Fig1.tsv	87d23da940d0...
pkdb_models/models/enalapril/data/enalapril/Niopas2011/.Niopas2011_Fig2.tsv	922e259ccaf8...
pkdb_models/models/enalapril/data/enalapril/Niopas2011/.Niopas2011_Tab2.tsv	5ddfc6849b7b...
pkdb_models/models/enalapril/data/enalapril/Niopas2011/.Niopas2011_Tab3.tsv	9c67f2f7b9dc...
pkdb_models/models/enalapril/data/enalapril/Niopas2011/.Niopas2011_TabGroups.tsv	1e1913492778...
pkdb_models/models/enalapril/data/enalapril/Niopas2011/.Niopas2011_TabInterventions.tsv	7e44753b6aa6...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_Fig1.tsv	83312399d416...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_Fig2.tsv	e45b515be5f4...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_Fig3.tsv	4e7e482b2a7a...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_Fig4.tsv	992c4ec2ad59...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_Tab2.tsv	c4536600d7bb...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_Tab3.tsv	9994a1bd4caa...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_TabGroups.tsv	b216723aece0...
pkdb_models/models/enalapril/data/enalapril/Oguchi1993/.Oguchi1993_TabInterventions.tsv	31c5674fd7f7...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_Fig1.tsv	c86112b336dc...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_Fig2.tsv	3c8955dea39a...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_Fig3.tsv	e41d483f25ce...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_Tab1.tsv	deb2c4344e5a...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_Tab2.tsv	df210171e547...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_TabGroups.tsv	225d72cf03d6...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_TabIndividuals.tsv	44e2db278a00...
pkdb_models/models/enalapril/data/enalapril/Ohnishi1989/.Ohnishi1989_TabInterventions.tsv	39d675be7a0d...
pkdb_models/models/enalapril/data/enalapril/Portoles2004/.Portoles2004_Fig1.tsv	045097eff9fc...
pkdb_models/models/enalapril/data/enalapril/Portoles2004/.Portoles2004_Fig2.tsv	047a91076aba...
pkdb_models/models/enalapril/data/enalapril/Portoles2004/.Portoles2004_Tab1.tsv	31f329304858...
pkdb_models/models/enalapril/data/enalapril/Portoles2004/.Portoles2004_Tab2.tsv	a0ba3fa205c9...
pkdb_models/models/enalapril/data/enalapril/Portoles2004/.Portoles2004_TabGroups.tsv	d391106ab317...
pkdb_models/models/enalapril/data/enalapril/Portoles2004/.Portoles2004_TabInterventions.tsv	642be523092c...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_Fig1.tsv	3b3b835247f5...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_Fig2.tsv	c88ca199c29d...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_Fig3.tsv	abbef8d70a20...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_Tab1.tsv	1f391fd08922...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_Tab2.tsv	efa7f521b7d9...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_TabGroups.tsv	c432ebfcd775...
pkdb_models/models/enalapril/data/enalapril/Ribeiro1996/.Ribeiro1996_TabInterventions.tsv	684d196a7358...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Fig1.tsv	8a0f06b8d2a7...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Fig2.tsv	40a9b588cd9e...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Fig3.tsv	3d771282f827...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Fig5.tsv	a260c7379ea3...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Fig6.tsv	d0aa994a309f...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Fig7.tsv	ea18529f8df1...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Tab1.tsv	a63e0f593ccc...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Tab2.tsv	8357a7eab18c...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Tab3.tsv	da190211e327...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_Tab4.tsv	3dbbad229407...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_TabGroups.tsv	160e6c250777...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_TabIndividuals.tsv	3469de670ebf...
pkdb_models/models/enalapril/data/enalapril/Schwartz1985/.Schwartz1985_TabInterventions.tsv	60eaeed216c9...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_Fig2.tsv	c40d54960267...
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_Fig3.tsv	d1b141fa880d...
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_Fig4.tsv	46b02ab6178c...
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_Tab1.tsv	8ccacdad7b7f...
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_Tab2.tsv	ff244285c112...
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_TabGroups.tsv	b2e1c838c4c1...
pkdb_models/models/enalapril/data/enalapril/Shionoiri1985/.Shionoiri1985_TabInterventions.tsv	bb860b9ab8cd...
pkdb_models/models/enalapril/data/enalapril/Shioya1992/.Shioya1992_Fig3.tsv	d3db3f528092...
pkdb_models/models/enalapril/data/enalapril/Shioya1992/.Shioya1992_Fig4.tsv	14da61fc222f...
pkdb_models/models/enalapril/data/enalapril/Shioya1992/.Shioya1992_Tab2.tsv	6efec5945b81...
pkdb_models/models/enalapril/data/enalapril/Shioya1992/.Shioya1992_TabGroups.tsv	24ddb5a0f438...
pkdb_models/models/enalapril/data/enalapril/Shioya1992/.Shioya1992_TabInterventions.tsv	3ff494b2395b...
pkdb_models/models/enalapril/data/enalapril/Sica1991/.Sica1991_Tab2.tsv	27581ab187a4...
pkdb_models/models/enalapril/data/enalapril/Sica1991/.Sica1991_TabGroups.tsv	1a5475bb87db...
pkdb_models/models/enalapril/data/enalapril/Sica1991/.Sica1991_TabInterventions.tsv	f59deca69a4c...
pkdb_models/models/enalapril/data/enalapril/Stage2017/.Stage2017_Fig1.tsv	1da77475af0f...
pkdb_models/models/enalapril/data/enalapril/Stage2017/.Stage2017_Fig2.tsv	75d580670ad0...
pkdb_models/models/enalapril/data/enalapril/Stage2017/.Stage2017_Tab2.tsv	9c7e6b6f6d16...
pkdb_models/models/enalapril/data/enalapril/Stage2017/.Stage2017_TabGroups.tsv	7727a7eb8b3a...
pkdb_models/models/enalapril/data/enalapril/Stage2017/.Stage2017_TabInterventions.tsv	7d1e590628fb...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Fig1.tsv	34b505045ffb...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Fig2.tsv	22cfb3465153...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Fig3.tsv	0d6cf1dbfcc7...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Fig4.tsv	172639ee6a48...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Fig5.tsv	c6922581d125...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Fig6.tsv	31c5f3bdbba7...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_Tab1.tsv	b8bb8f458ab6...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_TabGroups.tsv	cc4191018b69...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_TabIndividuals.tsv	bec2e9e046b8...
pkdb_models/models/enalapril/data/enalapril/Sunaga1995/.Sunaga1995_TabInterventions.tsv	241afd330b54...
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_Fig1.tsv	7e4fcacc11ce...
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_Fig2.tsv	9e79953ab8ff...
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_Fig3.tsv	ea2fdf618914...
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_Tab1.tsv	2ac50b0f9e41...
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_Tab1B.tsv	abd935cc9502...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_TabGroups.tsv	53e1c7eb9834...
pkdb_models/models/enalapril/data/enalapril/Swanson1984/.Swanson1984_TabInterventions.tsv	ed7cfc760c22...
pkdb_models/models/enalapril/data/enalapril/Tarkiainen2015/.Tarkiainen2015_Fig2.tsv	089263747d8c...
pkdb_models/models/enalapril/data/enalapril/Tarkiainen2015/.Tarkiainen2015_Tab1.tsv	f9632dbdc9ec...
pkdb_models/models/enalapril/data/enalapril/Tarkiainen2015/.Tarkiainen2015_Tab2.tsv	60f037d3b4bf...
pkdb_models/models/enalapril/data/enalapril/Tarkiainen2015/.Tarkiainen2015_TabGroups.tsv	d5a88315a8c7...
pkdb_models/models/enalapril/data/enalapril/Tarkiainen2015/.Tarkiainen2015_TabInterventions.tsv	184d552fa387...
pkdb_models/models/enalapril/data/enalapril/Thongnopnua2005/.Thongnopnua2005_Fig4.tsv	9ad8d74f655e...
pkdb_models/models/enalapril/data/enalapril/Thongnopnua2005/.Thongnopnua2005_Fig5.tsv	9ad8d74f655e...
pkdb_models/models/enalapril/data/enalapril/Thongnopnua2005/.Thongnopnua2005_Fig7.tsv	a9e4e7412161...
pkdb_models/models/enalapril/data/enalapril/Thongnopnua2005/.Thongnopnua2005_Tab7.tsv	302b75890935...
pkdb_models/models/enalapril/data/enalapril/Thongnopnua2005/.Thongnopnua2005_TabGroups.tsv	5a24d9c9a7fd...
pkdb_models/models/enalapril/data/enalapril/Thongnopnua2005/.Thongnopnua2005_TabInterventions.tsv	7f0512511620...
pkdb_models/models/enalapril/data/enalapril/Till1984/.Till1984_Fig1.tsv	234acdf5c134...
pkdb_models/models/enalapril/data/enalapril/Till1984/.Till1984_Fig2.tsv	0c5f1437c41a...
pkdb_models/models/enalapril/data/enalapril/Till1984/.Till1984_Tab1.tsv	9b4a1542eb06...
pkdb_models/models/enalapril/data/enalapril/Till1984/.Till1984_Tab3.tsv	e1dd38e9675f...
pkdb_models/models/enalapril/data/enalapril/Till1984/.Till1984_TabGroups.tsv	f5e3aa3c228d...
pkdb_models/models/enalapril/data/enalapril/Till1984/.Till1984_TabInterventions.tsv	2682d07f2761...
pkdb_models/models/enalapril/data/enalapril/Tsuruoka2007/.Tsuruoka2007_Fig1.tsv	78fe7cebc541...
pkdb_models/models/enalapril/data/enalapril/Tsuruoka2007/.Tsuruoka2007_Tab2.tsv	4c5a93949a35...
pkdb_models/models/enalapril/data/enalapril/Tsuruoka2007/.Tsuruoka2007_Tab3.tsv	ccc9921b1acd...
pkdb_models/models/enalapril/data/enalapril/Tsuruoka2007/.Tsuruoka2007_TabGroups.tsv	f37c50569b60...
pkdb_models/models/enalapril/data/enalapril/Tsuruoka2007/.Tsuruoka2007_TabInterventions.tsv	33f6a3545c89...
pkdb_models/models/enalapril/data/enalapril/VanHecken2020/.VanHecken2020_Fig1.tsv	603ce7111124...
pkdb_models/models/enalapril/data/enalapril/VanHecken2020/.VanHecken2020_Fig2.tsv	8d7ff93916ab...
pkdb_models/models/enalapril/data/enalapril/VanHecken2020/.VanHecken2020_Tab2.tsv	e9509767a624...
pkdb_models/models/enalapril/data/enalapril/VanHecken2020/.VanHecken2020_Tab3.tsv	5321a08962ee...
pkdb_models/models/enalapril/data/enalapril/VanHecken2020/.VanHecken2020_TabGroups.tsv	0c36874b6d93...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/VanHecken2020/.VanHecken2020_TabInterventions.tsv	6224c1772c8b...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Fig1.tsv	76b02fd77168...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Fig2.tsv	3841acf01aef...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Fig3.tsv	efde8ce63c77...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Tab1.tsv	d96ae8a1c8e9...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Tab1_Mean.tsv	89f8478cf87c...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Tab2.tsv	6c5f2094bf09...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_Tab2_Mean.tsv	37bcd41cab74...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_TabGroups.tsv	4df1f2b080ea...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_TabIndividuals.tsv	6656e3675206...
pkdb_models/models/enalapril/data/enalapril/Wade1992/.Wade1992_TabInterventions.tsv	1ec1ffe8530f...
pkdb_models/models/enalapril/data/enalapril/Wagner2003/.Wagner2003_Tab2.tsv	a618db246d1c...
pkdb_models/models/enalapril/data/enalapril/Wagner2003/.Wagner2003_Tab3.tsv	865262610d5d...
pkdb_models/models/enalapril/data/enalapril/Wagner2003/.Wagner2003_Tab5.tsv	9574727a8a47...
pkdb_models/models/enalapril/data/enalapril/Wagner2003/.Wagner2003_Tab6.tsv	f27c37b02ea3...
pkdb_models/models/enalapril/data/enalapril/Wagner2003/.Wagner2003_TabGroups.tsv	783fc6f0b439...
pkdb_models/models/enalapril/data/enalapril/Wagner2003/.Wagner2003_TabInterventions.tsv	af0389e9346c...
pkdb_models/models/enalapril/data/enalapril/Weisser1991/.Weisser1991_Fig1.tsv	b9d7aebffbaa...
pkdb_models/models/enalapril/data/enalapril/Weisser1991/.Weisser1991_Fig2.tsv	e8aea1a29df7...
pkdb_models/models/enalapril/data/enalapril/Weisser1991/.Weisser1991_Fig3.tsv	4ec6b8a53e15...
pkdb_models/models/enalapril/data/enalapril/Weisser1991/.Weisser1991_Tab1.tsv	a131d07f924c...
pkdb_models/models/enalapril/data/enalapril/Weisser1991/.Weisser1991_TabGroups.tsv	66947c7c16b6...
pkdb_models/models/enalapril/data/enalapril/Weisser1991/.Weisser1991_TabInterventions.tsv	a2ff2652770b...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_Fig1.tsv	c8310bdf2323...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_Fig2.tsv	718f868810c7...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_Fig3.tsv	99f3517111eb...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_Tab1.tsv	e57732003b4c...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_Tab1U.tsv	98219e656c6d...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_TabGroups.tsv	3de11fbab2ee...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_TabIndividuals.tsv	4494263407dc...
pkdb_models/models/enalapril/data/enalapril/Weisser1992/.Weisser1992_TabInterventions.tsv	f328d07d2f49...
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_Fig1.tsv	d0d9ec204639...
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_Fig2.tsv	6ead8d51c726...
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_Fig3.tsv	8a0cc17945b0...
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_Tab1.tsv	35da59e1b090...
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_Tab3.tsv	8d0c04d2b639...
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_TabGroups.tsv	00e08a2fcaff...

File	SHA-256
pkdb_models/models/enalapril/data/enalapril/Witte1993/.Witte1993_TabInterventions.tsv	440fdce9f3a0...
pkdb_models/models/enalapril/data/hydrochlorothiazide/Howes1991/.Howes1991_Fig1.tsv	87a1bcadd50e...
pkdb_models/models/enalapril/data/hydrochlorothiazide/Howes1991/.Howes1991_Tab1.tsv	f27a51afb4da...
pkdb_models/models/enalapril/data/hydrochlorothiazide/Howes1991/.Howes1991_Tab2.tsv	82f669940103...
pkdb_models/models/enalapril/data/hydrochlorothiazide/Howes1991/.Howes1991_Tab3.tsv	08a669855f8d...
pkdb_models/models/enalapril/data/hydrochlorothiazide/Howes1991/.Howes1991_TabGroups.tsv	67c05dd8e03d...
pkdb_models/models/enalapril/data/hydrochlorothiazide/Howes1991/.Howes1991_TabInterventions.tsv	920d37c4e642...
pkdb_models/models/enalapril/data/lisinopril/Ulm1982/.Ulm1982_Fig2.tsv	e344422b520f...
pkdb_models/models/enalapril/data/lisinopril/Ulm1982/.Ulm1982_Fig3.tsv	40b511995315...
pkdb_models/models/enalapril/data/lisinopril/Ulm1982/.Ulm1982_Tab1.tsv	a4e2f40ea4fe...
pkdb_models/models/enalapril/data/lisinopril/Ulm1982/.Ulm1982_Tab2.tsv	489762a53d4d...
pkdb_models/models/enalapril/data/lisinopril/Ulm1982/.Ulm1982_TabGroups.tsv	73ef273bd9e2...
pkdb_models/models/enalapril/data/lisinopril/Ulm1982/.Ulm1982_TabInterventions.tsv	456b5724b542...
pkdb_models/models/enalapril/models/output/models/enalapril_body_flat.xml	b98ddc88a6ff...

2 Results: Enalapril PBPK/PD model: fit PD

2.1 Parameters

Table 2: Parameters of the fit PD_20261020_125416__5ce99, the parameter set PD_20261020_125416__5ce99_0, cost 31.7, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
ANG1ANG2_EC50_eat	EC50 of the ACE inhibition by enalaprilat	1.28e-05 [9.29e-06, 1.65e-05]	mmol/l	[1e-07, 0.0001]	yes
RENSEC_ang2_E	maximum increase of the renin secretion without angiotensin II	5.16 [0.799, UB]	dimensionless	[0.1, 50]	no (UB)
RENSEC_ang2_t	half-life of the delay of the renin feedback	70.9 [LB, 299]	min	[1, 600]	no (LB)
BP_ang2_fe	effect of angiotensin II on blood pressure [-]	0.158 [0.0959, 0.216]	dimensionless	[0.01, 1]	yes

2.2 Data

Table 3: Data of the fit PD_20261020_125416__5ce99: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Arafat2005	2 (16)	-	-	2 (16)
Biollaz1982	1 (14)	-	-	1 (14)
Burckhardt2015	3 (39)	-	-	3 (39)
Dickstein1987a	-	3 (75)	-	3 (75)
Donnelly1990	6 (105)	5 (61)	-	11 (166)
Her2021	-	2 (4)	-	2 (4)
Howes1991	-	6 (6)	-	6 (6)
Ishizaki1988	1 (1)	7 (49)	-	8 (50)
Lees1987a	1 (9)	15 (135)	-	16 (144)
Lowenthal1985	-	4 (44)	-	4 (44)
MacDonald1993	1 (13)	1 (14)	-	2 (27)
Marzo2002	2 (36)	6 (78)	-	8 (114)
Matalka2002	4 (32)	-	-	4 (32)
Oguchi1993	-	3 (21)	-	3 (21)
Ohnishi1989	2 (16)	2 (18)	-	4 (34)
Portoles2004	4 (20)	-	-	4 (20)
Ribeiro1996	2 (28)	-	-	2 (28)
Schwartz1985	-	21 (160)	-	21 (160)
Shionoiri1985	5 (35)	-	-	5 (35)
Sunaga1995	2 (18)	6 (54)	-	8 (72)
Tsuruoka2007	-	2 (10)	-	2 (10)
Wade1992	1 (15)	-	-	1 (15)
Weisser1992	-	2 (22)	-	2 (22)
Witte1993	-	6 (164)	-	6 (164)
Total	37 (397)	91 (915)	-	128 (1312)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PD_20261020_125416__5ce99 per kind of data, the parameter set PD_20261020_125416__5ce99_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	397	31.7	56.6	7.52	0.323	0.399	0.98	89.6	1610.3	1626.2
validation	915	-	61.6	7.85	0.258	0.408	0.978	96.7	3778.2	3797.5

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PD_20261020_125416__5ce99. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Cost of the optimization runs, ordered, fit PD_20261020_125416__5ce99. The final cost of the runs, ordered. A flat plateau at the left is the global optimum found repeatedly, which is the evidence that the multistart converged; steps to the right are local minima.




Figure 3: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PD_20261020_125416__5ce99. Within twofold of the data are 352 of the 393 training data points (89.6%) and 789 of the 816 validation data points (96.7%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R², its normalized RMSE, the RMSE of the residuals of the cost, its fold errors GMFE and AFE and the percentages of its points within twofold and within two standard deviations of the data.




Figure 4: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PD_20261020_125416__5ce99. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 5: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PD_20261020_125416__5ce99. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PD_20261020_125416__5ce99: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PD_20261020_125416__5ce99`
Created	2026-10-20 10:54:20 UTC
Seed	1234
Python	3.14.4
sbmlsim	0.10.0
libRoadRunner	2.10.0
SciPy	1.18.1
NumPy	2.5.3
Repository	`/home/mkoenig/git/pkdb_models-enalapril`
Commit	`6c9c8a3f83a2f076ec4216770c402b33d099e29f`
Uncommitted changes	no

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.10.0.

[2] R. Storn and K. Price, "Differential evolution - a simple and efficient heuristic for global optimization over continuous spaces," *Journal of Global Optimization*, vol. 11, pp. 341–359, 1997, doi: 10.1023/A:1008202821328.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] M. D. McKay, R. J. Beckman, and W. J. Conover, "A comparison of three methods for selecting values of input variables in the analysis of output from a computer code," *Technometrics*, vol. 21, no. 2, pp. 239–245, 1979, doi: 10.2307/1268522.

[5] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.10.0.

[6] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[7] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[8] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[9] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[10] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[11] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[12] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[13] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.3.