Indocyanine green PBPK model: fit PK

1 Methods: Indocyanine green PBPK model: fit PK

1.1 Parameters and data

5 parameters were optimized: Vmax for icg import (`LI__ICGIM_Vmax`), rate of the icg reflux into plasma (`LI__ICGEX_k`), Vmax bile export icg (`LI__ICGLI2CA_Vmax`), Km bile export icg (`LI__ICGLI2CA_Km`) and rate of the icg bile transport (`LI__ICGLI2BI_k`).

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 20 fit mappings of training data with 93 data points, whose residuals enter the objective; 11 fit mappings of validation data with 48 data points, which were simulated and evaluated with the fitted parameters but not fitted; and 3 fit mappings of outliers with 32 data points, data the fit dropped as not usable, which were evaluated like the validation data so that the decision to drop them can be checked. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w^p_{i,k}$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r^2_{i,k}$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w^p_{i,k} = |y_{i,k} \frac{1}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w^p_{i,k} = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 3 runs with differential evolution [2] of SciPy [3] within the bounds of the parameters, with the strategy `best1bin`, a population of 15 times the number of parameters, at most 1000 generations, the relative tolerance 0.01 of convergence, the recombination constant 0.7 and a mutation dithered between 0.5 and 1. The initial population of a run was drawn by latin hypercube sampling [4], with a seed of every run derived from the seed 1234 of the fit. The best member of the final population was polished with the L-BFGS-B method of SciPy.

The convergence of the runs was assessed from the traces of their cost and the waterfall plot of their final costs, and the parameter set with the lowest cost was used.

The models were simulated with libRoadRunner [5] and its integrator CVODE [6] with the relative tolerance 10^{-7} and the absolute tolerances 10^{-12} of an amount, 10^{-12} of a concentration and 10^{-6} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data, validation data and outliers) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i \left(y_i - \overline{y}\right)^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [7] and Schwarz [8] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [9] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d} \pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [10], [11]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l \ne j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.05. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with F_{min} the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-

identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [12].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max\left(|p_j|, 1\right),\ \varepsilon = 10^{-6}$ of the parameter p_j:

$$I = J^{\top} J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 5 of 5, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 363; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PK_20261020_010006__506c2 was run on 2026-10-19 23:00:07 UTC with sbmlsim 0.10.0 [1], libRoadRunner 2.10.0 [5], SciPy 1.18.1 [3], NumPy 2.5.3 [13] and Python 3.14.4 (seed 1234). The models and data were those of commit `4dd2aa394d4f4f06a355551073bdbe13a71be564` of `/home/mkoenig/git/pkdb_models-icg` their SHA-256 checksums are listed in Table 1.

Table 1: SHA-256 checksums of the models and data of the fit PK_20261020_010006__506c2, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
pkdb_models/models/icg/data/icg/Andersen1999/.Andersen1999_Fig1.tsv	6762cf169ea5...
pkdb_models/models/icg/data/icg/Andersen1999/.Andersen1999_Tab1.tsv	a4bea45bb9b4...
pkdb_models/models/icg/data/icg/Andersen1999/.Andersen1999_TabIndividuals.tsv	514825eb8996...
pkdb_models/models/icg/data/icg/Anzai2020/.Anzai2020_Fig1.tsv	994695505b93...
pkdb_models/models/icg/data/icg/Anzai2020/.Anzai2020_Tab2.tsv	d4f5b409b49c...
pkdb_models/models/icg/data/icg/Anzai2020/.Anzai2020_TabGroups.tsv	dc40c4b87b65...
pkdb_models/models/icg/data/icg/Anzai2020/.Anzai2020_TabIndividuals.tsv	fd3df536623a...
pkdb_models/models/icg/data/icg/Anzai2020/.Anzai2020_TabInterventions.tsv	6f3426b2ee51...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_Fig1.tsv	729676de40de...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_Fig1A.tsv	435d1b03db8d...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_Fig1B.tsv	925147948a06...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_Tab1.tsv	19d1cf1e3fa7...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_Tab2.tsv	ff832c0af835...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_TabGroups.tsv	1dd4943601d9...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_TabIndividuals.tsv	6b71094422eb...
pkdb_models/models/icg/data/icg/Branch1976/.Branch1976_TabInterventions.tsv	ba54a4aebfe9...
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_Fig1.tsv	f5da854fe778...
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_Fig2.tsv	f6bea0a7a1fd...
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_Fig3.tsv	0e386fe3fa35...
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_Tab1.tsv	66f1cd84a40c...
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_Tab2.tsv	2c2ce603d796...
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_Tab3.tsv	03436a221c0a...

File	SHA-256
pkdb_models/models/icg/data/icg/Burns1991/.Burns1991_TabIndividuals.tsv	2f298d47590e...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_Fig5.tsv	baa02e0be8d3...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_Tab1.tsv	22717ff46767...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_Tab2.tsv	b8e99cdea8cd...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_Tab3.tsv	b34f8241a2cb...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_Tab3Mean.tsv	15b47bf080bc...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_TabGroups.tsv	43b669f48eaf...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_TabIndividuals.tsv	80593f8e805d...
pkdb_models/models/icg/data/icg/Caesar1961/.Caesar1961_TabInterventions.tsv	fc4e897fd2c8...
pkdb_models/models/icg/data/icg/Cherrik1960/.Cherrik1960_Tab1.tsv	b4d16a6e3d31...
pkdb_models/models/icg/data/icg/Cherrik1960/.Cherrik1960_Tab2.tsv	83dc7a3f7b5c...
pkdb_models/models/icg/data/icg/Cherrik1960/.Cherrik1960_Tab7.tsv	7ea9729fcae0...
pkdb_models/models/icg/data/icg/Cherrik1960/.Cherrik1960_TabGroups.tsv	00e959cc2bd2...
pkdb_models/models/icg/data/icg/Cherrik1960/.Cherrik1960_TabIndividuals.tsv	c7ced0d6c64d...
pkdb_models/models/icg/data/icg/Cherrik1960/.Cherrik1960_TabInterventions.tsv	5a9676a23214...
pkdb_models/models/icg/data/icg/Chijiiwa2000/.Chijiiwa2000_Fig1.tsv	fec94462fa1b...
pkdb_models/models/icg/data/icg/Chijiiwa2000/.Chijiiwa2000_Tab1.tsv	f5a33689ba25...
pkdb_models/models/icg/data/icg/Chijiiwa2000/.Chijiiwa2000_TabGroups.tsv	708ef37d39b0...
pkdb_models/models/icg/data/icg/Chijiiwa2000/.Chijiiwa2000_TabInterventions.tsv	f5c174f34d98...
pkdb_models/models/icg/data/icg/DOnofrio2014/.DOnofrio2014_Tab1.tsv	8c48805383bc...
pkdb_models/models/icg/data/icg/DOnofrio2014/.DOnofrio2014_TabGroups.tsv	924cfa0ad818...
pkdb_models/models/icg/data/icg/DOnofrio2014/.DOnofrio2014_TabIndividuals.tsv	210c29c38519...
pkdb_models/models/icg/data/icg/DOnofrio2014/.DOnofrio2014_TabInterventions.tsv	3010892043f6...
pkdb_models/models/icg/data/icg/Figg1995/.Figg1995_Fig1.tsv	30a99d3dbef2...
pkdb_models/models/icg/data/icg/Figg1995/.Figg1995_Fig1mean.tsv	650080fdcb11...
pkdb_models/models/icg/data/icg/Figg1995/.Figg1995_Tab3.tsv	ab978d171470...
pkdb_models/models/icg/data/icg/Figg1995/.Figg1995_TabGroups.tsv	3294e23730be...
pkdb_models/models/icg/data/icg/Figg1995/.Figg1995_TabIndividuals.tsv	cda57b4dfa9d...
pkdb_models/models/icg/data/icg/Figg1995/.Figg1995_TabInterventions.tsv	088996c0bc34...
pkdb_models/models/icg/data/icg/Gadano1997/.Gadano1997_Fig1.tsv	b67eaaab1668...
pkdb_models/models/icg/data/icg/Gadano1997/.Gadano1997_Tab1.tsv	664a2a9d4c67...
pkdb_models/models/icg/data/icg/Gadano1997/.Gadano1997_Tab3.tsv	f272b71bed0b...
pkdb_models/models/icg/data/icg/Gadano1997/.Gadano1997_Tab4.tsv	be2bdead7111...
pkdb_models/models/icg/data/icg/Gadano1997/.Gadano1997_TabIndividuals.tsv	ca68d8939040...
pkdb_models/models/icg/data/icg/Gelman1984/.Gelman1984_Fig1.tsv	ca038492515e...
pkdb_models/models/icg/data/icg/Gelman1984/.Gelman1984_Tab1.tsv	13a704bed967...
pkdb_models/models/icg/data/icg/Gelman1984/.Gelman1984_Tab3.tsv	22f8bdf54258...
pkdb_models/models/icg/data/icg/Gelman1984/.Gelman1984_Tab4.tsv	2ec283dd0571...
pkdb_models/models/icg/data/icg/Gelman1984/.Gelman1984_TabGroups.tsv	823684f968c1...
pkdb_models/models/icg/data/icg/Gelman1984/.Gelman1984_TabInterventions.tsv	a165644a7ad1...
pkdb_models/models/icg/data/icg/Geneve1990/.Geneve1990_Fig1.tsv	9c8c025c1d2a...
pkdb_models/models/icg/data/icg/Geneve1990/.Geneve1990_Fig2.tsv	1c5d53fb9c37...
pkdb_models/models/icg/data/icg/Geneve1990/.Geneve1990_Tab1.tsv	7ee2f7038575...
pkdb_models/models/icg/data/icg/Geneve1990/.Geneve1990_TabIndividuals.tsv	d8e613f276d4...

File	SHA-256
pkdb_models/models/icg/data/icg/Grainger1983/.Grainger1983_Tab1.tsv	f3c135e63bb1...
pkdb_models/models/icg/data/icg/Grainger1983/.Grainger1983_Tab1Mean.tsv	83ebc891be86...
pkdb_models/models/icg/data/icg/Grainger1983/.Grainger1983_TabIndividuals.tsv	6ab82802adfb...
pkdb_models/models/icg/data/icg/Grainger1983/.Grainger1983_TabInterventions.tsv	efaa6d1ec5f1...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Fig2.tsv	06ac63549272...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Fig2A.tsv	0dd516761304...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Fig2B.tsv	563ed4f5b767...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Fig3.tsv	ab608b305512...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Fig4.tsv	58670e827607...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab1.tsv	f591e25f04bc...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab2.tsv	8e9cb3d95f2e...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab2A.tsv	06ac63549272...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab2B.tsv	27c4e382efda...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab3.tsv	5d8561a4a445...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab4.tsv	bf0cfb277d44...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_Tab5.tsv	0cf11371f288...
pkdb_models/models/icg/data/icg/Grundmann1992/.Grundmann1992_TabIndividuals.tsv	067d203930ed...
pkdb_models/models/icg/data/icg/Haimerl2016/.Haimerl2016_Tab1.tsv	6514bd235053...
pkdb_models/models/icg/data/icg/Haimerl2016/.Haimerl2016_TabGroups.tsv	44fc47ac3b0f...
pkdb_models/models/icg/data/icg/Haimerl2016/.Haimerl2016_TabInterventions.tsv	390b5598acf4...
pkdb_models/models/icg/data/icg/Hashimoto2000/.Hashimoto2000_Tab1.tsv	11f69037fadf...
pkdb_models/models/icg/data/icg/Hashimoto2000/.Hashimoto2000_TabGroups.tsv	b90580f5e46b...
pkdb_models/models/icg/data/icg/ Hashimoto2000/.Hashimoto2000_TabInterventions.tsv	5200b90e2b8d...
pkdb_models/models/icg/data/icg/Herold2001/.Herold2001_Fig1.tsv	cf8a53015748...
pkdb_models/models/icg/data/icg/Herold2001/.Herold2001_Fig1mean.tsv	9f6a0edf439b...
pkdb_models/models/icg/data/icg/Herold2001/.Herold2001_TabGroups.tsv	1aadfa594bec...
pkdb_models/models/icg/data/icg/Herold2001/.Herold2001_TabIndividuals.tsv	ea8ca732e2f2...
pkdb_models/models/icg/data/icg/Herold2001/.Herold2001_TabInterventions.tsv	bd9fb5fe47f8...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Fig1.tsv	dc52a24b0326...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Tab1.tsv	8f400e638612...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Tab1Mean.tsv	b5cca9a83111...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Tab2.tsv	cc39c119e37a...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Tab2Mean.tsv	8f58018cf0e5...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Tab3.tsv	390031cb59d5...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_Tab3Mean.tsv	b196cb64096b...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_TabGroups.tsv	de130c299b68...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_TabIndividuals.tsv	fa717760178d...
pkdb_models/models/icg/data/icg/Huet1980/.Huet1980_TabInterventions.tsv	33bc4c56d52e...
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_Fig3.tsv	d76d81f57aba...
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_Fig3A.tsv	75d5b0f1bec0...
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_Fig3B.tsv	9c23d7194e2c...
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_Tab1.tsv	21446a5d5b80...
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_TabGroups.tsv	6d3f40d12da6...

File	SHA-256
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_TabIndividuals.tsv	5abb69542dce...
pkdb_models/models/icg/data/icg/Huet1983/.Huet1983_TabInterventions.tsv	64ca9da1dda1...
pkdb_models/models/icg/data/icg/Jost1987/.Jost1987_TabInterventions.tsv	c4cb90e66c9a...
pkdb_models/models/icg/data/icg/Kagawa2017/.Kagawa2017_Tab1.tsv	204f63924de8...
pkdb_models/models/icg/data/icg/Kagawa2017/.Kagawa2017_TabGroups.tsv	1c80312021c4...
pkdb_models/models/icg/data/icg/Kagawa2017/.Kagawa2017_TabIndividuals.tsv	d7f4da1a7e13...
pkdb_models/models/icg/data/icg/Kagawa2017/.Kagawa2017_TabInterventions.tsv	74dc530655ba...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Fig1.tsv	d76815daace1...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Fig2.tsv	120e2879d40e...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Fig2A.tsv	54de4119201f...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Tab1.tsv	f3c80281cc02...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Tab1A.tsv	f1b69f1a983f...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Tab2.tsv	0464ff592afc...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_Tab3.tsv	6835d0e726fd...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_TabGroups.tsv	5f5cb1061c93...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_TabIndividuals.tsv	ea8842cf7101...
pkdb_models/models/icg/data/icg/Kamimori2000/.Kamimori2000_TabInterventions.tsv	9b2009555408...
pkdb_models/models/icg/data/icg/Kanstrup1987/.Kanstrup1987_Fig1.tsv	f4f3381b8350...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_Fig1.tsv	2f7dabc01154...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_Fig2.tsv	1328bb34300d...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_Tab2.tsv	8673bf1b09cd...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_Tab3.tsv	fbfc0c3bc1eb...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_TabGroups.tsv	dc78aa0a63bb...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_TabIndividuals.tsv	6ca4781ef02a...
pkdb_models/models/icg/data/icg/Kawasaki1988/.Kawasaki1988_TabInterventions.tsv	1b207fcaa77f...
pkdb_models/models/icg/data/icg/Kawasaki1991/.Kawasaki1991_Fig2.tsv	a911b123f6d6...
pkdb_models/models/icg/data/icg/Kearns1990/.Kearns1990_Tab2.tsv	ec8bba744f93...
pkdb_models/models/icg/data/icg/Kearns1990/.Kearns1990_TabGroups.tsv	07338d76cc2c...
pkdb_models/models/icg/data/icg/Kearns1990/.Kearns1990_TabIndividuals.tsv	d91bd507d085...
pkdb_models/models/icg/data/icg/Kearns1990/.Kearns1990_TabInterventions.tsv	4a6e14d781fb...
pkdb_models/models/icg/data/icg/Keiding1993/.Keiding1993_Fig1.tsv	bb928a26a477...
pkdb_models/models/icg/data/icg/Keiding1993/.Keiding1993_Fig2.tsv	9b08773ca4ee...
pkdb_models/models/icg/data/icg/Keiding1993/.Keiding1993_TabGroups.tsv	6be39a433a99...
pkdb_models/models/icg/data/icg/Keiding1993/.Keiding1993_TabIndividuals.tsv	1d64557722ba...
pkdb_models/models/icg/data/icg/Keiding1993/.Keiding1993_TabInterventions.tsv	bf13f21ee0f7...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Fig1.tsv	ca038492515e...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Fig3.tsv	21a9a5729282...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Fig4.tsv	8c6fefb89b29...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Tab1.tsv	ba9833befcef...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Tab2.tsv	e52403cf6605...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Tab3.tsv	22f8bdf54258...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_Tab4.tsv	2ec283dd0571...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_TabGroups.tsv	710ce1492086...

File	SHA-256
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_TabIndividuals.tsv	f0ae9356a332...
pkdb_models/models/icg/data/icg/Klockowski1990/.Klockowski1990_TabInterventions.tsv	ff79dea121ef...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Fig1.tsv	eec127e41756...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Tab1.tsv	26776a18f575...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Tab1Mean.tsv	e378e30d5e02...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Tab2.tsv	4032dfa2c8bc...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Tab4.tsv	d76677006866...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Tab6.tsv	e589e2d922bc...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_Tab9.tsv	8fa4cf806d04...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_TabGroups.tsv	7b89380e2175...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_TabIndividuals.tsv	1bb9c446bca3...
pkdb_models/models/icg/data/icg/Leevy1962/.Leevy1962_TabInterventions.tsv	ffcf02a74cad...
pkdb_models/models/icg/data/icg/Leevy1967/.Leevy1967_Fig2.tsv	70a57471bea1...
pkdb_models/models/icg/data/icg/Leevy1967/.Leevy1967_Fig6.tsv	152fb8a8d565...
pkdb_models/models/icg/data/icg/Leevy1967/.Leevy1967_TabGroups.tsv	ac435f73743f...
pkdb_models/models/icg/data/icg/Leevy1967/.Leevy1967_TabIndividuals.tsv	a23de12c2c71...
pkdb_models/models/icg/data/icg/Leevy1967/.Leevy1967_TabInterventions.tsv	f1ebea2a11d6...
pkdb_models/models/icg/data/icg/Ma2008/.Ma2008_Fig1.tsv	8ed890d2cf9b...
pkdb_models/models/icg/data/icg/Ma2008/.Ma2008_Fig1Mean.tsv	a35167c0d933...
pkdb_models/models/icg/data/icg/Ma2008/.Ma2008_Tab1.tsv	8ed890d2cf9b...
pkdb_models/models/icg/data/icg/Ma2008/.Ma2008_TabGroups.tsv	fa08ce3b7067...
pkdb_models/models/icg/data/icg/Ma2008/.Ma2008_TabIndividuals.tsv	13a5737695f4...
pkdb_models/models/icg/data/icg/Ma2008/.Ma2008_TabInterventions.tsv	08f1250d3739...
pkdb_models/models/icg/data/icg/Marigold1981/.Marigold1981_Fig1.tsv	0f84cac92b8c...
pkdb_models/models/icg/data/icg/Marigold1981/.Marigold1981_Fig2.tsv	152f8cf0307b...
pkdb_models/models/icg/data/icg/Marigold1981/.Marigold1981_Fig3.tsv	fa26eca14bcf...
pkdb_models/models/icg/data/icg/Marigold1981/.Marigold1981_TabGroups.tsv	94cc6e6252e9...
pkdb_models/models/icg/data/icg/Marigold1981/.Marigold1981_TabIndividuals.tsv	9e7e2b7ddc0c...
pkdb_models/models/icg/data/icg/Marigold1981/.Marigold1981_TabInterventions.tsv	62d6c59f5bd3...
pkdb_models/models/icg/data/icg/Martin1975/.Martin1975_Fig1.tsv	80c172481e19...
pkdb_models/models/icg/data/icg/Martin1975/.Martin1975_Fig2.tsv	7213dd3567e9...
pkdb_models/models/icg/data/icg/Martin1975/.Martin1975_Tab1.tsv	3f54cddfa88e...
pkdb_models/models/icg/data/icg/Martin1975/.Martin1975_TabGroups.tsv	26de14869f8c...
pkdb_models/models/icg/data/icg/Martin1975/.Martin1975_TabIndividuals.tsv	4b5114f5c5fb...
pkdb_models/models/icg/data/icg/Martin1975/.Martin1975_TabInterventions.tsv	12d27fc03d3e...
pkdb_models/models/icg/data/icg/Martin1976/.Martin1976_Fig2.tsv	6197f6349310...
pkdb_models/models/icg/data/icg/Martin1976/.Martin1976_Tab2.tsv	06864fd756fc...
pkdb_models/models/icg/data/icg/Martin1976/.Martin1976_TabGroups.tsv	9dc8fd46e366...
pkdb_models/models/icg/data/icg/Martin1976/.Martin1976_TabIndividuals.tsv	fa1c17e506d8...
pkdb_models/models/icg/data/icg/Martin1976/.Martin1976_TabInterventions.tsv	a40e8e99f587...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_Fig2.tsv	dddffb9d494e...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_Fig3.tsv	b21d0b1c6c81...

File	SHA-256
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_Fig4.tsv	4f5dc948fb46...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_Tab1.tsv	6750a9601a9e...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_Tab2.tsv	5c9e83588041...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_TabGroups.tsv	2d555c969968...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_TabIndividuals.tsv	d5a5e9450a66...
pkdb_models/models/icg/data/icg/Meijer1988/.Meijer1988_TabInterventions.tsv	a6ae7d8216bd...
pkdb_models/models/icg/data/icg/Moeller1998/.Moeller1998_Tab2.tsv	b2659d741ac9...
pkdb_models/models/icg/data/icg/Moeller1998/.Moeller1998_TabGroups.tsv	44aed78dcdcc...
pkdb_models/models/icg/data/icg/Moeller1998/.Moeller1998_TabInterventions.tsv	422c922f69d8...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_Fig1.tsv	c05da558c1b7...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_Fig2.tsv	b5b200b24ffd...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_Tab1.tsv	ca9dc3a52b52...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_Tab2.tsv	4faa5dd4c153...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_TabGroups.tsv	010fcd6aaadc...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_TabIndividuals.tsv	45b5037c7023...
pkdb_models/models/icg/data/icg/Moeller2018/.Moeller2018_TabInterventions.tsv	43d22da22eeb...
pkdb_models/models/icg/data/icg/Niemann2000/.Niemann2000_Fig2.tsv	158082ef5c69...
pkdb_models/models/icg/data/icg/Niemann2000/.Niemann2000_Fig2B.tsv	121d0ce1668c...
pkdb_models/models/icg/data/icg/Niemann2000/.Niemann2000_Tab1.tsv	be5b514a6238...
pkdb_models/models/icg/data/icg/Niemann2000/.Niemann2000_Tab2.tsv	fa07890a1256...
pkdb_models/models/icg/data/icg/Ohwada2006/.Ohwada2006_Fig1.tsv	d1a4f5c4f9b3...
pkdb_models/models/icg/data/icg/Ohwada2006/.Ohwada2006_Tab3.tsv	5fa31b34a72e...
pkdb_models/models/icg/data/icg/Ohwada2006/.Ohwada2006_TabGroups.tsv	58e2399ef1ab...
pkdb_models/models/icg/data/icg/Ohwada2006/.Ohwada2006_TabIndividuals.tsv	f03ff8bf6a9b...
pkdb_models/models/icg/data/icg/Ohwada2006/.Ohwada2006_TabInterventions.tsv	85f390fa2b64...
pkdb_models/models/icg/data/icg/Okochi2002/.Okochi2002_Fig1.tsv	b9ee2ce75456...
pkdb_models/models/icg/data/icg/Okochi2002/.Okochi2002_Fig2.tsv	ebe5bd24a583...
pkdb_models/models/icg/data/icg/Okochi2002/.Okochi2002_Tab1.tsv	bba8d7c8d6f8...
pkdb_models/models/icg/data/icg/Okochi2002/.Okochi2002_TabGroups.tsv	6e0a023e9c92...
pkdb_models/models/icg/data/icg/Okochi2002/.Okochi2002_TabIndividuals.tsv	f28fc06baacb...
pkdb_models/models/icg/data/icg/Okochi2002/.Okochi2002_TabInterventions.tsv	1d559c33dc40...
pkdb_models/models/icg/data/icg/Ott1993/.Ott1993_Fig3.tsv	6e550c6f632a...
pkdb_models/models/icg/data/icg/Peng2015/.Peng2015_Fig5.tsv	0155c6397e81...
pkdb_models/models/icg/data/icg/Pind2016/.Pind2016_Tab2.tsv	bfd48d712f13...
pkdb_models/models/icg/data/icg/Pind2016/.Pind2016_TabGroups.tsv	57b614077721...
pkdb_models/models/icg/data/icg/Pind2016/.Pind2016_TabInterventions.tsv	c158f3664b7f...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Fig1.tsv	ca038492515e...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Fig1A.tsv	9fe09839574e...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Fig1B.tsv	43d0a79b22bb...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Fig2A.tsv	8544f842268c...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Fig2B.tsv	caecd77a6c5a...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Tab1.tsv	e0601c5442a6...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Tab1A.tsv	89fb30c17896...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Tab2.tsv	9f476780893b...

File	SHA-256
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Tab3.tsv	22f8bdf54258...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_Tab4.tsv	2ec283dd0571...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_TabData.tsv	f5842d93dc58...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_TabGroups.tsv	530fd1aa4e01...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_TabIndividuals.tsv	280da886670e...
pkdb_models/models/icg/data/icg/Roberts1976/.Roberts1976_TabInterventions.tsv	66288d7aef75...
pkdb_models/models/icg/data/icg/Sakka2006/.Sakka2006_Fig1.tsv	f94a2b6797c7...
pkdb_models/models/icg/data/icg/Sakka2006/.Sakka2006_TabGroups.tsv	b014a30f035d...
pkdb_models/models/icg/data/icg/Sakka2006/.Sakka2006_TabIndividuals.tsv	a947f854f9f0...
pkdb_models/models/icg/data/icg/Sakka2006/.Sakka2006_TabInterventions.tsv	570980a55ede...
pkdb_models/models/icg/data/icg/Seyama2009/.Seyama2009_Fig3.tsv	b099b5e2005c...
pkdb_models/models/icg/data/icg/Seyama2009/.Seyama2009_TabGroups.tsv	904d45b6c7c9...
pkdb_models/models/icg/data/icg/Seyama2009/.Seyama2009_TabIndividuals.tsv	2c0b302b752d...
pkdb_models/models/icg/data/icg/Seyama2009/.Seyama2009_TabInterventions.tsv	03d463396e72...
pkdb_models/models/icg/data/icg/Skak1987/.Skak1987_Fig1.tsv	fa1c8104220f...
pkdb_models/models/icg/data/icg/Skak1987/.Skak1987_Fig2.tsv	306af84364eb...
pkdb_models/models/icg/data/icg/Skak1987/.Skak1987_Tab3.tsv	9377149ac302...
pkdb_models/models/icg/data/icg/Skak1987/.Skak1987_TabGroups.tsv	971d6ca90ce9...
pkdb_models/models/icg/data/icg/Skak1987/.Skak1987_TabIndividuals.tsv	ffe2d145620e...
pkdb_models/models/icg/data/icg/Skak1987/.Skak1987_TabInterventions.tsv	d9c57e0bdc2b...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_Fig5.tsv	b9d806392721...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_Fig5mean.tsv	94b2be6db26f...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_Tab3.tsv	c624dad27a3e...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_Tab3mean.tsv	1931dacd163c...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_TabGroups.tsv	a0a4ace94bef...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_TabIndividuals.tsv	4a13447c3362...
pkdb_models/models/icg/data/icg/Soons1991/.Soons1991_TabInterventions.tsv	b47313368248...
pkdb_models/models/icg/data/icg/Stockmann2009/.Stockmann2009_Fig3.tsv	0e429bf3b134...
pkdb_models/models/icg/data/icg/Stockmann2009/.Stockmann2009_Tab1.tsv	850d7e55d0ea...
pkdb_models/models/icg/data/icg/Stockmann2009/.Stockmann2009_TabGroups.tsv	687a897dc8c5...
pkdb_models/models/icg/data/icg/Stockmann2009/.Stockmann2009_TabIndividuals.tsv	ec8517d7b92f...
pkdb_models/models/icg/data/icg/Stockmann2009/.Stockmann2009_TabInterventions.tsv	90d82ed5d838...
pkdb_models/models/icg/data/icg/Sunagawa2021/.Sunagawa2021_Fig2.tsv	6e6747843c38...
pkdb_models/models/icg/data/icg/Sunagawa2021/.Sunagawa2021_TabGroups.tsv	19ae110aa799...
pkdb_models/models/icg/data/icg/Sunagawa2021/.Sunagawa2021_TabIndividuals.tsv	ea24039025e5...
pkdb_models/models/icg/data/icg/Sunagawa2021/.Sunagawa2021_TabInterventions.tsv	3c4a72405480...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabGroups.tsv	d31279891dc2...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabIndividuals.tsv	8485d14a65fd...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabInterventions.tsv	1c5582f61c22...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS05.tsv	68b71c1532b5...

File	SHA-256
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS07.tsv	8d5f1384e19d...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS08.tsv	3b4dcee0506b...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS09.tsv	09ceef31f6aa...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS10.tsv	04385d298243...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS11.tsv	3c6ff127d4cf...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS12.tsv	16192008b610...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS14.tsv	a4367133d418...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS15.tsv	ef5e0f544288...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS16.tsv	d9ac2674c846...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS18.tsv	cdc669d280ca...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS20.tsv	966f8697b6c2...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS21.tsv	ae56ff554b0e...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS23.tsv	bd87ff6e6cc4...
pkdb_models/models/icg/data/icg/SwineLeipzig2014/.SwineLeipzig2014_TabOutput_SUS24.tsv	445592c41358...
pkdb_models/models/icg/data/icg/Thomas2015/.Thomas2015_Fig3.tsv	55bf0a6955a0...
pkdb_models/models/icg/data/icg/Thomas2015/.Thomas2015_TabGroups.tsv	f570bae399ee...
pkdb_models/models/icg/data/icg/Thomas2015/.Thomas2015_TabIndividuals.tsv	20323a496518...
pkdb_models/models/icg/data/icg/Thomas2015/.Thomas2015_TabInterventions.tsv	4060d171fbf9...
pkdb_models/models/icg/data/icg/Wakabayashi2004/.Wakabayashi2004_Fig5.tsv	a9995d22530c...
pkdb_models/models/icg/data/icg/Wakabayashi2004/.Wakabayashi2004_Tab3.tsv	fc19d13e9ed1...
pkdb_models/models/icg/data/icg/Wakabayashi2004/.Wakabayashi2004_TabGroups.tsv	85383250ee7a...
pkdb_models/models/icg/data/icg/Wakabayashi2004/.Wakabayashi2004_TabIndividuals.tsv	717baf3033af...
pkdb_models/models/icg/data/icg/Wakabayashi2004/.Wakabayashi2004_TabInterventions.tsv	b0ed14928f01...
pkdb_models/models/icg/data/icg/Wood1979/.Wood1979_Fig1.tsv	69ba6b55effa...
pkdb_models/models/icg/data/icg/Wood1979/.Wood1979_Fig2.tsv	ce353325a102...
pkdb_models/models/icg/data/icg/Wood1979/.Wood1979_TabIndividuals.tsv	8257124f0141...
pkdb_models/models/icg/models/output/models/icg_body_flat.xml	2b119f565afc...

2 Results: Indocyanine green PBPK model: fit PK

2.1 Parameters

Table 2: Parameters of the fit PK_20261020_010006__506c2, the parameter set PK_20261020_010006__506c2_0, cost 14.1, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information

for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
LI__ICGIM_Vmax	Vmax for icg import	0.0982 [0.0545, 0.586]	mmol/min/l	[0.001, 10]	yes
LI__ICGEX_k	rate of the icg reflux into plasma	0.0375 [0.0117, 0.231]	1/min	[0.0001, 0.5]	yes
LI__ICGLI2CA_Vmax	Vmax bile export icg	0.000649 [0.000234, 0.0024]	mmol/min/l	[1e-05, 0.01]	yes
LI__ICGLI2CA_Km	Km bile export icg	0.00639 [LB, 0.0724]	mmol/l	[0.001, 1]	no (LB)
LI__ICGLI2BI_k	rate of the icg bile transport	0.00578 [0.00284, 0.039]	1/min	[0.001, 1]	yes

2.2 Data

Table 3: Data of the fit PK_20261020_010006__506c2: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Andersen1999	1 (6)	-	-	1 (6)
Burns1991	1 (6)	1 (9)	-	2 (15)
Caesar1961	3 (3)	-	-	3 (3)
Chijiiwa2000	-	1 (5)	-	1 (5)
Gadano1997	-	2 (2)	-	2 (2)
Grainger1983	1 (5)	-	-	1 (5)
Grundmann1992	1 (7)	-	-	1 (7)
Kamimori2000	1 (3)	-	-	1 (3)
Klockowski1990	1 (7)	2 (10)	-	3 (17)
Leevy1962	1 (1)	3 (6)	3 (32)	7 (39)
Meijer1988	9 (52)	-	-	9 (52)
Niemann2000	-	2 (16)	-	2 (16)
Soons1991	1 (3)	-	-	1 (3)
Total	20 (93)	11 (48)	3 (32)	34 (173)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PK_20261020_010006__506c2 per kind of data, the parameter set PK_20261020_010006__506c2_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	93	14.1	0.000174	0.0132	0.352	0.551	0.995	82.8	−795.2	−782.5
validation	48	-	0.00124	0.0352	0.584	1.04	0.981	82.6	−311.2	−301.8
outlier	32	-	2.76e-07	0.000525	0.347	0.919	0.221	96.9	−473.3	−466.0

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PK_20261020_010006__506c2. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Cost of the optimization runs, ordered, fit PK_20261020_010006__506c2. The final cost of the runs, ordered. A flat plateau at the left is the global optimum found repeatedly, which is the evidence that the multistart converged; steps to the right are local minima.




Figure 3: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PK_20261020_010006__506c2. Within twofold of the data are 77 of the 93 training data points (82.8%), 38 of the 46 validation data points (82.6%) and 31 of the 32 outlier data points (96.9%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R^2, its normalized RMSE, the RMSE of the residuals of the cost and the percentage of its points within twofold.




Figure 4: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PK_20261020_010006__506c2. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 5: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PK_20261020_010006__506c2. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PK_20261020_010006__506c2: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PK_20261020_010006__506c2`
Created	2026-10-19 23:00:07 UTC
Seed	1234
Python	3.14.4
sbmlsim	0.10.0
libRoadRunner	2.10.0
SciPy	1.18.1
NumPy	2.5.3
Repository	`/home/mkoenig/git/pkdb_models-icg`
Commit	`4dd2aa394d4f4f06a355551073bdbe13a71be564`
Uncommitted changes	no

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.10.0.

[2] R. Storn and K. Price, "Differential evolution - a simple and efficient heuristic for global optimization over continuous spaces," *Journal of Global Optimization*, vol. 11, pp. 341–359, 1997, doi: 10.1023/A:1008202821328.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] M. D. McKay, R. J. Beckman, and W. J. Conover, "A comparison of three methods for selecting values of input variables in the analysis of output from a computer code," *Technometrics*, vol. 21, no. 2, pp. 239–245, 1979, doi: 10.2307/1268522.

[5] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.10.0.

[6] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[7] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[8] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[9] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[10] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[11] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[12] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[13] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.3.