Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

condition

— Rawlins1977_ORAL_D500_75_500_0_0_0_0_10_0_0_10

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13

mom_rec_metc13

value

time

condition

Kasicka−Jonderko2008_middle−aged_67.9_0_0_0_0_0_10_75_0_10

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13

mom_rec_metc13

condition
Kasicka–Jonderko2011_baseline1_75_0_0_0_0_0_10_75_0_10

value

time

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13

mom_rec_metc13

value

time

condition

Kasicka−Jonderko2011_18d_75_0_0_0_0_0_10_75_0_10

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13

mom_rec_metc13

condition

Kasicka−Jonderko2013a_F_LBMI_BMAD_50.9_0_0_0_0_0_10_50.9_0_10

value

time

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13 | mom_rec_metc13

condition
— Kasicka–Jonderko2013a_M_HBMI_FX75_103_0_0_0_0_0_10_75_0_10

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13

mom_rec_metc13

condition

Ciccocioppo2003_adult_73.1_0_0_0_0_0_10_73.1_0_10

value

time

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13

mom_rec_metc13

condition

━●━ Ciccocioppo2003_elderly_69.8_0_0_0_0_0_10_69.8_0_10

time

value

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_metc13 | mom_rec_metc13

condition
— Holtmeier2006_NaN_75_0_0_0_0_0_10_150_0_10

value

time

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

cum_rec_co2c13   DOB   P_CO2F

condition
● Barstow1990_NaN_74.7_0_0_0_73_0_10_0_0_10

value

time

Model v48
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

condition

- Rawlins1977_ORAL_D500_75_500_0_0_0_0_10_0_0_10

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

condition
Rawlins1977_IV_D1000_75_0_1000_0_0_0_10_0_0_10

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

condition
Albert1974_tablet_68_650_0_0_0_0_10_0_0_10

Model v48 weith Irving's Peak more
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Mve_apap

condition

Baraka1990_NaN_68_1500_0_0_0_0_10_0_0_10

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more

value = 9691.1

= eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))

Model v48 weith Irving's Peak more
value = 9691.1
 = eval(parse(text = deparse(substitute(condition %in% cond & name %in% myobs))))