Omeprazole PBPK model: fit PK

1 Methods: Omeprazole PBPK model: fit PK

1.1 Parameters and data

15 parameters were optimized: Vmax CYP2C19 S-omeprazole (`LI__CYP2C19_Vmax_some`), Vmax CYP2C19 R-omeprazole (`LI__CYP2C19_Vmax_rome`), Vmax CYP3A4 S-omeprazole (`LI__CYP3A4_Vmax_some`), Vmax CYP3A4 R-omeprazole (`LI__CYP3A4_Vmax_rome`), maximal inactivation rate of CYP2C19 by omeprazole (`LI__CYP2C19_kinact`), tissue/plasma partition coefficient omeprazole (`Kp_ome`), rate of the gastric emptying and the release of an enteric-coated form (`GU__Ka_ec_ome`), rate of omeprazole absorption (`GU__OMEABS_k`), fraction 5-hydroxyomeprazole of the CYP3A4 metabolism of R-omeprazole (`LI__f_rome_cyp3a4_omeoh`), rate of the 5-hydroxyomeprazole release from the liver (`LI__OMEOHEX_k`), renal clearance of 5-hydroxyomeprazole relative to the GFR (`KI__OMEOHEX_f`), rate of the CYP2C19 metabolism of omeprazole sulfone (`LI__OMESUL2C19_k`), rate of the CYP2C19 independent metabolism of omeprazole sulfone (`LI__OMESULM_k`), renal clearance of the other metabolites relative to the GFR (`KI__OMEOTHEX_f`) and rate of the biliary excretion of the other metabolites (`LI__OMEOTHBIL_k`).

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 120 fit mappings of training data with 1285 data points, whose residuals enter the objective; 90 fit mappings of validation data with 845 data points, which were simulated and evaluated with the fitted parameters but not fitted; and 3 fit mappings of outliers with 23 data points, data the fit dropped as not usable, which were evaluated like the validation data so that the decision to drop them can be checked. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w_{i,k}^p$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r_{i,k}^2$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w_{i,k}^p = |y_{i,k} \frac{|}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w_{i,k}^p = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 5 runs with the trust region reflective method [2] of the least squares optimizer of SciPy [3], with a Jacobian of finite forward differences with the relative step 0.05. A run stopped at the tolerances of the change of the cost, of the parameters and of the gradient, ftol = 10^{-8}, xtol = 10^{-8} and gtol = 10^{-8}.

The start values of the runs were drawn by latin hypercube sampling [4] log-uniformly, i.e. uniformly in the logarithm of the parameters, within their bounds, with the seed 1234.

The convergence of the runs was assessed from the traces of their cost and the waterfall plot of their final costs, and the parameter set with the lowest cost was used.

The models were simulated with libRoadRunner [5] and its integrator CVODE [6] with the relative tolerance 10^{-6} and the absolute tolerances 10^{-11} of an amount, 10^{-11} of a concentration and 10^{-7} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data, validation data and outliers) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i (y_i - \overline{y})^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [7] and Schwarz [8] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [9] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d}\pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [10], [11]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l\neq j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.05. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with $F_{\min}$ the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [12].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max(|p_j|, 1),\ \varepsilon = 10^{-6}$ of the parameter p_j:

$$I = J^\top J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 15 of 15, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 551; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PK_20261020_090631__aa2cf was run on 2026-10-20 07:06:37 UTC with sbmlsim 0.10.0 [1], libRoadRunner 2.10.0 [5], SciPy 1.18.1 [3], NumPy 2.5.3 [13] and Python 3.14.4 (seed 1234). The models and data were those of commit `12acae3ea6826f839295cf826fbb82a2f81d24bd` of `/home/mkoenig/git/pkdb_models-omeprazole` their SHA-256 checksums are listed in Table 1.

Table 1: SHA-256 checksums of the models and data of the fit PK_20261020_090631__aa2cf, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
`pkdb_models/models/omeprazole/data/caffeine/Oh2012/.Oh2012_Fig3.tsv`	`e7458fb27a6d...`
`pkdb_models/models/omeprazole/data/caffeine/Oh2012/.Oh2012_TabGroups.tsv`	`021f55009aad...`
`pkdb_models/models/omeprazole/data/caffeine/Oh2012/.Oh2012_TabInterventions.tsv`	`2ccc461e26f0...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig1.tsv`	`733dc8a41711...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig1_mean.tsv`	`ea59f930d42e...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig1_median.tsv`	`687ea78cf6a8...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig2.tsv`	`4cac47c8174d...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig2_mean.tsv`	`77b4f8b6da2b...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig2_median.tsv`	`4c5f0431c4f1...`
`pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig3.tsv`	`e3d522280e61...`

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig3_mean.tsv	65df4647ec2f...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Fig3_median.tsv	b27a2249ffd0...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Tab1.tsv	1342c2076d29...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Tab1_mean.tsv	a1f415bf2505...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Tab2.tsv	edbd312ef2e8...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Tab2_mean.tsv	f87433b30782...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Tab3.tsv	c3c523840b95...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_Tab3_mean.tsv	cca03a0ed8f7...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_TabGroups.tsv	bffec9ca92e5...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_TabIndividuals.tsv	308e3dc84b99...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990/.Andersson1990_TabInterventions.tsv	93ec1239c8a1...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990a/.Andersson1990a_Fig1.tsv	d86c145aa9a7...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990a/.Andersson1990a_Tab1.tsv	5045cbd2099b...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990a/.Andersson1990a_Tab2.tsv	44cc61e8f14b...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990a/.Andersson1990a_TabGroups.tsv	cdfa0f5b7c94...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1990a/.Andersson1990a_TabInterventions.tsv	a18c062064f3...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Fig1.tsv	1bf73adde56b...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Fig2.tsv	e57d3aa3a541...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Fig3.tsv	e2228662edbb...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Tab2.tsv	a3af1cf1d0c0...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Tab2_mean.tsv	a291f032fa5a...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Tab3.tsv	e092565a8b64...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_Tab3_mean.tsv	bc4878374204...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_TabGroups.tsv	0bdd6bda88de...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_TabIndividuals.tsv	a3287bc78589...
pkdb_models/models/omeprazole/data/omeprazole/Andersson1993/.Andersson1993_TabInterventions.tsv	bc562a03a322...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Andersson2001/.Andersson2001_Fig2.tsv	0de2b5bae4e7...
pkdb_models/models/omeprazole/data/omeprazole/Andersson2001/.Andersson2001_Fig9.tsv	dfc99cbbaca3...
pkdb_models/models/omeprazole/data/omeprazole/Andersson2001/.Andersson2001_TabGroups.tsv	c852015ec95b...
pkdb_models/models/omeprazole/data/omeprazole/Andersson2001/.Andersson2001_TabInterventions.tsv	63b3e40b01e7...
pkdb_models/models/omeprazole/data/omeprazole/Cederberg1992/.Cederberg1992_Fig2.tsv	5b8f1d8b6e05...
pkdb_models/models/omeprazole/data/omeprazole/Cederberg1992/.Cederberg1992_Fig4.tsv	c24afaad3f22...
pkdb_models/models/omeprazole/data/omeprazole/Cederberg1992/.Cederberg1992_Tab2.tsv	dfc3d87120a1...
pkdb_models/models/omeprazole/data/omeprazole/Cederberg1992/.Cederberg1992_TabGroups.tsv	e68a11e3be26...
pkdb_models/models/omeprazole/data/omeprazole/Cederberg1992/.Cederberg1992_TabInterventions.tsv	cf422d7ebeb6...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_Fig1.tsv	36c47e8d0249...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_Fig2.tsv	dbc6f87ef3b9...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_Tab2.tsv	571cffa03282...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_Tab3.tsv	0ad028a91282...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_Tab4.tsv	57ce0419b165...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_TabGroups.tsv	779470e0b21d...
pkdb_models/models/omeprazole/data/omeprazole/Elkoshi2002/.Elkoshi2002_TabInterventions.tsv	f5c953607d01...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_Fig1.tsv	e4a7944ad03f...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_Fig2.tsv	f1f441f18ece...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_Fig3.tsv	06ec6b48cd90...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_Fig4.tsv	792ebba18675...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_Tab1.tsv	aae1a98395a5...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_Tab2.tsv	7ba9ab397ecc...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_TabGroups.tsv	07f012ec2d7d...
pkdb_models/models/omeprazole/data/omeprazole/Faruquee2010/.Faruquee2010_TabInterventions.tsv	7e686fb89ba9...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_Fig2.tsv	711fd442c808...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_Fig3.tsv	89615a25817c...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_Fig4.tsv	9809665d1841...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_Tab1.tsv	578ea8607562...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_Tab2.tsv	77451bd8395d...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_TabGroups.tsv	9bb3fd29c4e5...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_TabIndividuals.tsv	262bc100a4c7...
pkdb_models/models/omeprazole/data/omeprazole/Geus2000/.Geus2000_TabInterventions.tsv	42ebbb5f5741...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_Fig1.tsv	0cc29edf35fb...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_Fig2.tsv	822169f74716...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_Tab1.tsv	da6decc19286...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_Tab2.tsv	c00b8ee74fe7...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_Tab3.tsv	2d14c7e90dfe...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_TabGroups.tsv	04c61223eb11...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2000/.HassanAlin2000_TabInterventions.tsv	3e87950c58e6...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_Fig1.tsv	d02f2613b009...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_Fig2.tsv	f8c8ed6b4535...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_Tab1.tsv	7e3494e8cdbe...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_Tab2.tsv	7031b3f194db...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_Tab3.tsv	ff12f22559cf...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_Tab4.tsv	1174f953b86a...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_TabGroups.tsv	c7934b41c825...
pkdb_models/models/omeprazole/data/omeprazole/HassanAlin2005/.HassanAlin2005_TabInterventions.tsv	81e0d00c8d4b...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984/.Howden1984_Tab1.tsv	95fb9ab26205...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984/.Howden1984_TabGroup.tsv	c27087bfbc94...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984/.Howden1984_TabGroups.tsv	08c85511e3cf...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984/.Howden1984_TabIndividuals.tsv	59642167921d...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984/.Howden1984_TabIntervention.tsv	2a43ba037cee...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984/.Howden1984_TabInterventions.tsv	92f052eae202...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984a/.Howden1984a_Tab1.tsv	680730073e41...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984a/.Howden1984a_Tab2.tsv	f709074928af...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984a/.Howden1984a_TabGroups.tsv	4cef141f8db3...
pkdb_models/models/omeprazole/data/omeprazole/Howden1984a/.Howden1984a_TabIndividuals.tsv	e317b7a1f23e...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Howden1984a/.Howden1984a_TabInterventions.tsv	4d5acf46c687...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Fig1.tsv	2a1878c44a77...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Fig2.tsv	c334acb78f84...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Fig3.tsv	43916f1b89d5...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Fig4.tsv	a44c2d98397b...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Tab1.tsv	e1997523387b...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Tab2.tsv	ed878d60606a...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Tab3.tsv	215cc856a62c...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_Tab4.tsv	36e0c8c84270...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_TabGroups.tsv	0a60471e0f62...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_TabIndividuals.tsv	e27ea3a19b62...
pkdb_models/models/omeprazole/data/omeprazole/Iftikhar2024/.Iftikhar2024_TabInterventions.tsv	6d5e6caa25b5...
pkdb_models/models/omeprazole/data/omeprazole/Kita2001/.Kita2001_Fig1.tsv	9c9a03a32c63...
pkdb_models/models/omeprazole/data/omeprazole/Kita2001/.Kita2001_Tab1.tsv	6299f21d961c...
pkdb_models/models/omeprazole/data/omeprazole/Kita2001/.Kita2001_Tab2.tsv	10ab0b403690...
pkdb_models/models/omeprazole/data/omeprazole/Kita2001/.Kita2001_TabGroups.tsv	55086cbe890f...
pkdb_models/models/omeprazole/data/omeprazole/Kita2001/.Kita2001_TabIndividuals.tsv	96bd7935f55b...
pkdb_models/models/omeprazole/data/omeprazole/Kita2001/.Kita2001_TabInterventions.tsv	36b46ca47a1e...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_Fig2.tsv	00fec654151f...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_Fig3.tsv	0e209bf6eb52...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_Fig3Mean.tsv	3e1066bafd18...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_Tab1.tsv	f34084d07c2f...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_TabGroups.tsv	4f1f20c2959e...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_TabIndividuals.tsv	4467215b8c66...
pkdb_models/models/omeprazole/data/omeprazole/Kita2002/.Kita2002_TabInterventions.tsv	6e4fb3e04ee9...
pkdb_models/models/omeprazole/data/omeprazole/Landahl1992/.Landahl1992_Fig1.tsv	15584c6d5b06...
pkdb_models/models/omeprazole/data/omeprazole/Landahl1992/.Landahl1992_Fig4.tsv	4e95634c5fbe...
pkdb_models/models/omeprazole/data/omeprazole/Landahl1992/.Landahl1992_Fig5.tsv	994f16e99c32...
pkdb_models/models/omeprazole/data/omeprazole/Landahl1992/.Landahl1992_Tab1.tsv	44f16a5725e4...
pkdb_models/models/omeprazole/data/omeprazole/Landahl1992/.Landahl1992_TabGroups.tsv	3c1feb44cf98...
pkdb_models/models/omeprazole/data/omeprazole/Landahl1992/.Landahl1992_TabInterventions.tsv	81fb4ed3b2b3...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_Fig2.tsv	deb2b38f28f4...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_Fig3.tsv	3c281e3db652...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_Fig5.tsv	9680948663e6...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_Tab1.tsv	d4e38d0f2a13...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_Tab2.tsv	92aa2842af19...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_Tab3.tsv	bbd7d9949016...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_TabGroups.tsv	4c6a5b34ecbc...
pkdb_models/models/omeprazole/data/omeprazole/Lind1983/.Lind1983_TabInterventions.tsv	d70549f5d73a...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Fig2.tsv	ea15c7b871f8...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Fig3.tsv	7525d24d94c3...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Fig4.tsv	2f538ac269eb...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Fig5.tsv	dc5e2125de9f...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Fig6.tsv	076c0613a688...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Tab2.tsv	9c6630ca0a75...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Tab2_mean.tsv	f87b7f71fa04...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Tab3.tsv	e482625ee338...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_Tab3_mean.tsv	31e925e1d0bf...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_TabGroups.tsv	5cfeb41e2396...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_TabIndividuals.tsv	521f530d0d8f...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_TabInterventions.tsv	0c4025769804...
pkdb_models/models/omeprazole/data/omeprazole/Naesdal1986/.Naesdal1986_TabMisc.tsv	65d250e0ff41...
pkdb_models/models/omeprazole/data/omeprazole/Palovaara2003/.Palovaara2003_Fig2.tsv	be580155db02...
pkdb_models/models/omeprazole/data/omeprazole/Palovaara2003/.Palovaara2003_Tab1.tsv	6ddf523b8564...
pkdb_models/models/omeprazole/data/omeprazole/Palovaara2003/.Palovaara2003_TabGroups.tsv	41db686efa18...
pkdb_models/models/omeprazole/data/omeprazole/Palovaara2003/.Palovaara2003_TabInterventions.tsv	aec1b39da488...
pkdb_models/models/omeprazole/data/omeprazole/Park2017/.Park2017_Fig3.tsv	1ed60b6b387b...
pkdb_models/models/omeprazole/data/omeprazole/Park2017/.Park2017_Tab2.tsv	c3253854ee2b...
pkdb_models/models/omeprazole/data/omeprazole/Park2017/.Park2017_Tab3.tsv	ad03702eb333...
pkdb_models/models/omeprazole/data/omeprazole/Park2017/.Park2017_TabGroups.tsv	7cf375c33aa0...
pkdb_models/models/omeprazole/data/omeprazole/Park2017/.Park2017_TabInterventions.tsv	73b032959125...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_Fig1.tsv	dfb2a8cbf26b...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_Fig2.tsv	8a5b838bceda...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_Fig3.tsv	bcba15dcdf1b...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_Fig4.tsv	0c975f7b2026...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_Fig5.tsv	135d47d8de75...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_Fig6.tsv	ed901f7a4ade...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_TabGroups.tsv	f768ab60d1e2...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_TabIndividuals.tsv	d8902c515e6e...
pkdb_models/models/omeprazole/data/omeprazole/Pounder1986/.Pounder1986_TabInterventions.tsv	3ef26ffaf86f...
pkdb_models/models/omeprazole/data/omeprazole/Prichard1985/.Prichard1985_Fig2.tsv	16813de48509...
pkdb_models/models/omeprazole/data/omeprazole/Prichard1985/.Prichard1985_Fig3.tsv	d539a7bc3906...
pkdb_models/models/omeprazole/data/omeprazole/Prichard1985/.Prichard1985_Tab2.tsv	b99f513d9e36...
pkdb_models/models/omeprazole/data/omeprazole/Prichard1985/.Prichard1985_TabGroups.tsv	9969ebd730ef...
pkdb_models/models/omeprazole/data/omeprazole/Prichard1985/.Prichard1985_TabIndividuals.tsv	83b06aaa0854...
pkdb_models/models/omeprazole/data/omeprazole/Prichard1985/.Prichard1985_TabInterventions.tsv	b1e07c05036d...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Fig1.tsv	b1a8a1c1bb7c...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Fig2.tsv	0104c09c649e...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Fig3.tsv	858fbfa10a47...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Fig4.tsv	d1e08c71b22b...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Fig5.tsv	170f4f4a75f1...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Tab1.tsv	8f4867aca8f3...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_Tab1_mean.tsv	178110106fe2...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_TabGroups.tsv	7a1dd278a820...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_TabIndividuals.tsv	656bec44acb1...
pkdb_models/models/omeprazole/data/omeprazole/Qadir2017/.Qadir2017_TabInterventions.tsv	060a78d185d9...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Fig1.tsv	871f57067cfc...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Fig2.tsv	ee6b217d0104...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Fig4.tsv	aa2013d2a01e...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Fig5.tsv	f3722d7f6470...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Fig6.tsv	2e2e6ed6c60d...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Fig7.tsv	169448887b12...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Tab1.tsv	8d24053bb343...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Tab2.tsv	e5268d5734ad...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_Tab3.tsv	bab8d1d9ce0d...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_TabGroups.tsv	f18ac7d35cb4...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_TabIndividuals.tsv	2d22e48e1275...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1986/.Regaardh1986_TabInterventions.tsv	5f66afed745d...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig2.tsv	659745a0138c...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig2B.tsv	301114ef49e6...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig3.tsv	ca6b35f70d89...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig3B.tsv	f68c60954a14...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig4.tsv	fad6268f1727...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig5.tsv	4dc0e38d2a1f...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig5B.tsv	4c0604463b60...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Fig6.tsv	9285e78c9801...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Tab1.tsv	fe6f70a2ce49...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Tab2.tsv	482f093e5bd3...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_Tab3.tsv	e0e958c3c157...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_TabGroups.tsv	338f60332a49...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_TabIndividuals.tsv	48ca81e1160e...
pkdb_models/models/omeprazole/data/omeprazole/Regaardh1990/.Regaardh1990_TabInterventions.tsv	9cb377557fee...
pkdb_models/models/omeprazole/data/omeprazole/Sohn1992/.Sohn1992_Fig2.tsv	3de1f632b0d0...
pkdb_models/models/omeprazole/data/omeprazole/Sohn1992/.Sohn1992_Fig5.tsv	8dfde186eb33...
pkdb_models/models/omeprazole/data/omeprazole/Sohn1992/.Sohn1992_Tab2.tsv	3b8ab14c09dd...
pkdb_models/models/omeprazole/data/omeprazole/Sohn1992/.Sohn1992_TabGroups.tsv	d8ef052c8cb7...
pkdb_models/models/omeprazole/data/omeprazole/Sohn1992/.Sohn1992_TabInterventions.tsv	f921006b5109...
pkdb_models/models/omeprazole/data/omeprazole/Uno2007/.Uno2007_Fig1.tsv	4715efc27e87...
pkdb_models/models/omeprazole/data/omeprazole/Uno2007/.Uno2007_Tab1.tsv	ecdb04da489d...
pkdb_models/models/omeprazole/data/omeprazole/Uno2007/.Uno2007_Tab2.tsv	d5a2ef2cac11...
pkdb_models/models/omeprazole/data/omeprazole/Uno2007/.Uno2007_Tab3.tsv	ec7decc60bff...
pkdb_models/models/omeprazole/data/omeprazole/Uno2007/.Uno2007_TabGroups.tsv	aa55b64f0884...
pkdb_models/models/omeprazole/data/omeprazole/Uno2007/.Uno2007_TabInterventions.tsv	d6c974ecacec...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2001/.VazdaSilva2001_Fig1.tsv	5b6af9335ee1...

File	SHA-256
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2001/.VazdaSilva2001_Tab1.tsv	7d32f14ecad6...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2001/.VazdaSilva2001_TabGroup.tsv	46f9e703770b...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2001/.VazdaSilva2001_TabIntervention.tsv	d4e326cca5d1...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2005/.VazdaSilva2005_Fig2.tsv	91e189475784...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2005/.VazdaSilva2005_Tab1.tsv	3858ecf52677...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2005/.VazdaSilva2005_TabGroup.tsv	8a058b00f0c6...
pkdb_models/models/omeprazole/data/omeprazole/VazdaSilva2005/.VazdaSilva2005_TabIntervention.tsv	e5f4f33e6ef7...
pkdb_models/models/omeprazole/data/omeprazole/Walt1983/.Walt1983_Fig2.tsv	57e7befd48af...
pkdb_models/models/omeprazole/data/omeprazole/Walt1983/.Walt1983_Fig3.tsv	4d674c5aab3f...
pkdb_models/models/omeprazole/data/omeprazole/Walt1983/.Walt1983_Fig4.tsv	0141784639f7...
pkdb_models/models/omeprazole/data/omeprazole/Walt1983/.Walt1983_TabGroups.tsv	03787135d4db...
pkdb_models/models/omeprazole/data/omeprazole/Walt1983/.Walt1983_TabIndividuals.tsv	cd0014636536...
pkdb_models/models/omeprazole/data/omeprazole/Walt1983/.Walt1983_TabInterventions.tsv	7e34b5f9290e...
pkdb_models/models/omeprazole/data/omeprazole/Walt1985/.Walt1985_Fig5.tsv	647d7e7520b1...
pkdb_models/models/omeprazole/data/omeprazole/Walt1985/.Walt1985_TabGroup.tsv	757631c36161...
pkdb_models/models/omeprazole/data/omeprazole/Walt1985/.Walt1985_TabIntervention.tsv	395e5ebc6d58...
pkdb_models/models/omeprazole/models/output/omeprazole_body_flat.xml	7a972de8d8a5...

2 Results: Omeprazole PBPK model: fit PK

2.1 Parameters

Table 2: Parameters of the fit PK_20261020_090631__aa2cf, the parameter set PK_20261020_090631__aa2cf_0, cost 265, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
LI__CYP2C19_Vmax_some	Vmax CYP2C19 S-omeprazole	0.043 [0.0374, 0.0501]	mmol/min/l	[0.0001, 1]	yes
LI__CYP2C19_Vmax_rome	Vmax CYP2C19 R-omeprazole	0.0879 [0.0724, 0.103]	mmol/min/l	[0.0001, 1]	yes
LI__CYP3A4_Vmax_some	Vmax CYP3A4 S-omeprazole	0.00347 [0.00236, 0.00471]	mmol/min/l	[0.0001, 0.5]	yes
LI__CYP3A4_Vmax_rome	Vmax CYP3A4 R-omeprazole	0.00812 [0.00539, 0.0132]	mmol/min/l	[1e-05, 0.5]	yes
LI__CYP2C19_kinact	maximal inactivation rate of CYP2C19 by omeprazole	0.0185 [0.0145, 0.0228]	1/min	[0.0001, 1]	yes

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
Kp_ome	tissue/plasma partition coefficient omeprazole	0.166 [0.148, 0.189]	dimensionless	[0.02, 5]	yes
GU__Ka_ec_ome	rate of the gastric emptying and the release of an enteric-coated form	1.45 [1.33, 1.61]	1/hr	[0.2, 20]	yes
GU__OMEABS_k	rate of omeprazole absorption	0.0909 [0.0721, 0.117]	1/min	[0.001, 1]	yes
LI__f_rome_cyp3a4_omeh	fraction 5-hydroxyomeprazole of the CYP3A4 metabolism of R-omeprazole	0.464 [0.351, 0.583]	dimensionless	[0.01, 0.9]	yes
LI__OMEOHEX_k	rate of the 5-hydroxyomeprazole release from the liver	0.274 [0.214, 0.361]	1/min	[0.001, 10]	yes
KI__OMEOHEX_f	renal clearance of 5-hydroxyomeprazole relative to the GFR	1.84 [1.42, 2.35]	dimensionless	[0.1, 30]	yes
LI__OMESUL2C19_k	rate of the CYP2C19 metabolism of omeprazole sulfone	0.0562 [LB, 0.136]	1/min	[0.001, 10]	no (LB)
LI__OMESULM_k	rate of the CYP2C19 independent metabolism of omeprazole sulfone	0.063 [0.0494, 0.0814]	1/min	[0.0001, 1]	yes
KI__OMEOTHEX_f	renal clearance of the other metabolites relative to the GFR	0.257 [0.123, 1.18]	dimensionless	[0.1, 50]	yes
LI__OMEOTHBIL_k	rate of the biliary excretion of the other metabolites	0.00492 [0.00244, 0.0197]	1/min	[0.0001, 1]	yes

2.2 Data

Table 3: Data of the fit PK_20261020_090631__aa2cf: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Andersson1990a	11 (110)	1 (11)	-	12 (121)
Andersson1993	-	10 (150)	-	10 (150)
Andersson2001	1 (19)	1 (19)	-	2 (38)
Cederberg1992	6 (69)	-	-	6 (69)
Elkoshi2002	2 (31)	2 (31)	-	4 (62)
Faruquee2010	-	-	2 (16)	2 (16)
Geus2000	-	2 (30)	-	2 (30)
HassanAlin2000	8 (122)	-	-	8 (122)
HassanAlin2005	12 (240)	-	-	12 (240)
Kita2001	-	18 (126)	-	18 (126)

Study	Training	Validation	Outlier	Total
Kita2002	17 (119)	-	1 (7)	18 (126)
Landahl1992	-	10 (111)	-	10 (111)
Lind1983	-	1 (12)	-	1 (12)
Naesdal1986	-	11 (103)	-	11 (103)
Oh2012	-	2 (23)	-	2 (23)
Palovaara2003	3 (26)	6 (54)	-	9 (80)
Park2017	18 (177)	-	-	18 (177)
Prichard1985	2 (31)	2 (31)	-	4 (62)
Regaardh1986	4 (32)	16 (51)	-	20 (83)
Regaardh1990	8 (72)	6 (69)	-	14 (141)
Sohn1992	8 (68)	-	-	8 (68)
Uno2007	18 (142)	-	-	18 (142)
VazdaSilva2001	1 (13)	-	-	1 (13)
VazdaSilva2005	1 (14)	1 (12)	-	2 (26)
Walt1985	-	1 (12)	-	1 (12)
Total	120 (1285)	90 (845)	3 (23)	213 (2153)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PK_20261020_090631__aa2cf per kind of data, the parameter set PK_20261020_090631__aa2cf_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	1285	265	6.07e-07	0.000779	0.529	0.642	0.968	70.2	−18365.0	−18287.6
validation	845	-	5.84e-06	0.00242	0.748	0.939	0.945	64.3	−10152.8	−10081.7
outlier	23	-	0.000141	0.0119	2.09	2.26	−2.04	25.0	−173.9	−156.8

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PK_20261020_090631__aa2cf. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Cost of the optimization runs, ordered, fit PK_20261020_090631__aa2cf. The final cost of the runs, ordered. A flat plateau at the left is the global optimum found repeatedly, which is the evidence that the multistart converged; steps to the right are local minima.




Figure 3: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PK_20261020_090631__aa2cf. Within twofold of the data are 859 of the 1223 training data points (70.2%), 516 of the 802 validation data points (64.3%) and 5 of the 20 outlier data points (25.0%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R^2, its normalized RMSE, the RMSE of the residuals of the cost, its fold errors GMFE and AFE and the percentages of its points within twofold and within two standard deviations of the data.




Figure 4: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PK_20261020_090631__aa2cf. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 5: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PK_20261020_090631__aa2cf. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PK_20261020_090631__aa2cf: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PK_20261020_090631__aa2cf`
Created	2026-10-20 07:06:37 UTC
Seed	1234
Python	3.14.4
sbmlsim	0.10.0
libRoadRunner	2.10.0
SciPy	1.18.1
NumPy	2.5.3
Repository	`/home/mkoenig/git/pkdb_models-omeprazole`
Commit	`12acae3ea6826f839295cf826fbb82a2f81d24bd`
Uncommitted changes	no

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.10.0.

[2] M. A. Branch, T. F. Coleman, and Y. Li, "A subspace, interior, and conjugate gradient method for large-scale bound-constrained minimization problems," *SIAM Journal on Scientific Computing*, vol. 21, no. 1, pp. 1–23, 1999, doi: 10.1137/S1064827595289108.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] M. D. McKay, R. J. Beckman, and W. J. Conover, "A comparison of three methods for selecting values of input variables in the analysis of output from a computer code," *Technometrics*, vol. 21, no. 2, pp. 239–245, 1979, doi: 10.2307/1268522.

[5] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.10.0.

[6] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[7] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[8] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[9] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[10] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[11] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[12] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[13] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.3.