Pravastatin PBPK/PD model: fit PK

1 Methods: Pravastatin PBPK/PD model: fit PK

1.1 Parameters and data

6 parameters were optimized: Vmax for pravastatin import via OATP1B1 (`LI__PRAIM_Vmax`), renal clearance of unbound pravastatin relative to the GFR (`KI__PRAEX_f`), fraction absorbed pravastatin (fasted) (`GU__F_pra_abs`), rate of pravastatin leaving the intestinal lumen (`GU__PRAABS_k`), Ka_dis [1/hr] dissolution pravastatin (`GU__Ka_dis_pra`) and tissue/plasma partition coefficient pra (`Kp_pra`).

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 25 fit mappings of training data with 196 data points, whose residuals enter the objective; and 64 fit mappings of validation data with 495 data points, which were simulated and evaluated with the fitted parameters but not fitted. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w^p_{i,k}$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r^2_{i,k}$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w^p_{i,k} = |y_{i,k} \frac{1}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w^p_{i,k} = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 3 runs with differential evolution [2] of SciPy [3] within the bounds of the parameters, with the strategy `best1bin`, a population of 15 times the number of parameters, at most 1000 generations, the relative tolerance 0.01 of convergence, the recombination constant 0.7 and a mutation dithered between 0.5 and 1. The initial population of a run was drawn by latin hypercube sampling [4], with a seed of every run derived from the seed 1234 of the fit. The best member of the final population was polished with the L-BFGS-B method of SciPy.

The convergence of the runs was assessed from the traces of their cost and the waterfall plot of their final costs, and the parameter set with the lowest cost was used.

The models were simulated with libRoadRunner [5] and its integrator CVODE [6] with the relative tolerance 10^{-6} and the absolute tolerances 10^{-10} of an amount, 10^{-10} of a concentration and 10^{-6} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data and validation data) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i \left(y_i - \overline{y}\right)^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [7] and Schwarz [8] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [9] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d} \pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [10], [11]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l \ne j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.05. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with F_{min} the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-

identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [12].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max(|p_j|, 1),\ \varepsilon = 10^{-6}$ of the parameter p_j:

$$I = J^{\top} J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 6 of 6, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 579; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PK_20261019_164944__7b050 was run on 2026-10-19 14:49:46 UTC with sbmlsim 0.10.0 [1], libRoadRunner 2.10.0 [5], SciPy 1.18.1 [3], NumPy 2.5.3 [13] and Python 3.14.4 (seed 1234). The models and data were those of commit `e1e02fef314e1e8288458c9fb8b49792b8c726a7` of `/home/mkoenig/git/pkdb_models-pravastatin` their SHA-256 checksums are listed in Table 1.

Table 1: SHA-256 checksums of the models and data of the fit PK_20261019_164944__7b050, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Bard1990/.Bard1990_Tab1.tsv	1f47d386c949...
pkdb_models/models/pravastatin/data/pravastatin/Bard1990/.Bard1990_Tab2.tsv	456dce3af92b...
pkdb_models/models/pravastatin/data/pravastatin/Bard1990/.Bard1990_Tab3.tsv	80be66e223f1...
pkdb_models/models/pravastatin/data/pravastatin/Bard1990/.Bard1990_TabGroups.tsv	7f8fd606473e...
pkdb_models/models/pravastatin/data/pravastatin/Bard1990/.Bard1990_TabInterventions.tsv	695556ed2f4f...
pkdb_models/models/pravastatin/data/pravastatin/Becquemont1999/.Becquemont1999_Fig1.tsv	0073e695b94a...
pkdb_models/models/pravastatin/data/pravastatin/Becquemont1999/.Becquemont1999_Tab1.tsv	9d70342d992d...
pkdb_models/models/pravastatin/data/pravastatin/Becquemont1999/.Becquemont1999_TabGroups.tsv	2c547dda55a8...
pkdb_models/models/pravastatin/data/pravastatin/Becquemont1999/.Becquemont1999_TabInterventions.tsv	8c8ebf8e9df8...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_Fig2.tsv	faaa5d489239...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_Fig3.tsv	99bffb4a3f65...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_Fig3_Mean.tsv	bc397e74b9b3...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_Tab1.tsv	9c012e4d2581...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_Tab2.tsv	1ca6e648d640...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_TabGroups.tsv	b2f982443185...
pkdb_models/models/pravastatin/data/pravastatin/Deng2008/.Deng2008_TabInterventions.tsv	027dfab45bbe...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_Fig1.tsv	59cb32edd82e...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_Fig2.tsv	4ea3d76659fd...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_Fig3.tsv	c5166c5e4ea0...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_Fig4.tsv	5506ecefe34c...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_Tab1.tsv	3c9f7332f912...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_Tab2.tsv	1ecddf6a334f...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_TabGroups.tsv	3f717f9a1230...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_TabIndividuals.tsv	9d483e8e97ca...
pkdb_models/models/pravastatin/data/pravastatin/Gustavson2005/.Gustavson2005_TabInterventions.tsv	b8d406730f88...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Fig1.tsv	6f0824ec1512...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Fig2.tsv	7c09a9684075...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Fig3.tsv	62c9c1304a3e...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Fig4.tsv	e270c2900841...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Fig5.tsv	e762c0301008...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Fig5_Try2.tsv	5079c88fe2ad...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Tab2.tsv	ac912a50df1b...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Tab2B.tsv	85c8348445bf...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Tab3.tsv	169e2b6207e4...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Tab4.tsv	dab29f48c676...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_Tab5.tsv	a6a794b5eab9...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_TabGroups.tsv	0b48ceadb12e...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_TabIndividuals.tsv	0d13b08d0dd6...
pkdb_models/models/pravastatin/data/pravastatin/Halstenson1992/.Halstenson1992_TabInterventions.tsv	439f814f69cf...
pkdb_models/models/pravastatin/data/pravastatin/Hedman2003/.Hedman2003_Fig1.tsv	a4429f5a2164...
pkdb_models/models/pravastatin/data/pravastatin/Hedman2003/.Hedman2003_Tab1.tsv	fd18bd4a2e9b...
pkdb_models/models/pravastatin/data/pravastatin/Hedman2003/.Hedman2003_Tab3.tsv	e128c451424d...
pkdb_models/models/pravastatin/data/pravastatin/Hedman2003/.Hedman2003_TabGroups.tsv	4101aea63d14...
pkdb_models/models/pravastatin/data/pravastatin/Hedman2003/.Hedman2003_TabIndividuals.tsv	e110d7be8dfa...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Hedman2003/.Hedman2003_TabInterventions.tsv	8a1365b6915a...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Fig1.tsv	003d2e122c13...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Fig2.tsv	0da7c4f30d4d...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Fig3.tsv	ec01af9fd5a9...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Tab1.tsv	48fa06e7afdc...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Tab2.tsv	de6ee9191970...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Tab3.tsv	5f9efd8af422...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_Tab4.tsv	7b0d8bc98818...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_TabGroups.tsv	933a520c7bd9...
pkdb_models/models/pravastatin/data/pravastatin/Ho2007/.Ho2007_TabInterventions.tsv	688fa021763b...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_Fig1.tsv	d36c4d528b9c...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_Fig2.tsv	6c799d638624...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_Fig3.tsv	927c3b7b7f62...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_Tab1.tsv	47187508faed...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_Tab2.tsv	02ef06da42aa...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_Tab4.tsv	f7ee0284a853...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_TabGroups.tsv	dcdc45f0d2f5...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990a/.Hunninghake1990a_TabInterventions.tsv	4cf6a335688b...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_Fig2.tsv	665a6cc3b40e...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_Fig3.tsv	07096bfd5479...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_Tab1.tsv	a16f1ab4c8a1...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_Tab2.tsv	381d0ab71b14...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_Tab3.tsv	b2617e248031...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_Tab4.tsv	0701dd2df119...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_TabGroups.tsv	14ce51969221...
pkdb_models/models/pravastatin/data/pravastatin/Hunninghake1990b/.Hunninghake1990b_TabInterventions.tsv	a81e88507b58...
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_Fig2.tsv	99f9cb055aec...
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_Fig3.tsv	a2296c815eaa...
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_Tab1.tsv	81bafc8794d2...
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_Tab2.tsv	2bf70e128f00...
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_Tab3.tsv	39ee9296024d...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_TabGroups.tsv	e8468f0b5a76...
pkdb_models/models/pravastatin/data/pravastatin/Igel2006/.Igel2006_TabInterventions.tsv	eb70e7b7c82e...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_Fig1.tsv	1a4f0f3480f8...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_Fig2.tsv	706a233c2b1f...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_Fig3.tsv	6347996bc8dc...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_Tab1.tsv	7ce2b302eed6...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_Tab2.tsv	cfad2be80ad8...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_Tab3.tsv	1e0308db26ae...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_TabGroups.tsv	1aee733b32b7...
pkdb_models/models/pravastatin/data/pravastatin/Jones1991/.Jones1991_TabInterventions.tsv	35443da53f53...
pkdb_models/models/pravastatin/data/pravastatin/Kazumi1986/.Kazumi1986_Tab1.tsv	dc2f30cf7140...
pkdb_models/models/pravastatin/data/pravastatin/Kazumi1986/.Kazumi1986_TabGroups.tsv	a42c6777ec6b...
pkdb_models/models/pravastatin/data/pravastatin/Kazumi1986/.Kazumi1986_TabInterventions.tsv	7c14fc1e9d3c...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_Fig1.tsv	4ad4d8ecf10b...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_Fig2.tsv	141a8e499287...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_Tab1.tsv	2e690a184434...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_Tab1Mean.tsv	0b7fc5598282...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_Tab2.tsv	471f4b227886...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_TabGroups.tsv	11fa99f982bf...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_TabIndividuals.tsv	c248a648d071...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2003a/.Kyrklund2003a_TabInterventions.tsv	f7ff46e0fb30...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2004/.Kyrklund2004_Fig1.tsv	5d24ed9a1d3d...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2004/.Kyrklund2004_Fig2.tsv	30fd38361d39...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2004/.Kyrklund2004_Tab1.tsv	92686aa59044...
pkdb_models/models/pravastatin/data/pravastatin/Kyrklund2004/.Kyrklund2004_Tab2.tsv	fa1f1549ddea...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_Fig2.tsv	d590a78f2612...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_Fig3.tsv	519a2c0c3007...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_Fig4.tsv	571f466ba632...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_Tab2.tsv	39f6bfbbc8bd...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_Tab3.tsv	4e09903f8291...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_Tab4.tsv	d5f24d6095e8...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_TabGroups.tsv	f61b6bb39250...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_TabIndividuals.tsv	f26ee409003c...
pkdb_models/models/pravastatin/data/pravastatin/Mabuchi1987/.Mabuchi1987_TabInterventions.tsv	057c620b1c4f...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig1.tsv	555187fc026b...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig1AB.tsv	1152275cc756...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig1C.tsv	ad4fa018fa17...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig1C_Mean.tsv	104c5c72fd9d...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig2.tsv	3113511529b3...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig2AB.tsv	57d053f2769c...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig2C.tsv	2d2d344ec583...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig2C_Mean.tsv	629f3bdefc9a...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig3.tsv	f36cf263741d...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig3AB.tsv	293e882234b2...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig3C.tsv	6a170ea7af74...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig3C_Mean.tsv	337fd76449df...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig4.tsv	653e9dcd9408...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig4AB.tsv	2a99f255103c...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig4C.tsv	3e0ff7e374f9...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig4C_Mean.tsv	3d3aeb4fed7a...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig5.tsv	bbb92bf5d4b8...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig6.tsv	e8e1516d696e...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Fig7.tsv	3290900a145f...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_Tab1.tsv	46548bf6efe6...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_TabGroups.tsv	10b206283989...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_TabIndividuals.tsv	eb69084bcd34...
pkdb_models/models/pravastatin/data/pravastatin/Maeda2006/.Maeda2006_TabInterventions.tsv	ee9779e318e9...
pkdb_models/models/pravastatin/data/pravastatin/Martin2012/.Martin2012_Fig1.tsv	8ff4ce42ec16...
pkdb_models/models/pravastatin/data/pravastatin/Martin2012/.Martin2012_Tab1.tsv	8cbf3e16d2c9...
pkdb_models/models/pravastatin/data/pravastatin/Martin2012/.Martin2012_TabGroups.tsv	e8f732820f90...
pkdb_models/models/pravastatin/data/pravastatin/Martin2012/.Martin2012_TabInterventions.tsv	48c80b64af55...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_Fig1.tsv	b18787c7d102...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_Fig2.tsv	47b1868759f2...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_Fig3.tsv	19df6bde7f6a...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_Tab2.tsv	939172db0118...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_Tab3.tsv	f20663e04eb5...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_Tab6.tsv	ac8882ba68bd...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_TabGroups.tsv	f91f084d1b21...
pkdb_models/models/pravastatin/data/pravastatin/Mellies1993/.Mellies1993_TabInterventions.tsv	35409accfa7f...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_Fig1.tsv	d5250637f5a8...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_Fig2_AUC.tsv	8137108c8733...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_Fig2_Ae.tsv	de53f1af0c08...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_Fig2_Ae_Mean.tsv	b6c802dd5116...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_Tab2.tsv	5313214ed91c...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_TabGroups.tsv	9c5f44069a67...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_TabIndividuals.tsv	b4a374716d73...
pkdb_models/models/pravastatin/data/pravastatin/Mwinyi2004/.Mwinyi2004_TabInterventions.tsv	a7a3907c5a84...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Fig1.tsv	9b10da89e9a9...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Fig2.tsv	aefb65d8c75b...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Fig3.tsv	f3e1d0af4ba6...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Fig4.tsv	33e0ef8e5017...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Fig5.tsv	e5c402e6d3bd...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab1.tsv	afcdf1f12793...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab1_mean.tsv	f04d7fb21c9f...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab2.tsv	79b79af2f272...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab2_mean.tsv	f3afd8125673...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab3.tsv	67c57d7beb23...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab3_mean.tsv	5ececd9f0ead...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab4.tsv	ae2eec12b872...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_Tab4_mean.tsv	6c9195052cde...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_TabGroups.tsv	65b6ca7868ee...
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_TabIndividuals.tsv	6b3c13e0adba...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Nakaya1987/.Nakaya1987_TabInterventions.tsv	75d7a9d0af09...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_Fig1.tsv	abdf0398859e...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_Fig2.tsv	fd2f4c21ec23...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_Tab2.tsv	3460fff34f24...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_Tab3.tsv	1913d6da2e9b...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_Tab4.tsv	6c6a1937c6a3...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_Tab5.tsv	6c6a1937c6a3...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_TabGroups.tsv	9f792f73cbe9...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_TabIndividuals.tsv	8f282bcc2ed2...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2004/.Niemi2004_TabInterventions.tsv	c491749f22fb...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2006/.Niemi2006_Fig1.tsv	18595e29cfee...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2006/.Niemi2006_Tab3.tsv	78ce89f7e483...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2006/.Niemi2006_TabGroups.tsv	20604019c149...
pkdb_models/models/pravastatin/data/pravastatin/Niemi2006/.Niemi2006_TabInterventions.tsv	628400d76a3c...
pkdb_models/models/pravastatin/data/pravastatin/Nishizato2003/.Nishizato2003_Fig1.tsv	c78ad4f12126...
pkdb_models/models/pravastatin/data/pravastatin/Nishizato2003/.Nishizato2003_Tab6.tsv	c357a4fb7940...
pkdb_models/models/pravastatin/data/pravastatin/Nishizato2003/.Nishizato2003_Tab6b.tsv	4ba06bd97656...
pkdb_models/models/pravastatin/data/pravastatin/Nishizato2003/.Nishizato2003_TabGroups.tsv	146434af8b01...
pkdb_models/models/pravastatin/data/pravastatin/Nishizato2003/.Nishizato2003_TabInterventions.tsv	2f440bd2be5a...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_Fig1.tsv	b36502f9f8e3...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_Fig2.tsv	e6ac9366b490...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_Fig3.tsv	7587e363f7af...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_Tab1.tsv	5f488c9a9fc8...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_Tab2.tsv	30550563351d...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_TabGroups.tsv	6ee963917dc4...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990/.Pan1990_TabInterventions.tsv	b219c654c2b6...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_Fig2.tsv	db7e440aece5...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_Fig3.tsv	80c301f91f14...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_Tab1.tsv	6ed5587936ca...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_Tab2.tsv	fe8c08e6ab8d...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_Tab3.tsv	614ebad1ea59...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_TabGroups.tsv	9db6e5ebf437...
pkdb_models/models/pravastatin/data/pravastatin/Pan1990a/.Pan1990a_TabInterventions.tsv	d7c2c92b481d...
pkdb_models/models/pravastatin/data/pravastatin/Pan1993a/.Pan1993a_Fig1.tsv	df3ba598652a...
pkdb_models/models/pravastatin/data/pravastatin/Pan1993a/.Pan1993a_Tab2.tsv	4276f31417c9...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Pan1993a/.Pan1993a_Tab3.tsv	2195777c8f74...
pkdb_models/models/pravastatin/data/pravastatin/Pan1993a/.Pan1993a_TabGroups.tsv	20290f9c5253...
pkdb_models/models/pravastatin/data/pravastatin/Pan1993a/.Pan1993a_TabIndividuals.tsv	c8aa826940b8...
pkdb_models/models/pravastatin/data/pravastatin/Pan1993a/.Pan1993a_TabInterventions.tsv	e6e213f15c97...
pkdb_models/models/pravastatin/data/pravastatin/Pan2000/.Pan2000_Fig1.tsv	7946b4f5c157...
pkdb_models/models/pravastatin/data/pravastatin/Pan2000/.Pan2000_Fig2.tsv	863d786b5161...
pkdb_models/models/pravastatin/data/pravastatin/Pan2000/.Pan2000_Tab2.tsv	59ef411d70bc...
pkdb_models/models/pravastatin/data/pravastatin/Pan2000/.Pan2000_TabGroups.tsv	5f3bb48c8c56...
pkdb_models/models/pravastatin/data/pravastatin/Pan2000/.Pan2000_TabInterventions.tsv	1e33c4a3345a...
pkdb_models/models/pravastatin/data/pravastatin/Raasch1991/.Raasch1991_Tab1.tsv	e7220782a9db...
pkdb_models/models/pravastatin/data/pravastatin/Raasch1991/.Raasch1991_Tab2.tsv	6fb4f6076c4d...
pkdb_models/models/pravastatin/data/pravastatin/Raasch1991/.Raasch1991_TabGroups.tsv	52d69e2da5bb...
pkdb_models/models/pravastatin/data/pravastatin/Raasch1991/.Raasch1991_TabInterventions.tsv	f1e41fa294bf...
pkdb_models/models/pravastatin/data/pravastatin/Reihner1990/.Reihner1990_Tab1.tsv	ea5e962a160b...
pkdb_models/models/pravastatin/data/pravastatin/Reihner1990/.Reihner1990_Tab2.tsv	bfca8418d8ae...
pkdb_models/models/pravastatin/data/pravastatin/Reihner1990/.Reihner1990_TabGroups.tsv	bb99db185d66...
pkdb_models/models/pravastatin/data/pravastatin/Reihner1990/.Reihner1990_TabInterventions.tsv	b199da09aeb8...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_Fig1.tsv	a7c9149efa71...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_Fig2.tsv	b2afe6d4cb10...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_Tab1.tsv	9e71a4fdab3c...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_Tab2.tsv	98bf15cd6fd8...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_Tab3.tsv	132c15423f04...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_Tab4.tsv	c214dbb0ca00...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_TabGroups.tsv	edc110e15d5e...
pkdb_models/models/pravastatin/data/pravastatin/Saito1988/.Saito1988_TabInterventions.tsv	4ca03ecad14a...
pkdb_models/models/pravastatin/data/pravastatin/Sigurbjoernsson1998/.Sigurbjoernsson1998_Fig3.tsv	81b13fa2e66d...
pkdb_models/models/pravastatin/data/pravastatin/Sigurbjoernsson1998/.Sigurbjoernsson1998_Fig4.tsv	3c6b6f4283da...
pkdb_models/models/pravastatin/data/pravastatin/Sigurbjoernsson1998/.Sigurbjoernsson1998_Fig5.tsv	267a87085602...
pkdb_models/models/pravastatin/data/pravastatin/Sigurbjoernsson1998/.Sigurbjoernsson1998_Tab2.tsv	250fcfef060c...
pkdb_models/models/pravastatin/data/pravastatin/Sigurbjoernsson1998/.Sigurbjoernsson1998_Tab3.tsv	8bce3af69506...
pkdb_models/models/pravastatin/data/pravastatin/Sigurbjoernsson1998/.Sigurbjoernsson1998_TabA.tsv	db3c59916658...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_Fig1.tsv	100c12e1a618...

File	SHA-256
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_Fig2.tsv	30b100faf749...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_Fig3.tsv	031bbf3fa29b...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_Fig4.tsv	4268e82f1a5e...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_Tab2.tsv	78c5c7b9fcff...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_Tab3.tsv	7ce54f12587d...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_TabGroups.tsv	e659f6d5b4fb...
pkdb_models/models/pravastatin/data/pravastatin/Simons1992/.Simons1992_TabInterventions.tsv	48be9ef3ddb5...
pkdb_models/models/pravastatin/data/pravastatin/Singhvi1990/.Singhvi1990_Fig2.tsv	76b721b77377...
pkdb_models/models/pravastatin/data/pravastatin/Singhvi1990/.Singhvi1990_FigA.tsv	fbfee5077aba...
pkdb_models/models/pravastatin/data/pravastatin/Singhvi1990/.Singhvi1990_Tab1.tsv	425585e2ae6e...
pkdb_models/models/pravastatin/data/pravastatin/Singhvi1990/.Singhvi1990_TabGroups.tsv	9dbb010176ca...
pkdb_models/models/pravastatin/data/pravastatin/Singhvi1990/.Singhvi1990_TabInterventions.tsv	8c9cfb68cb76...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_Fig3B.tsv	244f3225724e...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_Fig4.tsv	78f517985578...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_Fig5.tsv	47c2460c42a7...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_Tab1.tsv	56f166de4994...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_TabGroups.tsv	5c59354f5ffa...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_TabIndividuals.tsv	6873f24091d7...
pkdb_models/models/pravastatin/data/pravastatin/Wu2012/.Wu2012_TabInterventions.tsv	571b038bc00a...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig1.tsv	f7c178f8f440...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig2.tsv	80a256833a0b...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig3.tsv	659e757647e3...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig4.tsv	04c5673f24ae...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab1.tsv	646d4374acaf...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab2.tsv	2070882a8dc1...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab3.tsv	bcf5e60c105a...
pkdb_models/models/pravastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab4.tsv	12144430f87a...
pkdb_models/models/pravastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_Fig1.tsv	40fa7cd91001...
pkdb_models/models/pravastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_Tab1.tsv	e06f8a7d70c3...
pkdb_models/models/pravastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_TabGroups.tsv	7807b045fa02...

File	SHA-256
pkdb_models/models/pravastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_TabInterventions.tsv	f6467616be2c...
pkdb_models/models/pravastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Fig1.tsv	3b25664799a9...
pkdb_models/models/pravastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Fig3.tsv	924b4ab33795...
pkdb_models/models/pravastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Tab2.tsv	4ebcc9758800...
pkdb_models/models/pravastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Tab3.tsv	23a30440fb61...
pkdb_models/models/pravastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Tab4.tsv	738072fbfde9...
pkdb_models/models/pravastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_TabIndividuals.tsv	8bbc67a11551...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Fig1.tsv	00a2a8e116ab...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Fig2.tsv	1a1542cec9b8...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab1.tsv	9cc1c9a3e215...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab1M.tsv	c641bf819afb...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab2.tsv	debce0c823b1...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab2M.tsv	f8839682a98e...
pkdb_models/models/pravastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_TabIndividuals.tsv	eea3aa7d8039...
pkdb_models/models/pravastatin/models/output/models/pravastatin_body_pravastatin_flat.xml	ff76256ba263...

2 Results: Pravastatin PBPK/PD model: fit PK

2.1 Parameters

Table 2: Parameters of the fit PK_20261019_164944__7b050, the parameter set PK_20261019_164944__7b050_0, cost 53.5, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
LI__PRAIM_Vmax	Vmax for pravastatin import via OATP1B1	0.00492 [0.00235, 0.0124]	mmol/min/l	[0.0005, 0.1]	yes
KI__PRAEX_f	renal clearance of unbound pravastatin relative to the GFR	16.6 [11.7, 23.5]	dimensionless	[1, 60]	yes
GU__F_pra_abs	fraction absorbed pravastatin (fasted)	0.217 [0.148, 0.368]	dimensionless	[0.05, 0.9]	yes
GU__PRAABS_k	rate of pravastatin leaving the intestinal lumen	0.0219 [0.0154, 0.0433]	1/min	[0.001, 0.5]	yes

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
GU__Ka_dis_pra	Ka_dis [1/hr] dissolution pravastatin	2.01 [1.07, 3.21]	1/hr	[0.1, 20]	yes
Kp_pra	tissue/plasma partition coefficient pra	0.173 [0.0893, 0.285]	dimensionless	[0.05, 3]	yes

2.2 Data

Table 3: Data of the fit PK_20261019_164944__7b050: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Becquemont1999	1 (11)	-	-	1 (11)
Deng2008	1 (11)	1 (11)	-	2 (22)
Gustavson2005	-	3 (33)	-	3 (33)
Halstenson1992	2 (11)	6 (33)	-	8 (44)
Ho2007	1 (6)	2 (12)	-	3 (18)
Jacobson2004	1 (10)	6 (46)	-	7 (56)
Keskitalo2009	1 (11)	2 (22)	-	3 (33)
Kyrklund2003a	2 (13)	2 (13)	-	4 (26)
Kyrklund2004	2 (13)	2 (13)	-	4 (26)
Maeda2006	1 (10)	3 (31)	-	4 (41)
Mwinyi2004	2 (15)	4 (30)	-	6 (45)
Neuvonen1998	1 (8)	1 (8)	-	2 (16)
Niemi2004	1 (8)	5 (40)	-	6 (48)
Niemi2006	-	1 (9)	-	1 (9)
Nishizato2003	-	9 (49)	-	9 (49)
Pan1990	-	3 (33)	-	3 (33)
Pan1990a	-	1 (11)	-	1 (11)
Pan1993a	2 (23)	3 (36)	-	5 (59)
Pan2000	1 (8)	1 (9)	-	2 (17)
Sigurbjoernsson1998	-	3 (28)	-	3 (28)
Singhvi1990	4 (18)	4 (8)	-	8 (26)
Sugimoto2001	1 (8)	1 (8)	-	2 (16)
Wu2012	1 (12)	1 (12)	-	2 (24)
Total	25 (196)	64 (495)	-	89 (691)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PK_20261019_164944__7b050 per kind of data, the parameter set PK_20261019_164944__7b050_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	196	53.5	3.96e-08	0.000199	0.542	0.739	0.974	58.1	−3328.9	−3309.3
validation	495	-	4.45e-07	0.000667	0.898	1.31	0.864	51.5	−7227.8	−7202.5

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PK_20261019_164944__7b050. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Cost of the optimization runs, ordered, fit PK_20261019_164944__7b050. The final cost of the runs, ordered. A flat plateau at the left is the global optimum found repeatedly, which is the evidence that the multistart converged; steps to the right are local minima.




Figure 3: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PK_20261019_164944__7b050. Within twofold of the data are 104 of the 179 training data points (58.1%) and 233 of the 452 validation data points (51.5%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R², its normalized RMSE, the RMSE of the residuals of the cost and the percentage of its points within twofold.




Figure 4: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PK_20261019_164944__7b050. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 5: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PK_20261019_164944__7b050. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PK_20261019_164944__7b050: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PK_20261019_164944__7b050`
Created	2026-10-19 14:49:46 UTC
Seed	1234
Python	3.14.4
sbmlsim	0.10.0
libRoadRunner	2.10.0
SciPy	1.18.1
NumPy	2.5.3
Repository	`/home/mkoenig/git/pkdb_models-pravastatin`
Commit	`e1e02fef314e1e8288458c9fb8b49792b8c726a7`
Uncommitted changes	no

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.10.0.

[2] R. Storn and K. Price, "Differential evolution - a simple and efficient heuristic for global optimization over continuous spaces," *Journal of Global Optimization*, vol. 11, pp. 341–359, 1997, doi: 10.1023/A:1008202821328.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] M. D. McKay, R. J. Beckman, and W. J. Conover, "A comparison of three methods for selecting values of input variables in the analysis of output from a computer code," *Technometrics*, vol. 21, no. 2, pp. 239–245, 1979, doi: 10.2307/1268522.

[5] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.10.0.

[6] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[7] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[8] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[9] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[10] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[11] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[12] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[13] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.3.