Simvastatin PBPK/PD model: fit PD

1 Methods: Simvastatin PBPK/PD model: fit PD

1.1 Parameters and data

1 parameter was optimized: Ki HMG-CoA for simvastatin Kcatacid and simvastatin metabolites (`LI__HMGCOAREDUCTASE_Ki_simacid`). The parameters of the adopted fit PK_20261020_132206__ce0a9 were fixed at their fitted values.

A fit mapping is a curve of a study, the data and the observable of the model it is compared with. The fit has 30 fit mappings of training data with 99 data points, whose residuals enter the objective; and 45 fit mappings of validation data with 133 data points, which were simulated and evaluated with the fitted parameters but not fitted. The fit was set up and run with sbmlsim [1].

1.2 Objective function

The parameters were estimated by minimizing the objective function

$$F(\vec{p}) = \frac{1}{2} \sum_k \sum_i \rho\left(w_{i,k} r_{i,k}(\vec{p})^2\right) \tag{1}$$

where k runs over the fit mappings of the training data and i over their data points, $r_{i,k}$ is the residual, $w_{i,k} = w_k w^p_{i,k}$ the weight of the data point and ρ the loss function, applied to the squared weighted residual $z = w_{i,k} r^2_{i,k}$. The loss function is linear, $\rho(z) = z$, i.e. a standard least squares problem.

The residuals are normalized by the mean $\overline{y}_k$ of the data of their curve, which makes curves of different quantities and magnitudes comparable:

$$r_{i,k} = \frac{y_{i,k} - f_{k(x_{i,k},\vec{p})}}{\overline{y}_k} \tag{2}$$

The weight of curve k is $w_k = \frac{n_k}{N_k}$, the weight n_k of its fit mapping (the weight its fit mapping collection assigns, 1 by default, or, for a collection which uses the weights of its mappings, the weight of the mapping, by default the number of subjects of its data) divided by the number N_k of its data points.

A data point is weighted with the inverse of its coefficient of variation, $w^p_{i,k} = |y_{i,k} \frac{|}{\sigma_{i,k}}$, with $\sigma_{i,k}$ the standard deviation of the data point, or its standard error for data without a standard deviation. An error of zero is missing, a missing error of a curve with errors is replaced by the largest error of the curve, and the data points of a curve without errors have the weight $w^p_{i,k} = 2$, the weight of a coefficient of variation of 0.5.

1.3 Optimization

The optimizer searched the parameters in log10 space within their bounds; bounds, values and intervals are given in the units of the fit parameters, the units of the table of the parameters.

The objective was minimized in 3 runs with differential evolution [2] of SciPy [3] within the bounds of the parameters, with the strategy `best1bin`, a population of 15 times the number of parameters, at most 1000 generations, the relative tolerance 0.01 of convergence, the recombination constant 0.7 and a mutation dithered between 0.5 and 1. The initial population of a run was drawn by latin hypercube sampling [4], with a seed of every run derived from the seed 1234 of the fit. The best member of the final population was polished with the L-BFGS-B method of SciPy.

The convergence of the runs was assessed from the traces of their cost and the waterfall plot of their final costs, and the parameter set with the lowest cost was used.

The models were simulated with libRoadRunner [5] and its integrator CVODE [6] with the relative tolerance 10^{-6} and the absolute tolerances 10^{-10} of an amount, 10^{-10} of a concentration and 10^{-6} of the other states, which for a species in a concentration is multiplied by the initial volume of its compartment. It ran with the variable step size of libRoadRunner, i.e. with an output at every step of the integrator. A data point at the time of a change after the start of a simulation, e.g. a dose or the reset of a collection, was compared with the state before the change, except the first data point of a curve with data at later times, which starts a collection and was compared with the state after the change.

1.4 Goodness of fit

The goodness of fit is given per kind of data (training data and validation data) by metrics over its n data points with the residuals $e_i = y_i - f\left(x_i, \hat{\vec{p}}\right)$ at the fitted parameters $\hat{\vec{p}}$, the mean squared error, its root and the root mean squared error normalized by the mean $\overline{y}_{k(i)}$ of the data of the curve of a point:

$$\mathrm{MSE} = \frac{1}{n}\sum_{i=1}^{n} e_i^2, \quad \mathrm{RMSE} = \sqrt{\mathrm{MSE}}, \quad \mathrm{NRMSE} = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\left(\frac{e_i}{\overline{y}_{k(i)}}\right)^2} \tag{3}$$

The root mean square of the residuals of the objective, i.e. what the fit minimizes, and the coefficient of determination:

$$\mathrm{RMSE}_w = \sqrt{\frac{1}{n}\sum_{i=1}^{n}\rho(w_i r_i^2)}, \quad R^2 = 1 - \frac{\sum_i e_i^2}{\sum_i \left(y_i - \overline{y}\right)^2} \tag{4}$$

The predictions of a non-linear model are no linear regression of the data, so R^2 can be negative: the prediction is worse than the mean of the data. The information criteria of Akaike [7] and Schwarz [8] with the number n_p of fitted parameters are those of a least squares fit with normally distributed residuals, up to an additive constant, so only differences between models fitted to the same data are meaningful:

$$\mathrm{AIC} = n\ln(\mathrm{MSE}) + 2n_p, \quad \mathrm{BIC} = n\ln(\mathrm{MSE}) + n_p\ln(n) \tag{5}$$

The percentage of the data points whose prediction $f_i = f\left(x_i, \hat{\vec{p}}\right)$ lies within twofold of the data is taken over the n_+ data points with positive data $y_i > 0$ and a positive prediction $f_i > 0$; the others have no ratio and are not counted, and a kind of data without such a point has no percentage:

$$P_2 = \frac{100}{n_+}\left|\left\{i : \frac{1}{2} \le \frac{f_i}{y_i} \le 2\right\}\right| \tag{6}$$

The goodness of fit plot shows the predictions against the data on logarithmic axes, with the lines of twofold $f = 2y$ and $f = \frac{y}{2}$. The Bland-Altman plot [9] shows the ratio of prediction and data as $d_i = \log_{10}\left(\frac{f_i}{y_i}\right)$ against the geometric mean $\sqrt{f_i y_i}$ for the data points with positive values, with the bias $\overline{d}$ and the limits of agreement $\overline{d} \pm 1.96 s_d$, with the sample standard deviation s_d of d_i, of the training data; they are read as the fold factors $10^{\overline{d}}$ and $10^{\overline{d} \pm 1.96 s_d}$.

1.5 Identifiability

The identifiability of the parameters was analysed with the profile likelihood [10], [11]. The profile of a parameter is the lowest objective with the parameter fixed:

$$\mathrm{PL}(p_j) = \min_{p_{l \ne j}} F(\vec{p}) \tag{7}$$

At every point of a scan the other parameters were re-optimized from the previous point with the least squares optimizer of SciPy with the relative step 0.05. A scan ran from the optimum in both directions in the space of the optimizer, with steps in decades of the parameter, starting at 0.1. A step which raised the objective by more than 0.2 of the distance between the objective at the optimum and the threshold was reduced by the factor 2 and repeated, down to 0.01, and the step after one which raised it by less than that divided by the factor was enlarged by the factor, up to 1. A scan stopped at the threshold, at the bound of the parameter, at a point which failed or after 50 points.

The confidence intervals are the values at which the profile crosses the threshold of the likelihood ratio test

$$F_{\mathrm{thr}} = F_{\mathrm{min}} + \chi^2_\alpha \frac{\mathrm{df}}{2} \tag{8}$$

with F_{min} the lowest objective of the fit and of all profiles and $\chi^2_\alpha(\mathrm{df})$ the quantile of the χ^2 distribution at the confidence level $\alpha = 0.95$ with df = 1 degrees of freedom, i.e. 1.92 above the lowest objective. The threshold has this confidence level if F is the negative log-likelihood of the data up to a constant, i.e. if the weighted residuals are independent and normally distributed with unit variance; otherwise the level is approximate. A crossing is interpolated between two points of the profile, on the logarithm of a parameter on a logarithmic scale. A parameter is identifiable if its profile reaches the threshold within the scan on both sides of the optimum, i.e. its confidence interval is finite; practically non-identifiable towards the lower bound if its profile reaches the threshold above the optimum but not below it within the scan, which ends at the lower bound or after 50 points; practically non-

identifiable towards the upper bound if its profile reaches the threshold below the optimum but not above it within the scan, which ends at the upper bound or after 50 points; practically non-identifiable if its profile reaches the threshold on neither side within the scans, which end at the bounds or after 50 points, and is not flat; and structurally non-identifiable if its profile is flat on both sides. A side of a profile is flat if it rises by less than 0.05 of the distance between the lowest objective and the threshold, and a profile with a point which failed or did not converge is not classified. The profile likelihood is preferred over the intervals of the Fisher information, its intervals are invariant under a transformation of the parameters and can be asymmetric [12].

The Fisher information is the local alternative to the profiles: it is the Gauss-Newton approximation of the curvature of the objective at the optimum, from the Jacobian J of the weighted residuals of the training data with respect to the parameters $\vec{p}$ in the space of the optimizer, computed by central finite differences with the step $h_j = \varepsilon \max(|p_j|, 1),\ \varepsilon = 10^{-6}$ of the parameter p_j:

$$I = J^\top J, \quad \mathrm{cov} = \sigma^2 I^{-1}, \quad \sigma^2 = \frac{2F}{n - n_p} \tag{9}$$

with the number n of data points of the training data and the number n_p of parameters. The information has rank 1 of 1, the number of its eigenvalues above 10^{-8} of the largest one, and the condition number 1; the covariance of an information of a lower rank is computed with the pseudo-inverse. The Wald intervals are $\hat{p}_j \pm t_{\frac{1+\alpha}{2}, n-n_p} \mathrm{SE}_j$ with the standard errors $\mathrm{SE}_j = \sqrt{\mathrm{cov}_{jj}}$ at the confidence level $\alpha = 0.95$, transformed back into the units of the fit parameters.

1.6 Provenance

The fit PD_20261020_133635__e8729 was run on 2026-10-20 11:36:41 UTC with sbmlsim 0.10.0 [1], libRoadRunner 2.10.0 [5], SciPy 1.18.1 [3], NumPy 2.5.3 [13] and Python 3.14.4 (seed 1234). The models and data were those of commit `d9eb34fa4de632b0cef06333c1eefbe7ec14af58` of `/home/mkoenig/git/pkdb_models-simvastatin` their SHA-256 checksums are listed in Table 1. The fit kept the values `Ka_dis_simva` = 0.603596, `LI__SIMVA_CYP3A4_Vmax` = 0.0713719, `LI__ESTERASE_Vmax` = $3.55 \cdot 10^{-4}$, `LI__SIMACIDIMP_Vmax` = $1.56 \cdot 10^{-4}$, `ftissue_simva` = 1.37428, `Kp_simva` = 5.87362 and `LI__EHC_simmets_k` = 3.02803 of the model fixed.

Table 1: SHA-256 checksums of the models and data of the fit PD_20261020_133635__e8729, their first 12 characters; the full checksums are in the provenance of the result (optimization_result.json).

File	SHA-256
pkdb_models/models/simvastatin/data/cholesterol/Crouse1999/.Crouse1999_Fig1.tsv	374c2de5f28b...
pkdb_models/models/simvastatin/data/cholesterol/Crouse1999/.Crouse1999_Tab1.tsv	83b6e4aa1fe8...
pkdb_models/models/simvastatin/data/cholesterol/Crouse1999/.Crouse1999_TabGroups.tsv	fe2a95d8bcfc...
pkdb_models/models/simvastatin/data/cholesterol/Crouse1999/.Crouse1999_TabInterventions.tsv	ea3b7e7ef1ed...
pkdb_models/models/simvastatin/data/cholesterol/Davidson1997/.Davidson1997_Fig1.tsv	fcd6e3d45b9d...
pkdb_models/models/simvastatin/data/cholesterol/Davidson1997/.Davidson1997_Fig2.tsv	4e6aada9f299...
pkdb_models/models/simvastatin/data/cholesterol/Davidson1997/.Davidson1997_Tab1.tsv	08a1ae284edd...
pkdb_models/models/simvastatin/data/cholesterol/Davidson1997/.Davidson1997_TabGroups.tsv	1069ebddabb4...
pkdb_models/models/simvastatin/data/cholesterol/Davidson1997/.Davidson1997_TabIndividuals.tsv	8bdadf218ef0...
pkdb_models/models/simvastatin/data/cholesterol/Davidson1997/.Davidson1997_TabInterventions.tsv	8a3c8f31e9c4...
pkdb_models/models/simvastatin/data/cholesterol/Geiss2002/.Geiss2002_Fig1.tsv	0f20ad78e5f4...
pkdb_models/models/simvastatin/data/cholesterol/Geiss2002/.Geiss2002_Tab1.tsv	7c557fd74775...
pkdb_models/models/simvastatin/data/cholesterol/Geiss2002/.Geiss2002_Tab2.tsv	0320e9edc7a1...
pkdb_models/models/simvastatin/data/cholesterol/Geiss2002/.Geiss2002_TabGroups.tsv	9c21efd4e374...

File	SHA-256
pkdb_models/models/simvastatin/data/cholesterol/Geiss2002/.Geiss2002_TabInterventions.tsv	d4e0d1c48c48...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_Fig1.tsv	a2a077d6e108...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_Fig2.tsv	e8542d45b97f...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_Tab2.tsv	3bb0207ae7c8...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_Tab3.tsv	7735e21972fd...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_Tab4.tsv	105e9cfd07ac...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_TabGroups.tsv	83d5770c6c47...
pkdb_models/models/simvastatin/data/cholesterol/Isaacsohn2003/.Isaacsohn2003_TabInterventions.tsv	d12769c0c90c...
pkdb_models/models/simvastatin/data/cholesterol/Jones1998a/.Jones1998a_Tab1_2.tsv	d654cb84d535...
pkdb_models/models/simvastatin/data/cholesterol/Jones1998a/.Jones1998a_TabGroups.tsv	570f8ad50870...
pkdb_models/models/simvastatin/data/cholesterol/Jones1998a/.Jones1998a_TabInterventions.tsv	2d454845cd93...
pkdb_models/models/simvastatin/data/cholesterol/Keech1994/.Keech1994_Fig1.tsv	074d42ae5fe8...
pkdb_models/models/simvastatin/data/cholesterol/Keech1994/.Keech1994_Tab3.tsv	f93929734bc7...
pkdb_models/models/simvastatin/data/cholesterol/Keech1994/.Keech1994_Tab4.tsv	e6643920d771...
pkdb_models/models/simvastatin/data/cholesterol/Keech1994/.Keech1994_TabGroups.tsv	0720b158dd85...
pkdb_models/models/simvastatin/data/cholesterol/Keech1994/.Keech1994_TabInterventions.tsv	9b14157d73be...
pkdb_models/models/simvastatin/data/cholesterol/Kosoglou2002/.Kosoglou2002_Tab3.tsv	e8bff09f16b2...
pkdb_models/models/simvastatin/data/cholesterol/Kosoglou2002/.Kosoglou2002_Tab4.tsv	d9db6b5bdfd8...
pkdb_models/models/simvastatin/data/cholesterol/Kosoglou2002/.Kosoglou2002_TabGroups.tsv	76dd98ce59e9...
pkdb_models/models/simvastatin/data/cholesterol/Kosoglou2002/.Kosoglou2002_TabInterventions.tsv	3161eb8a4efa...
pkdb_models/models/simvastatin/data/cholesterol/Li2003/.Li2003_Tab2.tsv	6c81a2e33618...
pkdb_models/models/simvastatin/data/cholesterol/Li2003/.Li2003_Tab3.tsv	30f88a57ba3c...
pkdb_models/models/simvastatin/data/cholesterol/Li2003/.Li2003_TabGroups.tsv	9995be29f5c4...
pkdb_models/models/simvastatin/data/cholesterol/Li2003/.Li2003_TabInterventions.tsv	91687efc896d...
pkdb_models/models/simvastatin/data/cholesterol/Loria1993/.Loria1993_Tab2.tsv	7597329041d0...
pkdb_models/models/simvastatin/data/cholesterol/Loria1993/.Loria1993_Tab3.tsv	79ae0175e42c...
pkdb_models/models/simvastatin/data/cholesterol/Loria1993/.Loria1993_Tab3B.tsv	853019871071...
pkdb_models/models/simvastatin/data/cholesterol/Loria1993/.Loria1993_TabGroups.tsv	6eccb7ba788b...
pkdb_models/models/simvastatin/data/cholesterol/Loria1993/.Loria1993_TabIndividuals.tsv	a0b2d60bd16e...

File	SHA-256
pkdb_models/models/simvastatin/data/cholesterol/Loria1993/.Loria1993_TabInterventions.tsv	9d611b2ce7e9...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig1.tsv	ff7b648f051c...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig2.tsv	763c9d988e52...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig3.tsv	441d04524d2e...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig4.tsv	f256158f5d99...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig5.tsv	bd9dec6c96f1...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig6.tsv	6db82021d6a7...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Fig7.tsv	394f953f80eb...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Tab1.tsv	0fb145fe84f1...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Tab2.tsv	df2c20b2954a...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Tab3.tsv	c8eb46a88ca4...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Tab4.tsv	555c774ddc30...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Tab5.tsv	7623c484c878...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_Tab6.tsv	b8071d83a7ea...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_TabGroups.tsv	dbb502ce213b...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_TabIndividuals.tsv	556433bf3f21...
pkdb_models/models/simvastatin/data/cholesterol/Moelgaard1988/.Moelgaard1988_TabInterventions.tsv	6fe507b4782c...
pkdb_models/models/simvastatin/data/cholesterol/Mol1986/.Mol1986_Fig1.tsv	70819f519441...
pkdb_models/models/simvastatin/data/cholesterol/Mol1986/.Mol1986_Tab1.tsv	3c67661d1383...
pkdb_models/models/simvastatin/data/cholesterol/Mol1986/.Mol1986_Tab2.tsv	5732a675e1b7...
pkdb_models/models/simvastatin/data/cholesterol/Mol1986/.Mol1986_Tab3.tsv	ae203caf61e2...
pkdb_models/models/simvastatin/data/cholesterol/Mol1986/.Mol1986_TabGroups.tsv	5254543cf6b0...
pkdb_models/models/simvastatin/data/cholesterol/Mol1986/.Mol1986_TabInterventions.tsv	2ac905fc5dee...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_Fig1.tsv	89acb7b043cc...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_Tab1.tsv	2a0f7e222162...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_Tab2.tsv	76462c79defe...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_Tab3.tsv	bf986056b841...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_Tab4.tsv	42ba710c35e2...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_TabGroups.tsv	af92d3a82e6e...
pkdb_models/models/simvastatin/data/cholesterol/Mol1988/.Mol1988_TabInterventions.tsv	cb3d22264c1c...

File	SHA-256
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_Fig1.tsv	b483f0426bd4...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_Tab2.tsv	dcf31c56541a...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_Tab3.tsv	01be814af81c...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_Tab4.tsv	695607eee8ce...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_Tab5.tsv	95c0734cb643...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_Tab6.tsv	f171d26d5162...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_TabGroups.tsv	50963f325554...
pkdb_models/models/simvastatin/data/cholesterol/Ntanios1999/.Ntanios1999_TabInterventions.tsv	e90904709032...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_Fig1.tsv	e7cdc00a7f84...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_Fig2.tsv	7e52c9a4937e...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_Tab1.tsv	bac6f5641aba...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_Tab2.tsv	f429770a7632...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_TabGroups.tsv	0adb333f9454...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_TabIndividuals.tsv	2d367a3f9ece...
pkdb_models/models/simvastatin/data/cholesterol/Owens1991/.Owens1991_TabInterventions.tsv	210a70b8b1f1...
pkdb_models/models/simvastatin/data/cholesterol/Pietro1989/.Pietro1989_Fig1.tsv	b7282befdeae...
pkdb_models/models/simvastatin/data/cholesterol/Pietro1989/.Pietro1989_Tab2.tsv	e3bc0d8e1f9c...
pkdb_models/models/simvastatin/data/cholesterol/Pietro1989/.Pietro1989_Tab3.tsv	5a2306e4fe41...
pkdb_models/models/simvastatin/data/cholesterol/Pietro1989/.Pietro1989_TabGroups.tsv	00ddff5f045e...
pkdb_models/models/simvastatin/data/cholesterol/Pietro1989/.Pietro1989_TabInterventions.tsv	e922eedb9153...
pkdb_models/models/simvastatin/data/cholesterol/Recto2000/.Recto2000_Fig2.tsv	a2aae05e14e2...
pkdb_models/models/simvastatin/data/cholesterol/Recto2000/.Recto2000_Tab2.tsv	55550db8c322...
pkdb_models/models/simvastatin/data/cholesterol/Recto2000/.Recto2000_TabGroups.tsv	822555f14333...
pkdb_models/models/simvastatin/data/cholesterol/Recto2000/.Recto2000_TabInterventions.tsv	8917eb76d7fc...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab10.tsv	27bd2412b87f...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab12.tsv	d26c2144b1eb...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab13.tsv	a6d2989eb841...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab14.tsv	4559cbf9f4bf...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab16.tsv	b5bc487a865b...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab6.tsv	bcc82ca003b5...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab8.tsv	aeb80e8476ed...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_Tab9.tsv	65fd92f2bfcd...
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_TabGroups.tsv	65e164b5c011...

File	SHA-256
pkdb_models/models/simvastatin/data/cholesterol/Saito1991/.Saito1991_TabInterventions.tsv	7325e8a9f6e0...
pkdb_models/models/simvastatin/data/cholesterol/Sivkov2021/.Sivkov2021_Fig2.tsv	a3d833fca278...
pkdb_models/models/simvastatin/data/cholesterol/Sivkov2021/.Sivkov2021_Fig3.tsv	ecc9dafb844b...
pkdb_models/models/simvastatin/data/cholesterol/Sivkov2021/.Sivkov2021_Tab3.tsv	b1b30e22c354...
pkdb_models/models/simvastatin/data/cholesterol/Sivkov2021/.Sivkov2021_Tab4.tsv	b39b03207234...
pkdb_models/models/simvastatin/data/cholesterol/Sivkov2021/.Sivkov2021_TabGroups.tsv	f6309313dc17...
pkdb_models/models/simvastatin/data/cholesterol/Sivkov2021/.Sivkov2021_TabInterventions.tsv	0ad24ad581f7...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig1.tsv	c80ea79114f6...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig2.tsv	d91d66f480ef...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig3.tsv	007240caf63d...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig3a.tsv	8f184444b780...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig3b.tsv	81cab85dd460...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig3c.tsv	f32fb0894c57...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig4.tsv	b06798dbf5af...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig4a.tsv	434c482ed1a2...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig4b.tsv	e06b1d1853b6...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig5.tsv	ff63693c52e9...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig5a.tsv	e1be6dd0a72e...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig5b.tsv	b3872a2ee178...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Fig5c.tsv	2d680913c9e3...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Tab1.tsv	45b049a7900e...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Tab12.tsv	ba4b7a370e23...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_Tab2.tsv	5e99bc370845...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_TabData.tsv	ddca8bec6280...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_TabGroups.tsv	64ced4dbc070...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_TabI.tsv	2014a6d23b0e...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_TabIndividuals.tsv	52f51e2e4034...
pkdb_models/models/simvastatin/data/cholesterol/Stern2000/.Stern2000_TabInterventions.tsv	bd56a20461d0...
pkdb_models/models/simvastatin/data/cholesterol/Tuomilehto1995/.Tuomilehto1995_Fig1.tsv	5865c621ea45...
pkdb_models/models/simvastatin/data/cholesterol/Tuomilehto1995/.Tuomilehto1995_Fig2.tsv	65fc4743173f...
pkdb_models/models/simvastatin/data/cholesterol/Tuomilehto1995/.Tuomilehto1995_TabGroups.tsv	1c793709e76d...
pkdb_models/models/simvastatin/data/cholesterol/Tuomilehto1995/.Tuomilehto1995_TabInterventions.tsv	fe571fc99b75...
pkdb_models/models/simvastatin/data/cholesterol/Walker1990/.Walker1990_Tab2.tsv	a67ff7a62c46...
pkdb_models/models/simvastatin/data/cholesterol/Walker1990/.Walker1990_Tab3.tsv	f4c3d0508da9...
pkdb_models/models/simvastatin/data/cholesterol/Walker1990/.Walker1990_TabGroups.tsv	9b55c278ff8e...

File	SHA-256
pkdb_models/models/simvastatin/data/cholesterol/Walker1990/.Walker1990_TabInterventions.tsv	0b4d02f022d9...
pkdb_models/models/simvastatin/data/simvastatin/Backman2000/.Backman2000_Fig1.tsv	ecbd2467cf3c...
pkdb_models/models/simvastatin/data/simvastatin/Backman2000/.Backman2000_Tab1.tsv	4a3998b7a17e...
pkdb_models/models/simvastatin/data/simvastatin/Backman2000/.Backman2000_Tab2.tsv	9a2400df8e24...
pkdb_models/models/simvastatin/data/simvastatin/Backman2000/.Backman2000_TabI.tsv	69732bcdd92c...
pkdb_models/models/simvastatin/data/simvastatin/Backman2000/.Backman2000_TabIndividuals.tsv	69732bcdd92c...
pkdb_models/models/simvastatin/data/simvastatin/Bergman2004/.Bergman2004_Fig1.tsv	eba5e1f2e634...
pkdb_models/models/simvastatin/data/simvastatin/Bergman2004/.Bergman2004_Fig2.tsv	79fda60b1905...
pkdb_models/models/simvastatin/data/simvastatin/Bergman2004/.Bergman2004_Tab1.tsv	092c4df34e70...
pkdb_models/models/simvastatin/data/simvastatin/Bergman2004/.Bergman2004_Tab2.tsv	58b0c9827bbd...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1992/.Cheng1992_Fig1.tsv	500cd81d4819...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1992/.Cheng1992_Fig2.tsv	60b06be164a7...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1992/.Cheng1992_Tab1.tsv	616744764720...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1992/.Cheng1992_Tab2.tsv	35380d28b8f9...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1994/.Cheng1994_Fig2.tsv	bbc27204e409...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1994/.Cheng1994_Tab1.tsv	186118c7c660...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1994/.Cheng1994_Tab2.tsv	c5ef1b8ecafc...
pkdb_models/models/simvastatin/data/simvastatin/Cheng1994/.Cheng1994_TabIndividuals.tsv	5d671372b3d8...
pkdb_models/models/simvastatin/data/simvastatin/Chung2006/.Chung2006_Fig2.tsv	5a906b99d646...
pkdb_models/models/simvastatin/data/simvastatin/Chung2006/.Chung2006_Fig3.tsv	def7288079d9...
pkdb_models/models/simvastatin/data/simvastatin/Chung2006/.Chung2006_Tab1.tsv	9c56536451c5...
pkdb_models/models/simvastatin/data/simvastatin/Chung2006/.Chung2006_Tab2.tsv	b9e4177f2b3d...
pkdb_models/models/simvastatin/data/simvastatin/Chung2006/.Chung2006_Tab3.tsv	36bdc6d525e7...
pkdb_models/models/simvastatin/data/simvastatin/Gehin2015/.Gehin2015_Fig3.tsv	b94b2105f099...
pkdb_models/models/simvastatin/data/simvastatin/Gehin2015/.Gehin2015_Fig4.tsv	d27a6b45efa4...
pkdb_models/models/simvastatin/data/simvastatin/Gehin2015/.Gehin2015_Tab1.tsv	4fc022c058d4...
pkdb_models/models/simvastatin/data/simvastatin/Gehin2015/.Gehin2015_TabI.tsv	7917f5285d26...
pkdb_models/models/simvastatin/data/simvastatin/Harvey2018/.Harvey2018_Fig1.tsv	4bbcfe47b02a...
pkdb_models/models/simvastatin/data/simvastatin/Harvey2018/.Harvey2018_Tab2.tsv	97100437b334...
pkdb_models/models/simvastatin/data/simvastatin/Hsyu2001/.Hsyu2001_Fig1.tsv	2a61f0714adf...
pkdb_models/models/simvastatin/data/simvastatin/Hsyu2001/.Hsyu2001_Fig2.tsv	15055dee606f...
pkdb_models/models/simvastatin/data/simvastatin/Hsyu2001/.Hsyu2001_Fig3.tsv	a97b20842ccd...
pkdb_models/models/simvastatin/data/simvastatin/Hsyu2001/.Hsyu2001_Tab1.tsv	2c4d1fb239bc...
pkdb_models/models/simvastatin/data/simvastatin/Hsyu2001/.Hsyu2001_TabI.tsv	3f66700cfc2e...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig1.tsv	7188c4452040...

File	SHA-256
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig2.tsv	80a256833a0b...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig3.tsv	7044e8ac9a22...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Fig4.tsv	6c556b15e3d4...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab1.tsv	646d4374acaf...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab2.tsv	2070882a8dc1...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab3.tsv	bcf5e60c105a...
pkdb_models/models/simvastatin/data/simvastatin/Jacobson2004/.Jacobson2004_Tab4.tsv	12144430f87a...
pkdb_models/models/simvastatin/data/simvastatin/Jiang2017/.Jiang2017_Fig2.tsv	f4d8829e61e9...
pkdb_models/models/simvastatin/data/simvastatin/Jiang2017/.Jiang2017_TabS2.tsv	8b333442dba1...
pkdb_models/models/simvastatin/data/simvastatin/Kantola1998/.Kantola1998_Fig1.tsv	fd392a69818b...
pkdb_models/models/simvastatin/data/simvastatin/Kantola1998/.Kantola1998_Tab1.tsv	1ad1d8609b7a...
pkdb_models/models/simvastatin/data/simvastatin/Kantola1998/.Kantola1998_Tab2.tsv	733cf5dfce5c...
pkdb_models/models/simvastatin/data/simvastatin/Kantola1998/.Kantola1998_TabI.tsv	5f032c3df015...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2008/.Keskitalo2008_Fig1.tsv	31e4ff124429...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2008/.Keskitalo2008_Tab1.tsv	7e5ac796a253...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2008/.Keskitalo2008_Tab2.tsv	8d4fcddcbb42...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2008/.Keskitalo2008_TabGroups.tsv	a4e1dac2cf11...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2008/.Keskitalo2008_TabInterventions.tsv	9b342c239d43...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_Fig1.tsv	823c762f1b9e...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_Tab1.tsv	e06f8a7d70c3...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_TabGroups.tsv	7807b045fa02...
pkdb_models/models/simvastatin/data/simvastatin/Keskitalo2009/.Keskitalo2009_TabInterventions.tsv	f6467616be2c...
pkdb_models/models/simvastatin/data/simvastatin/Kim2007/.Kim2007_Fig1.tsv	b20199aa2fc9...
pkdb_models/models/simvastatin/data/simvastatin/Kim2007/.Kim2007_Fig2.tsv	2d635a6718f0...
pkdb_models/models/simvastatin/data/simvastatin/Kim2007/.Kim2007_Tab2.tsv	96e80a979791...
pkdb_models/models/simvastatin/data/simvastatin/Kim2007/.Kim2007_TabGroups.tsv	5c37036fbb17...
pkdb_models/models/simvastatin/data/simvastatin/Kim2007/.Kim2007_TabIndividuals.tsv	dead8e0f95b2...
pkdb_models/models/simvastatin/data/simvastatin/Kim2007/.Kim2007_TabInterventions.tsv	5d0d9d1486eb...

File	SHA-256
pkdb_models/models/simvastatin/data/simvastatin/Kim2019/.Kim2019_Fig2.tsv	065d8f048cb2...
pkdb_models/models/simvastatin/data/simvastatin/Kim2019/.Kim2019_Tab1.tsv	226bb7d4598e...
pkdb_models/models/simvastatin/data/simvastatin/Kim2019/.Kim2019_Tab2.tsv	808fd5fa233e...
pkdb_models/models/simvastatin/data/simvastatin/Kyrklund2000/.Kyrklund2000_Fig1.tsv	41aedacfc654...
pkdb_models/models/simvastatin/data/simvastatin/Kyrklund2000/.Kyrklund2000_Fig2.tsv	56989dcda9fd...
pkdb_models/models/simvastatin/data/simvastatin/Kyrklund2000/.Kyrklund2000_Tab1.tsv	1486d23a504e...
pkdb_models/models/simvastatin/data/simvastatin/Kyrklund2000/.Kyrklund2000_TabIndividuals.tsv	89f81ad09aea...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_Fig1.tsv	6b34fa549a04...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_Fig2a.tsv	68c0ea2f1dfe...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_Fig2b.tsv	e377e639d0ba...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_Tab2.tsv	2842701f5b6e...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_Tab3.tsv	b37a88a2b167...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_TabI.tsv	4bdfb0a3553b...
pkdb_models/models/simvastatin/data/simvastatin/Lilja1998/.Lilja1998_TabIndividuals.tsv	4bdfb0a3553b...
pkdb_models/models/simvastatin/data/simvastatin/Lilja2000/.Lilja2000_Fig1.tsv	8492c7051692...
pkdb_models/models/simvastatin/data/simvastatin/Lilja2000/.Lilja2000_Tab1.tsv	51714e30e758...
pkdb_models/models/simvastatin/data/simvastatin/Lilja2000/.Lilja2000_Tab2.tsv	7342d0414bdf...
pkdb_models/models/simvastatin/data/simvastatin/Lilja2004/.Lilja2004_Fig1.tsv	b2f21aa212a8...
pkdb_models/models/simvastatin/data/simvastatin/Lilja2004/.Lilja2004_Tab1.tsv	df2d1b1b57be...
pkdb_models/models/simvastatin/data/simvastatin/Lohitnavy2004/.Lohitnavy2004_Fig1.tsv	97eb6de936c0...
pkdb_models/models/simvastatin/data/simvastatin/Lohitnavy2004/.Lohitnavy2004_Tab1.tsv	01c9753d2c0e...
pkdb_models/models/simvastatin/data/simvastatin/Marino2000/.Marino2000_Fig1.tsv	0fdd35adaea3...
pkdb_models/models/simvastatin/data/simvastatin/Marino2000/.Marino2000_Tab2.tsv	ce44651157b9...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Fig1.tsv	76ff9c2f48b9...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Tab1.tsv	b484a724939c...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Tab1M.tsv	1604a512c248...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Tab2.tsv	aebb5b3d9642...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Tab2M.tsv	1e3673d0de87...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Tab3.tsv	9ca00d809d4d...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_Tab3M.tsv	29f77a149654...
pkdb_models/models/simvastatin/data/simvastatin/Mousa2000/.Mousa2000_TabIndividuals.tsv	ca061e8344a2...
pkdb_models/models/simvastatin/data/simvastatin/Najib2003/.Najib2003_Fig1.tsv	bae8419bc544...
pkdb_models/models/simvastatin/data/simvastatin/Najib2003/.Najib2003_Fig2.tsv	1252ff169847...
pkdb_models/models/simvastatin/data/simvastatin/Najib2003/.Najib2003_Tab1.tsv	98a9f1f79912...
pkdb_models/models/simvastatin/data/simvastatin/Najib2003/.Najib2003_Tab2.tsv	1a02d5fd89db...
pkdb_models/models/simvastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Fig1.tsv	868ddb1955bd...
pkdb_models/models/simvastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Fig3.tsv	924b4ab33795...

File	SHA-256
pkdb_models/models/simvastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Tab2.tsv	4ebcc9758800...
pkdb_models/models/simvastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Tab3.tsv	23a30440fb61...
pkdb_models/models/simvastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_Tab4.tsv	738072fbfde9...
pkdb_models/models/simvastatin/data/simvastatin/Neuvonen1998/.Neuvonen1998_TabIndividuals.tsv	8bbc67a11551...
pkdb_models/models/simvastatin/data/simvastatin/Nishio2005/.Nishio2005_Fig1.tsv	5bba34e06277...
pkdb_models/models/simvastatin/data/simvastatin/Nishio2005/.Nishio2005_Fig2.tsv	d77cefe1ead9...
pkdb_models/models/simvastatin/data/simvastatin/Nishio2005/.Nishio2005_Tab2.tsv	c8eeaf29ed98...
pkdb_models/models/simvastatin/data/simvastatin/Nishio2005/.Nishio2005_Tab3.tsv	044577458592...
pkdb_models/models/simvastatin/data/simvastatin/Nishio2005/.Nishio2005_TabGroups.tsv	0d4d2a9c3c7a...
pkdb_models/models/simvastatin/data/simvastatin/Nishio2005/.Nishio2005_TabInterventions.tsv	14f6423cc45c...
pkdb_models/models/simvastatin/data/simvastatin/OBrien2003/.OBrien2003_Fig1.tsv	df1a3164c060...
pkdb_models/models/simvastatin/data/simvastatin/OBrien2003/.OBrien2003_Fig3.tsv	2c33234eb9c4...
pkdb_models/models/simvastatin/data/simvastatin/OBrien2003/.OBrien2003_Tab2.tsv	ae623f0e281b...
pkdb_models/models/simvastatin/data/simvastatin/OBrien2003/.OBrien2003_Tab3.tsv	935d727aafc9...
pkdb_models/models/simvastatin/data/simvastatin/OBrien2003/.OBrien2003_TabIndividuals.tsv	bd0cad6e90ae...
pkdb_models/models/simvastatin/data/simvastatin/Pasanen2006/.Pasanen2006_Fig1.tsv	4bc00ddb6fed...
pkdb_models/models/simvastatin/data/simvastatin/Pasanen2006/.Pasanen2006_Fig2.tsv	fae90b975547...
pkdb_models/models/simvastatin/data/simvastatin/Pasanen2006/.Pasanen2006_Tab2.tsv	8352d5fd312b...
pkdb_models/models/simvastatin/data/simvastatin/Pasanen2006/.Pasanen2006_TabIndividuals.tsv	febccbeda8ba...
pkdb_models/models/simvastatin/data/simvastatin/Pentikainen1992/.Pentikainen1992_Fig1.tsv	b18508dd7ce5...
pkdb_models/models/simvastatin/data/simvastatin/Pentikainen1992/.Pentikainen1992_Tab1.tsv	f1ff8ad9d1bb...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_Fig1.tsv	cd7ec6a49726...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_Fig2.tsv	c733b6352fcd...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_Fig3.tsv	6468eb0cc3a5...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_Fig4.tsv	1b20d4f1830c...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_Tab1.tsv	269acad5af0d...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_Tab2.tsv	1899d8f45fe7...
pkdb_models/models/simvastatin/data/simvastatin/Prueksaritanont2001/.Prueksaritanont2001_TabIndividuals.tsv	a7b77ceaafc5...
pkdb_models/models/simvastatin/data/simvastatin/Simard2001/.Simard2001_Fig1.tsv	99eb0a25d718...
pkdb_models/models/simvastatin/data/simvastatin/Simard2001/.Simard2001_Fig2.tsv	b540991a073a...

File	SHA-256
pkdb_models/models/simvastatin/data/simvastatin/Simard2001/.Simard2001_Fig3.tsv	60405f18fd80...
pkdb_models/models/simvastatin/data/simvastatin/Simard2001/.Simard2001_Tab1.tsv	7c16287c0efc...
pkdb_models/models/simvastatin/data/simvastatin/Simard2001/.Simard2001_Tab2.tsv	2ae63a3f5519...
pkdb_models/models/simvastatin/data/simvastatin/Simard2001/.Simard2001_TabI.tsv	8908dd3a7e73...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Fig1.tsv	72fe70e8215e...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Fig2.tsv	5e321203b681...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab1.tsv	9cc1c9a3e215...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab1M.tsv	c641bf819afb...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab2.tsv	debce0c823b1...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_Tab2M.tsv	f8839682a98e...
pkdb_models/models/simvastatin/data/simvastatin/Sugimoto2001/.Sugimoto2001_TabIndividuals.tsv	eea3aa7d8039...
pkdb_models/models/simvastatin/data/simvastatin/TubicGrozdanis2008/.TubicGrozdanis2008_Fig4.tsv	774a13f61f98...
pkdb_models/models/simvastatin/data/simvastatin/TubicGrozdanis2008/.TubicGrozdanis2008_Fig5.tsv	e36a5393833c...
pkdb_models/models/simvastatin/data/simvastatin/TubicGrozdanis2008/.TubicGrozdanis2008_Tab1.tsv	c5f6a020a445...
pkdb_models/models/simvastatin/data/simvastatin/TubicGrozdanis2008/.TubicGrozdanis2008_Tab3.tsv	8683f203ad1b...
pkdb_models/models/simvastatin/data/simvastatin/Ucar2004/.Ucar2004_Fig1.tsv	ed0abf1321ac...
pkdb_models/models/simvastatin/data/simvastatin/Ucar2004/.Ucar2004_Tab1.tsv	41e77f053886...
pkdb_models/models/simvastatin/data/simvastatin/Ucar2004/.Ucar2004_Tab2.tsv	78a73f59a838...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig1a.tsv	8c2648465709...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig1b.tsv	e92e3418bf33...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig2a.tsv	4188e430fe3d...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig2b.tsv	a51b040a11ae...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig3a.tsv	54886c34fd85...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig3b.tsv	7b7dd6ec402a...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig4.tsv	9d85a3ba6ab2...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig5a.tsv	430e35475116...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Fig5b.tsv	deb85129161e...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_TabData.tsv	55edb1f88124...

File	SHA-256
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_TabGroups.tsv	4b0f575ed4ed...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_TabIndividuals.tsv	283648480dbc...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_TabInterventions.tsv	705aba06ceb4...
pkdb_models/models/simvastatin/data/simvastatin/Watanabe2004/.Watanabe2004_Tabx.tsv	1bc585e283d2...
pkdb_models/models/simvastatin/data/simvastatin/Zhi2003/.Zhi2003_Fig1.tsv	e693aa37bb14...
pkdb_models/models/simvastatin/data/simvastatin/Zhi2003/.Zhi2003_Tab3.tsv	4cede8c6ab6a...
pkdb_models/models/simvastatin/data/simvastatin/Zhou2013/.Zhou2013_Fig1.tsv	5ebf6be2f586...
pkdb_models/models/simvastatin/data/simvastatin/Zhou2013/.Zhou2013_Tab1.tsv	1312b23ac6ee...
pkdb_models/models/simvastatin/data/simvastatin/Zhou2013/.Zhou2013_TabA.tsv	23e2ed443fc1...
pkdb_models/models/simvastatin/data/simvastatin/Ziviani2001/.Ziviani2001_Fig2.tsv	cec65dd8f894...
pkdb_models/models/simvastatin/data/simvastatin/Ziviani2001/.Ziviani2001_Fig3.tsv	e82f63b62b96...
pkdb_models/models/simvastatin/data/simvastatin/Ziviani2001/.Ziviani2001_Tab1.tsv	396391b2e500...
pkdb_models/models/simvastatin/models/output/models/simvastatin_body_flat.xml	f822973eea62...

2 Results: Simvastatin PBPK/PD model: fit PD

2.1 Parameters

Table 2: Parameters of the fit PD_20261020_133635__e8729, the parameter set PD_20261020_133635__e8729_0, cost 30.3, with their bounds in the optimization. The 95% confidence intervals are those of the profile likelihood, LB and UB an interval which is open towards the lower or the upper bound, and the Wald intervals of the Fisher information for a parameter without a profile. Identifiable is the classification of the profile: yes, no (LB) or no (UB) if the profile does not reach the threshold towards the lower or the upper bound, no if it reaches it on neither side, structural if it is flat.

Parameter	Description	Value [95% CI]	Unit	Bounds	Identifiable
LI__HMGCOAREDUCTASE_Ki_simacid	Ki HMGCoA for simvastatin Kcatacid and simvastatin metabolites	9.17e-07 [7.62e-07, 1.11e-06]	mmol/l	[1e-07, 1e-05]	yes

2.2 Data

Table 3: Data of the fit PD_20261020_133635__e8729: the number of fit mappings and, in parentheses, of data points per study and kind. The training data enters the cost, the validation data and the outliers are evaluated only.

Study	Training	Validation	Outlier	Total
Crouse1999	2 (4)	-	-	2 (4)
Davidson1997	-	3 (3)	-	3 (3)
Geiss2002	-	2 (4)	-	2 (4)
Isaacsohn2003	-	4 (8)	-	4 (8)
Jones1998a	3 (6)	-	-	3 (6)
Keech1994	2 (4)	4 (26)	-	6 (30)
Kosoglou2002	2 (4)	1 (2)	-	3 (6)
Li2003	-	2 (4)	-	2 (4)

Study	Training	Validation	Outlier	Total
Loria1993	-	1 (3)	-	1 (3)
Moelgaard1988	2 (14)	-	-	2 (14)
Mol1986	6 (16)	1 (2)	-	7 (18)
Mol1988	-	4 (20)	-	4 (20)
Ntanios1999	-	1 (5)	-	1 (5)
Owens1991	-	3 (12)	-	3 (12)
Pietro1989	2 (10)	-	-	2 (10)
Recto2000	-	2 (4)	-	2 (4)
Saito1991	2 (8)	7 (17)	-	9 (25)
Sivkov2021	-	8 (16)	-	8 (16)
Tuomilehto1995	5 (25)	1 (5)	-	6 (30)
Walker1990	4 (8)	1 (2)	-	5 (10)
Total	30 (99)	45 (133)	-	75 (232)

2.3 Goodness of fit

Table 4: Goodness of fit of the fit PD_20261020_133635__e8729 per kind of data, the parameter set PD_20261020_133635__e8729_0. The cost is defined on the training data only, 2-fold is the percentage of the data points with a positive value and prediction whose prediction is within twofold of the data.

Kind	n	cost	MSE	RMSE	NRMSE	RMSE_w	R^2	2-fold [%]	AIC	BIC
training	99	30.3	0.59	0.768	0.152	0.782	0.817	100.0	−50.3	−47.7
validation	133	-	0.237	0.487	0.118	0.947	0.909	100.0	−189.6	−186.7

2.4 Figures




Figure 1: Cost of the optimizers over their steps, fit PD_20261020_133635__e8729. The cost of every optimization run over its steps. Runs which end at the same cost found the same optimum; a run which stops much higher is stuck in a local minimum.




Figure 2: Cost of the optimization runs, ordered, fit PD_20261020_133635__e8729. The final cost of the runs, ordered. A flat plateau at the left is the global optimum found repeatedly, which is the evidence that the multistart converged; steps to the right are local minima.




Figure 3: Prediction against the measured data points, per kind of fit mapping, with the agreement of the training data, the lines of twofold and the metrics of the panel, fit PD_20261020_133635__e8729. Within twofold of the data are 99 of the 99 training data points (100.0%) and 133 of the 133 validation data points (100.0%); only the data points with a positive value and prediction are counted. Prediction against measurement, one point per data point, with a panel per kind of fit mapping. The points scatter around the diagonal when the model describes the data; a systematic deviation from it is a systematic error of the model. The band is the agreement of the training data, i.e. the same band the Bland-Altman plot draws, here as lines parallel to the diagonal. The dark red dotted lines are twofold, prediction = 2 x measurement and prediction = measurement / 2; the caption states the points between them of every kind. A point which is zero or negative is not drawn on the logarithmic axes and not counted, the title of a panel then states the points drawn of all. The validation panel shows how the fit describes data it was not fitted on, the outlier panel the data the fit dropped. The box of a panel carries its R², its normalized RMSE, the RMSE of the residuals of the cost and the percentage of its points within twofold.




Figure 4: Agreement of prediction and measurement as a ratio, per kind of fit mapping, with the agreement of the training data and the agreement of the panel, fit PD_20261020_133635__e8729. The ratio of prediction and measurement over the geometric mean of the two, i.e. the goodness of fit with the diagonal turned into the horizontal. The band is the same, the bias and the limits of agreement `bias ± 1.96 SD` of the training data as fold factors. A bias away from 1 is a systematic over- or underprediction, wide limits are a large scatter, and a trend over the mean is a model which describes the large or the small values better. The box of a panel carries the bias and the SD of its own points as fold factors and the share of them inside the limits of agreement of the training data.




Figure 5: Profile likelihood of every parameter: the cost with the parameter fixed and the other parameters optimized, the threshold of the confidence level and the confidence interval, fit PD_20261020_133635__e8729. One profile per parameter. A profile which crosses the dashed threshold on both sides gives a finite confidence interval; one which stays below it up to a bound is practically non-identifiable; a flat profile is structurally non-identifiable, the parameter is compensated by the others.

2.5 Provenance

Table 5: Provenance of the fit PD_20261020_133635__e8729: the versions it ran with and the revision of its models and data; the SHA-256 checksums of the models and data are listed in Table 1.

Item	Value
Fit	`PD_20261020_133635__e8729`
Created	2026-10-20 11:36:41 UTC
Seed	1234
Python	3.14.4
sbmlsim	0.10.0
libRoadRunner	2.10.0
SciPy	1.18.1
NumPy	2.5.3
Repository	`/home/mkoenig/git/pkdb_models-simvastatin`
Commit	`d9eb34fa4de632b0cef06333c1eefbe7ec14af58`
Uncommitted changes	no

Bibliography

[1] M. König, "sbmlsim: SBML simulation made easy." Zenodo, 2026. doi: 10.5281/zenodo.3597770. Version 0.10.0.

[2] R. Storn and K. Price, "Differential evolution - a simple and efficient heuristic for global optimization over continuous spaces," *Journal of Global Optimization*, vol. 11, pp. 341–359, 1997, doi: 10.1023/A:1008202821328.

[3] P. Virtanen *et al.*, "SciPy 1.0: fundamental algorithms for scientific computing in Python," *Nature Methods*, vol. 17, pp. 261–272, 2020, doi: 10.1038/s41592-019-0686-2. Version 1.18.1.

[4] M. D. McKay, R. J. Beckman, and W. J. Conover, "A comparison of three methods for selecting values of input variables in the analysis of output from a computer code," *Technometrics*, vol. 21, no. 2, pp. 239–245, 1979, doi: 10.2307/1268522.

[5] C. Welsh, J. Xu, L. Smith, M. König, K. Choi, and H. M. Sauro, "libRoadRunner 2.0: a high performance SBML simulation and analysis library," *Bioinformatics*, vol. 39, no. 1, p. btac770, 2023, doi: 10.1093/bioinformatics/btac770. Version 2.10.0.

[6] A. C. Hindmarsh *et al.*, "SUNDIALS: suite of nonlinear and differential/algebraic equation solvers," *ACM Transactions on Mathematical Software*, vol. 31, no. 3, pp. 363–396, 2005, doi: 10.1145/1089014.1089020.

[7] H. Akaike, "A new look at the statistical model identification," *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974, doi: 10.1109/TAC.1974.1100705.

[8] G. Schwarz, "Estimating the dimension of a model," *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978, doi: 10.1214/aos/1176344136.

[9] J. M. Bland and D. G. Altman, "Statistical methods for assessing agreement between two methods of clinical measurement," *The Lancet*, vol. 327, no. 8476, pp. 307–310, 1986, doi: 10.1016/S0140-6736(86)90837-8.

[10] A. Raue *et al.*, "Structural and practical identifiability analysis of partially observed dynamical models by exploiting the profile likelihood," *Bioinformatics*, vol. 25, no. 15, pp. 1923–1929, 2009, doi: 10.1093/bioinformatics/btp358.

[11] C. Kreutz, A. Raue, D. Kaschek, and J. Timmer, "Profile likelihood in systems biology," *The FEBS Journal*, vol. 280, no. 11, pp. 2564–2571, 2013, doi: 10.1111/febs.12276.

[12] F.-G. Wieland, A. L. Hauber, M. Rosenblatt, C. Tönsing, and J. Timmer, "On structural and practical identifiability," *Current Opinion in Systems Biology*, vol. 25, pp. 60–69, 2021, doi: 10.1016/j.coisb.2021.03.005.

[13] C. R. Harris *et al.*, "Array programming with NumPy," *Nature*, vol. 585, pp. 357–362, 2020, doi: 10.1038/s41586-020-2649-2. Version 2.5.3.