Create a lesson

User story

As a Mimo language teacher, I want to create a private lesson draft for a selected learner and organise editable activities into topic modules, so that I can prepare material around the learner's goal and pick up my work later.

A lesson is the plan for one learner. A module groups activities around a topic, and a block is an individual piece of teaching or practice content within a module. This story runs from opening a new lesson to reopening the saved draft. Teachers can start from scratch, reuse content, or ask AI for suggestions. Applying changes to a learner-facing lesson is a separate action.

Feature (card)	Business rules	Acceptance criteria	Acceptance tests (Gherkin)
Create a lesson	**BR1 · One-to-one tutoring.** A tutoring session is between one teacher and one learner. A learner-specific lesson is associated with one learner.	**AC1 · Start a private draft.** From the selected learner's preparation context, New lesson opens a distinct draft with the learner's language and level, and their goal as the initial outcome. Starting from scratch adds no copied activities and leaves existing lessons and templates intact.	**Feature: Create and save a private Mimo lesson draft** @AC1 @AC2 @AC8 **Scenario: Build and reopen a lesson without AI** Given Lea is learning English at B1 and wants to handle a hotel check-in And AI assistance is unavailable When the teacher starts a new lesson for Lea from scratch Then a distinct private draft opens with English, B1 and Lea's goal And it contains no copied activities And existing lessons and templates are unchanged When the teacher adds the title "Hotel check-in" and changes the outcome to "Ask about breakfast" And adds the modules "Arrival" and "Breakfast" in that order And adds and edits two blocks in "Arrival" And saves and reopens the draft on the same device Then the same draft retains Lea, the title, the new outcome and the ordered modules and blocks And the draft is unavailable to Lea

Feature (card)	Business rules	Acceptance criteria	Acceptance tests (Gherkin)

Create and organise topic modules		**AC2 · Build and edit modules.** The teacher can enter a lesson title and edit its outcome, create multiple topic modules, and add, edit, remove, and reorder blocks within each module without AI.
		
		AC10 · Reorder modules. The teacher can change the order of topic modules within the draft. Saving and reopening preserves the new order and each module's blocks.
			`@AC2 @AC10`
			`Scenario: Create and reorder topic modules`
			`Given the teacher is editing a private lesson draft without AI`
			`When the teacher creates "Arrival" and "Breakfast" in that order`
			`And adds a greeting block to "Arrival" and a menu block to "Breakfast"`
			`And moves "Breakfast" before "Arrival"`
			`And saves and reopens the draft`
			`Then "Breakfast" appears before "Arrival"`
			`And the menu and greeting blocks remain in their respective modules`

Add, move and remove blocks		**AC3 · Place blocks with a pointer or keyboard.** Dragging over a valid position shows an insertion marker and dropping places the block there. Cancelling a drag or dropping outside a valid area leaves the module unchanged. The teacher can also add, move, and remove blocks using the keyboard, with changes announced to screen-reader users.	`@AC2 @AC3`
			`Scenario: Insert and reorder blocks by dragging`
			`Given the module contains "Text" followed by "Audio"`
			`When the teacher drags "Image" between those blocks`
			`Then the insertion marker appears between "Text" and "Audio"`
			`When the teacher drops "Image" and then moves "Audio" to the top`
			`Then the order is "Audio", "Text", "Image"`
			
			`@AC3`
			`Scenario Outline: Abandon a drag without changing the module`
			`Given the teacher is dragging a block in a module with two blocks`
			`When the teacher <action>`
			`Then the original two blocks remain in their original order`
			
			`Examples:`
			`| action |`
			`| presses Escape |`
			`| releases the block outside the canvas |`
			
			`@AC2 @AC3`
			`Scenario: Add, move and remove a block using the keyboard`
			`Given the module contains "Text" followed by "Audio"`
			`When the teacher adds "Question" using the keyboard`
			`And moves it between "Text" and "Audio" using the keyboard`
			`Then "Question" is in position 2 of 3`
			`And the screen reader announces the addition and move`
			`When the teacher removes "Question" using the keyboard`
			`Then "Text" and "Audio" remain in their original order`
			`And the screen reader announces the removal`

Feature (card)	Business rules	Acceptance criteria	Acceptance tests (Gherkin)

Configure teaching and practice blocks		**AC11 · Configure block content.** The teacher can add and edit teaching content such as text, images, audio and vocabulary, and practice content such as a question or quiz. Preview displays the content entered for each block.	`@AC11`
			`Scenario: Preview vocabulary and a practice question`
			`Given the teacher has an empty "Arrival" module`
			`When the teacher adds a vocabulary block with the phrase "Check in"`
			`And adds a practice question with the prompt "What is your surname?"`
			`And opens the lesson preview`
			`Then preview displays "Check in" in the vocabulary block`
			`And the next block displays "What is your surname?"`

Start from a template or ready-made content		**AC4 · Reuse content independently.** Starting a module from a template or ready-made course content produces an editable copy. Edits to the copy leave the source unchanged.	`@AC4`
			`Scenario Outline: Edit reused content without changing its source`
			`Given a <source> contains an "Introduction" block`
			`When the teacher starts a module from that source and renames the copied block to "Introductions at work"`
			`Then the draft contains "Introductions at work"`
			`And the source still contains "Introduction"`
			`Examples:`
			`| source |`
			`| module template |`
			`| ready-made course item |`

Preview the lesson		**AC5 · Preview current work.** Preview shows the current blocks, content, and sequence, including unsaved edits. Opening preview leaves the saved version unchanged.	`@AC5`
			`Scenario: Preview an unsaved change in block order`
			`Given the saved module contains "Introduction" followed by "Practice"`
			`And the teacher has moved "Practice" before "Introduction" in the editor`
			`When the teacher opens preview`
			`Then preview shows both blocks and their content with "Practice" first`
			`And the saved module still starts with "Introduction"`

Feature (card)	Business rules	Acceptance criteria	Acceptance tests (Gherkin)

Review optional AI suggestions	**BR2 · Teacher responsibility.** The teacher is responsible for lesson content and chooses whether to use AI. AI suggestions can change the draft only after the teacher accepts them.	**AC6 · Review AI suggestions.** Suggestions can be reviewed before any content changes. Accepting a suggestion changes the draft. Rejecting it preserves the current content.	`@AC6`
			`Scenario Outline: Decide whether an AI suggestion changes the draft`
			`Given the teacher is reviewing a suggestion to add a "Role-play" block`
			`And the draft has no "Role-play" block`
			`When the teacher <decision> the suggestion`
			`Then the draft <outcome> a "Role-play" block`
			`Examples:`
			`| decision | outcome |`
			`| accepts | contains |`
			`| rejects | does not contain |`

Undo and redo block edits		**AC7 · Reverse block edits.** Undo reverses the most recent block addition, edit, removal, or move. Redo restores that change unless the teacher has made a new edit. The controls are unavailable when there is no corresponding action.	`@AC7`
			`Scenario: Restore a deleted block and clear redo after a new edit`
			`Given the teacher has removed "Vocabulary" from between "Intro" and "Practice"`
			`When the teacher chooses Undo`
			`Then "Vocabulary" returns to the same position with its original content`
			`When the teacher chooses Redo`
			`Then "Vocabulary" is removed again`
			`When the teacher chooses Undo and edits the restored block`
			`Then Redo is unavailable`

Save and reopen a private draft	**BR3 · Privacy and sharing.** Draft lesson material is private. Only material explicitly approved for sharing by the teacher can be made available to the intended learner.	**AC8 · Save and reopen privately.** A successful save preserves the same draft, learner, title, outcome, module order, and block content and order when reopened on the same device. The teacher can save unfinished work. The saved draft remains private and leaves any previously applied lesson unchanged.	`@AC8`
			`Scenario: Save unfinished preparation`
			`Given a private draft has a title and a module with no blocks`
			`When the teacher saves and reopens it on the same device`
			`Then the same private draft retains the title and empty module`
			`And any previously applied lesson remains unchanged`

Feature (card)	Business rules	Acceptance criteria	Acceptance tests (Gherkin)
Recover from a failed save		**AC9 · Recover from a failed save.** If saving fails, the editor reports the failure and retains the current edits for retry. The last saved version stays intact. A successful retry saves the retained edits to the same draft without creating another lesson.	`@AC9` **Scenario: Keep edits after a failed save and retry** Given the draft has a saved outcome of "Handle a hotel check-in" And the teacher changes it to "Ask about breakfast" When the teacher saves and storage rejects the write Then the editor reports the failed save and retains "Ask about breakfast" And the saved outcome is still "Handle a hotel check-in" When the teacher retries after storage recovers Then reopening the same draft shows "Ask about breakfast" And no duplicate lesson exists

Apply changes to an existing learner lesson	**BR4 · Publication terms.** A student-facing lesson requires a valid duration and price, with explicit confirmation if the lesson is free. Teachers can prepare and save private drafts before setting those terms.	**AC12 · Apply an approved update.** After the teacher explicitly approves the revised content for sharing, Apply changes updates the existing lesson for its intended learner. The applied version contains the updated modules and block order.
		AC13 · Check readiness before applying. If required content or teaching terms are missing or invalid, Apply changes identifies what needs attention. The teacher can return to the draft, and the existing learner-facing version stays available.
			`@AC12`
			Scenario: Apply approved changes to the existing lesson
			Given Lea's current lesson shows "Hello"
			And the teacher has approved the revision containing "Good morning" for sharing
			And the lesson has complete required content and valid teaching terms
			When the teacher selects Apply changes
			Then Lea's existing lesson shows "Good morning"
			`@AC13`
			Scenario: Keep the current lesson when publishing terms are missing
			Given the teacher has revised Lea's lesson
			And the teaching profile has no valid price
			When the teacher selects Apply changes
			Then the editor identifies the missing price
			And the teacher can return to the draft with their edits
			And Lea still sees the previous applied version

Restrict learner access to the assigned lesson	**BR5 · Assigned learner access.** A learner may access only lesson material assigned and approved for them.	**AC14 · Enforce learner assignment.** The intended learner can open the approved lesson. Another learner cannot open that lesson, including through a direct link.	`@AC14` **Scenario: Deny another learner access to the applied lesson** Given a lesson has been approved and applied for Lea When Lea opens the lesson link Then Lea can read the applied lesson When another learner opens the same link Then access is denied

Edge cases and open questions

Edge cases	Open questions
Week and duplicate lessons. A teacher prepares another lesson for the same learner and week.	Demi ties each lesson to one learner and one week. The Mimo story starts from a selected learner without a required week. Should the teacher choose a week, how should it be defined, and can one learner have multiple lessons in it?
Module limits and block types. A teacher saves an incomplete module or tries to apply it.	Lucas proposes five to ten blocks and six block types. Mimo supports unfinished drafts and uses Teach and Practise blocks with different content formats. Should the product use a fixed catalogue or a numeric block limit? Which block formats require content or an answer key before they can be applied?
Undo and Redo. A teacher deletes a block, saves, changes modules, or reopens the editor.	Lucas proposes ten seconds to undo a deletion. Demi proposes a broader history. Should the deletion shortcut coexist with the history? What counts as one text edit, and does history survive saving, changing modules, or reopening?
Access and ownership. Another teacher needs access, the session expires, or learner context changes.	Lucas proposes signed-in, creator-only editing. Learner access follows BR5. Can another authorised teacher collaborate or take over? What happens to drafts when a session expires or the learner's context changes?
Leaving or losing work. The teacher leaves before saving, edits in two tabs, or encounters an interrupted save or upload.	What happens on exit before the first save, refresh, switching modules, clearing local data, or editing in two tabs? How does the editor handle a save whose result is unknown or a media upload that stops partway?
Templates and AI. A teacher inserts reusable content into a populated module, or a suggestion arrives after an edit.	If a teacher selects reusable content after adding their own blocks, should it append or replace them? What happens when a source is unavailable or AI suggestions arrive after the underlying draft has changed?
Touch and publishing. A drag competes with scrolling, or the teacher prepares a new version of applied material.	What gestures work on tablets and phones without interfering with scrolling? Should previous approved versions be retained for review or rollback?