Wireless Communications

Simulation of Multipath Fading Channels

Team:

Mattia Lecci   *(1153428)*

Abstract

1 Introduction

2 Technical Approach

2.1 Objectives

2.2 Scenario

2.3 Mathematical models used

2.4 Complications found

3 Results

4 Conclusions

References

[A1] M. F. Pop and N. C. Beaulieu. "Limitations of Sum-of-Sinusoids Fading Channel Simulators". In: *IEEE Transactions on Communications* 49.4 (Apr. 2001).

[A2] Y. R. Zheng and C. Xiao. "Simulation Models With Correct Statistical Properties for Rayleigh Fading Channels". In: *IEEE Transactions on Communications* 51.6 (June 2003).

[A3] C. Komninakis. "A Fast and Accurate Rayleigh Fading Simulator". In: *IEEE GLOBECOM* (2003).

[B1] C. Xiao, Y. R. Zheng, and N. C. Beaulieu. "Novel Sum-of-Sinusoids Simulation Models for Rayleigh and Rician Fading Channels". In: *IEEE Transactions on Wireless Communications* 5.12 (Dec. 2006).

[C1] Y. Li and X. Huang. "The Simulation of Independent Rayleigh Faders". In: *IEEE Transactions on Communications* 50.7 (Sept. 2002).

[C2] Y. R. Zheng and C. Xiao. "Improved Models for the Generation of Multiple Uncorrelated Rayleigh Fading Waveforms". In: *IEEE Communications Letters* 6.6 (June 2002).