

GENETIC ANALYSIS REPORT

Dr. Evan Latef Khlef
B.Sc.M.Sc.Ph.D.

- **Template for a Genetic Test Laboratory Report for Congenital Hepatic Fibrosis**
- **Laboratory Name**
Laboratory Address
Contact Information
Accreditation Information
- **Genetic Test Laboratory Report**
- I. Patient Information**
 - **Patient Name:** [Patient's name]
 - **Date of Birth:** [DOB]
 - **Gender:** [Male/Female/Other]
 - **Sample ID:** [Unique identifier for the sample]
 - **Collection Date:** [Date when the sample was collected]
 - **Report Date:** [Date when the report is issued]

2. Referring Physician Information

- **Physician's Name:** [Name of the doctor requesting the test]
- **Institution:** [Hospital or clinic name]
- **Contact Information:** [Phone number or email]

3. Test Details

- **Test Name:** *Congenital Hepatic Fibrosis Genetic Analysis*
- **Purpose of the Test:**
 - To identify genetic mutations associated with congenital hepatic fibrosis.
 - Recommended for patients with unexplained liver disease, cholestasis, or portal hypertension.
- **Sample Type:** [e.g., blood, saliva]

4. Methodology

- **DNA Extraction Method:** [e.g., Spin-column method, Magnetic bead-based extraction]
- **Sequencing Method:** [e.g., Next-Generation Sequencing (NGS), Sanger Sequencing]
- **Targeted Genes:** [List specific genes commonly associated with CHF, e.g., *PKHD1*, *PKD1*, *PKD2*, *FLCN*, etc.]
- **Bioinformatics Analysis:** [Description of tools used for variant analysis.]

5. Results

- **Summary of Genetic Findings:**

- **Gene:** [e.g., *PKHD1*]
- **Nucleotide Change:** [e.g., c.1234C>T]
- **Protein Change:** [e.g., p.(Arg412Trp)]
- **Zygosity:** [e.g., heterozygous, homozygous]
- **Variant Classification:** [e.g., pathogenic, likely pathogenic, VUS]
- **Clinical Significance:** [Brief explanation of the impact of the detected variant on the patient's condition.]

The term "C.1234C>T" refers to a specific type of genetic mutation in the context of molecular genetics and genomics. Here's a breakdown of what it means:

- **C.:** This indicates that the notation is describing a change at the coding DNA sequence level.
- **1234:** This number represents the position of the nucleotide in the gene. In this case, it is the 1234th nucleotide.
- **C:** The original nucleotide at this position is a Cytosine (C).
- **>:** This symbol indicates a change or substitution in the nucleotide.
- **T:** The new nucleotide that replaces the original Cytosine at that position is a Thymine (T).

- Variant classification in genetics typically follows a structured framework to assess the significance of genetic variants. Here's a brief overview of the classifications you mentioned:
- **Pathogenic:** Variants that are confirmed to cause a specific disease. These are associated with an increased risk of developing the condition.
- **Likely Pathogenic:** Variants that have strong evidence suggesting they are likely to cause disease but may not yet have enough data for definitive classification.
- **Variant of Uncertain Significance (VUS):** Variants for which the clinical significance is unclear. There is insufficient evidence to classify them as either benign or pathogenic.

6. Clinical Interpretation

- **Interpretation of Positive Result:**
 - "The identified mutation in the *PKHD1* gene (c.1234C>T) is associated with congenital hepatic fibrosis. This finding supports the clinical diagnosis and indicates a genetic basis for the patient's liver condition."
- **Interpretation of Carrier Status:**
 - "The patient carries one pathogenic mutation in the *PKHD1* gene. This indicates carrier status, which may have implications for family planning."
- **Interpretation of Negative Result:**
 - "No pathogenic variants were identified in the analyzed genes. While this reduces the likelihood of congenital hepatic fibrosis, it does not rule out the possibility of other causes of liver disease."

7. Limitations

- **Testing Limitations:**

- Detection is limited to the genes analyzed and may not capture rare variants or mutations in non-targeted regions.
- Variants of uncertain significance (VUS) require further investigation and clinical correlation.

8. Recommendations

- **Follow-up Actions:**

- Referral to a hepatologist for further management of liver disease.
- Genetic counseling for the patient and family members regarding the implications of carrier status and potential genetic testing for relatives.
- Consideration of additional testing (e.g., liver biopsy, imaging studies) if clinically indicated.

9. References

- [List of scientific articles, databases, or guidelines used for interpretation, e.g., ClinVar, OMIM, ACMG guidelines.]

10. Signatures

- **Pathologist/Geneticist Name and Signature:** [Name, credentials, and signature of the person reviewing the test]
- **Laboratory Information:** [Name, address, and accreditation of the laboratory]

Gene	Nucleotide Change	Protein Change	Zygosity	Classification	Clinical Significance
PKHDI	c.1234C>T	p.(Arg412Trp)	Homozygous	Pathogenic	Associated with congenital hepatic fibrosis; further management recommended.

XYZ Genetic Laboratory
123 Genetic Lane
City, State, Zip Code
Phone: (123) 456-7890
Accreditation: CLIA Certified

Genetic Test Laboratory Report: Congenital Hepatic Fibrosis Genetic Testing

Patient Information

- Patient Name: John Doe
- Date of Birth: January 1, 2010
- Gender: Male
- Sample ID: 123456
- Collection Date: September 30, 2024
- Report Date: October 9, 2024

Referring Physician Information

- **Physician's Name:** Dr. Jane Smith
 - **Institution:** General Children's Hospital
 - **Contact Information:** (987) 654-3210
-

Test Details

- **Test Name:** Congenital Hepatic Fibrosis Genetic Analysis
 - **Purpose of the Test:**
To identify genetic mutations associated with congenital hepatic fibrosis. Recommended for patients with unexplained liver disease, cholestasis, or portal hypertension.
 - **Sample Type:** Blood
-

Methodology

- **DNA Extraction Method:** Spin-column method
- **Sequencing Method:** Next-Generation Sequencing (NGS)
- **Targeted Genes:** *PKHD1*, *PKD1*, *PKD2*, *FLCN*
- **Bioinformatics Analysis:** Utilized [specific software tools] for variant calling and analysis.

Results

- **Summary of Genetic Findings:**
 - **Gene:** *PKHD1*
 - **Nucleotide Change:** c.1234C>T
 - **Protein Change:** p.(Arg412Trp)
 - **Zygosity:** Homozygous
 - **Variant Classification:** Pathogenic
 - **Clinical Significance:** The identified mutation in the *PKHD1* gene (c.1234C>T) is associated with congenital hepatic fibrosis. This finding supports the clinical diagnosis and indicates a genetic basis for the patient's liver condition.
-

Clinical Interpretation

- **Interpretation of Positive Result:**
The identified mutation in the *PKHD1* gene (c.1234C>T) is pathogenic and is associated with congenital hepatic fibrosis. This finding confirms the clinical diagnosis and highlights the genetic etiology of the patient's liver condition.
 - **Interpretation of Carrier Status:**
The patient carries one pathogenic mutation in the *PKHD1* gene. This indicates carrier status, which may have implications for family planning.
 - **Interpretation of Negative Result:**
No pathogenic variants were identified in the analyzed genes. While this reduces the likelihood of congenital hepatic fibrosis, it does not rule out the possibility of other causes of liver disease.
-

Limitations

- **Testing Limitations:**
Detection is limited to the genes analyzed and may not capture rare variants or mutations in non-targeted regions. Variants of uncertain significance (VUS) require further investigation and clinical correlation.

Limitations

- **Testing Limitations:**
Detection is limited to the genes analyzed and may not capture rare variants or mutations in non-targeted regions. Variants of uncertain significance (VUS) require further investigation and clinical correlation.
-

Recommendations

- **Follow-up Actions:**
 - Referral to a hepatologist for further management of liver disease.
 - Genetic counseling for the patient and family members regarding the implications of carrier status and potential genetic testing for relatives.
 - Consideration of additional testing (e.g., liver biopsy, imaging studies) if clinically indicated.
-