```python
from fpdf import FPDF
import os
import sys
import random

'''Create FPDF object.'''

pdf = FPDF('P', 'mm', format='A5')
pdf.set_margins(left=20, top=20, right=20)
pdf.set_font('Courier')


'''Render code.'''

filename = sys.argv[0]
with open(filename) as f:
    txt = f.read()

pdf.add_page()
pdf.set_font_size(10)
pdf.multi_cell(0, None, txt=txt)


'''Render text in different fonts.'''

pdf.add_page()
pdf.set_font_size(14)
fonts = os.listdir(os.getcwd()+'/fonts')
fonts   =   [font   for   font   in   fonts   if
font.endswith('.ttf')]
for font in fonts:
    pdf.set_text_color(random.randint(0,220))
    font_name = os.path.splitext(font)[0]
    font_path = 'fonts/' + font
    txt = 'The quick brown fox jumps over the lazy
dog'
    txt += '\n(' + font_name + ')'
        pdf.add_font(font_name,  '',  font_path,
uni=True)
    pdf.set_font(font_name)
     pdf.multi_cell(w=random.randint(0, 140), h=5,
txt=txt,
        align=random.choice(['L', 'C', 'R']))
    pdf.ln(random.randint(0, 10))


'''Save PDF.'''
```

```
filename = filename.replace('.py', '.pdf')
pdf.output('pdf/' + filename)
```

The quick
brown fox
jumps
over the
lazy dog
(Hack-Reg
ular)

The quick brown fox jumps over the lazy
dog
(Inter-Medium)

**The
quick
brown
fox
jumps
over
the
lazy
dog
(Vollk
orn-E
xtraB
old)**

*The quick brown fox
jumps over the lazy
dog
(Inter-UI-BlackItalic
)*

*The quick brown fox jumps over the
lazy dog*

(Hack-Italic)

The quick brown fox jumps over the lazy dog
(Vollkorn-Regular)