MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Acetoacetate || id:838'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Acetate || id:839'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Alanine || id:840'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Albumin || id:841'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Apolipoprotein A−I || id:842'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Apolipoprotein B || id:843'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Ratio of bisallylic groups to double bonds || id:844'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Ratio of bisallylic groups to total fatty acids || id:845'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−hydroxybutyrate || id:846'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Average number of methylene groups per double bond || id:847'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Average number of methylene groups in a fatty acid chain || id:848'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Citrate || id:849'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Creatinine || id:850'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Average number of double bonds in a fatty acid chain || id:851'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '22:6, docosahexaenoic acid || id:852'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol to esterified cholesterol ratio || id:853'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Description of average fatty acid chain length, not actual carbon number || id:

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Omega−3 fatty acids || id:855'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Omega−6 fatty acids || id:856'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Omega−7, omega−9 and saturated fatty acids || id:857'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol || id:858'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glucose || id:859'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glutamine || id:860'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycerol || id:861'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycoproteins || id:862'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycoprotein acetyls || id:863'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in HDL || id:864'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Mean diameter for HDL particles || id:865'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Histidine || id:866'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in IDL || id:867'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in IDL || id:868'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in IDL || id:869'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of IDL particles || id:870'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in IDL || id:871'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in IDL || id:872'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Isoleucine || id:873'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in large HDL || id:874'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in large HDL || id:875'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in large HDL || id:876'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in large HDL || id:877'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of large HDL particles || id:878'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in large HDL || id:879'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in large LDL || id:880'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in large VLDL || id:881'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in large LDL || id:882'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in large LDL || id:883'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of large LDL particles || id:884'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in large LDL || id:885'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in large VLDL || id:886'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in large VLDL || id:887'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in large VLDL || id:888'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in large VLDL || id:889'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of large VLDL particles || id:890'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in large VLDL || id:891'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in large VLDL || id:892'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '18:2, linoleic acid (LA) || id:893'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Lactate || id:894'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in LDL || id:895'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Mean diameter for LDL particles || id:896'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Leucine || id:897'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in medium HDL || id:898'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in medium HDL || id:899'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in medium HDL || id:900'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in medium HDL || id:901'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of medium HDL particles || id:902'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in medium HDL || id:903'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in medium LDL || id:904'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in medium LDL || id:905'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in medium LDL || id:906'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of medium LDL particles || id:907'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in medium LDL || id:908'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in medium VLDL || id:909'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in medium VLDL || id:910'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in medium VLDL || id:911'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in medium VLDL || id:912'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of medium VLDL particles || id:913'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in medium VLDL || id:914'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in medium VLDL || id:915'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Mono−unsaturated fatty acids || id:916'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Other polyunsaturated fatty acids than 18:2 || id:917'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phosphatidylcholine and other cholines || id:918'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenylalanine || id:919'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pyruvate || id:920'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in small HDL || id:921'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of small HDL particles || id:922'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in small HDL || id:923'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in small LDL || id:924'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in small LDL || id:925'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of small LDL particles || id:926'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in small VLDL || id:927'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in small VLDL || id:928'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in small VLDL || id:929'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of small VLDL particles || id:930'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in small VLDL || id:931'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in small VLDL || id:932'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Serum total cholesterol || id:933'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Serum total triglycerides || id:934'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Sphingomyelins || id:935'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total fatty acids || id:936'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total phosphoglycerides || id:937'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Tyrosine || id:938'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Urea || id:939'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Valine || id:940'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Mean diameter for VLDL particles || id:941'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total cholesterol in very large HDL || id:942'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol esters in very large HDL || id:943'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Free cholesterol in very large HDL || id:944'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in very large HDL || id:945'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of very large HDL particles || id:946'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in very large HDL || id:947'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in very large HDL || id:948'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in very large VLDL || id:949'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of very large VLDL particles || id:950'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in very large VLDL || id:951'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in very large VLDL || id:952'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in very small VLDL || id:953'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of very small VLDL particles || id:954'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in very small VLDL || id:955'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in very small VLDL || id:956'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Total lipids in chylomicrons and largest VLDL particles || id:957'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Concentration of chylomicrons and largest VLDL particles || id:958'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phospholipids in chylomicrons and largest VLDL particles || id:959'

MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Triglycerides in chylomicrons and largest VLDL particles || id:960'