AcAcetxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
β_IV


Acetxt
MR Method
Inverse variance weighted
MR Egger
2.25
2.00
1.75
1.50
1.25
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV


Alatxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


Albtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
β_IV

ApoA1txt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

ApoBbyApoA1txt



ApoBtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
1/SE_IV
0.0
0.5
1.0
1.5
β_IV


CLAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV


CLAtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV

Creatxt


MR Method
Inverse variance weighted
MR Egger
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

DAGbyTGtxt


MR Method
Inverse variance weighted
MR Egger
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

DAGtxt


MR Method
Inverse variance weighted
MR Egger
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

DHAbyFAtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0.0
0.5
1.0
β_IV

DHAtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0.0
0.5
1.0
β_IV


EstCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV

FALentxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

FAw3byFAtxt



FAw3txt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
β_IV

FAw6byFAtxt



FAw6txt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


FreeCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


Glctxt
MR Method
Inverse variance weighted
MR Egger
4.0
3.5
3.0
2.5
2.0
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV


GIntxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


GlycAtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


Glytxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


HDL2Ctxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
β_IV


HDL3Ctxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
β_IV

HDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
β_IV

HDLDtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
1/SE_IV
−2
−1
0
1
β_IV


HDLTGtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

Histxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV

IDLCEpctpercenttxt



IDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
β_IV

IDLCpctpercenttxt



IDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
β_IV

IDLFCpctpercenttxt




IDLFCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


IDLLtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
0.75
β_IV

IDLPLpctpercenttxt




IDLPLtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.00
−0.75
−0.50
−0.25
0.00
0.25
β_IV


IDLPtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.00
−0.75
−0.50
−0.25
0.00
0.25
β_IV

IDLTGpctpercenttxt



IDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV


lletxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
1.5
β_IV


LAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV


Lactxt
MR Method
Inverse variance weighted
MR Egger
4.0
3.5
3.0
2.5
2.0
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LAtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV


LDLCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.2
0.0
0.2
0.4
0.6
β_IV


LDLDtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

LDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0
1
β_IV

Leutxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


LHDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LHDLCEtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LHDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


LHDLCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

LHDLFCpctpercenttxt




LHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


LHDLLtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
1/SE_IV
−2
−1
0
β_IV

LHDLPLpctpercenttxt



LHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0
1
β_IV


LHDLPtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0
1
β_IV

LHDLTGpctpercenttxt



LHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV

LLDLCEpctpercenttxt



LLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.3
0.0
0.3
β_IV


LLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LLDLCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.3
0.0
0.3
β_IV


LLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

LLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


LLDLLtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV


LLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV


LLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV


LLDLPtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

LLDLTGpctpercenttxt



LLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV

LVLDLCEpctpercenttxt



LVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−2
−1
0
1
β_IV


LVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV


LVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−2
−1
0
1
β_IV

LVLDLFCpctpercenttxt



LVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

LVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

LVLDLPLpctpercenttxt



LVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

LVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

LVLDLTGpctpercenttxt



LVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

MHDLCEpctpercenttxt



MHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
β_IV

MHDLCpctpercenttxt



MHDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
β_IV

MHDLFCpctpercenttxt



MHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

MHDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV

MHDLPLpctpercenttxt



MHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MHDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MHDLTGpctpercenttxt



MHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

MLDLCEpctpercenttxt



MLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV

MLDLCpctpercenttxt



MLDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV

MLDLFCpctpercenttxt




MLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.6
−0.3
0.0
0.3
β_IV


MLDLLtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV


MLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.3
0.0
0.3
β_IV

MLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.3
0.0
0.3
β_IV

MLDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.3
0.0
0.3
β_IV

MLDLTGpctpercenttxt



MLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV


MUFAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0
1
2
β_IV

MUFAtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0
1
2
β_IV

MVLDLCEpctpercenttxt



MVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

MVLDLCpctpercenttxt



MVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

MVLDLFCpctpercenttxt



MVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV

MVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

MVLDLPLpctpercenttxt



MVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV

MVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV

MVLDLTGpctpercenttxt



MVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV

PCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

Phetxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

PUFAbyFAtxt




PUFAtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


Pyrtxt
MR Method
Inverse variance weighted
MR Egger
4.0
3.5
3.0
2.5
2.0
1/SE_IV
−0.5
0.0
0.5
β_IV

RemnantCtxt



SerumCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV


SerumTGtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

SFAbyFAtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

SFAtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

SHDLCEpctpercenttxt



SHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


SHDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

SHDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

SHDLFCpctpercenttxt



SHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
β_IV

SHDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


SHDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

SHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

SHDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

SHDLTGpctpercenttxt



SHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV


SLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV


SLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SLDLCpctpercenttxt



SLDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SLDLFCpctpercenttxt



SLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SLDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV


SLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.50
−0.25
0.00
0.25
β_IV

SLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.50
−0.25
0.00
0.25
β_IV


SLDLPtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.50
−0.25
0.00
0.25
β_IV

SLDLTGpctpercenttxt



SLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

SMtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLCEpctpercenttxt




SVLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV


SVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV

SVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
β_IV

SVLDLFCpctpercenttxt



SVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
β_IV

SVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0
1
2
β_IV

SVLDLPLpctpercenttxt



SVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLTGpctpercenttxt



SVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

TGbyPGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV


TotChotxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
0.75
β_IV

TotFAtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

TotPGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0.0
0.3
0.6
β_IV

Tyrtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.3
0.0
0.3
0.6
β_IV


UnsatDegtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

Valtxt


MR Method
Inverse variance weighted
MR Egger
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
β_IV


VLDLCtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−2
−1
0
1
β_IV


VLDLDtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV


VLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

XLHDLCEpctpercenttxt



XLHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

XLHDLCpctpercenttxt



XLHDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

XLHDLFCpctpercenttxt




XLHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.4
0.0
0.4
β_IV

XLHDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
1/SE_IV
−2
−1
0
1
β_IV

XLHDLPLpctpercenttxt



XLHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
β_IV

XLHDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−2
−1
0
β_IV

XLHDLTGpctpercenttxt



XLHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

XLVLDLCEpctpercenttxt



XLVLDLCEtxt



XLVLDLCpctpercenttxt



XLVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−1
0
β_IV

XLVLDLFCpctpercenttxt



XLVLDLFCtxt



XLVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
1
2
β_IV

XLVLDLPLpctpercenttxt



XLVLDLPLtxt



XLVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV

XLVLDLTGpctpercenttxt



XLVLDLTGtxt



XSVLDLCEpctpercenttxt



XSVLDLCEtxt



XSVLDLCpctpercenttxt



XSVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−0.75
−0.50
−0.25
0.00
0.25
0.50
β_IV

XSVLDLFCpctpercenttxt



XSVLDLFCtxt



XSVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
0.00
0.25
0.50
0.75
1.00
β_IV

XSVLDLPLpctpercenttxt



XSVLDLPLtxt



XSVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
5.5
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1
0
β_IV

XSVLDLTGpctpercenttxt



XSVLDLTGtxt



XXLVLDLCEpctpercenttxt



XXLVLDLCEtxt



XXLVLDLCpctpercenttxt




XXLVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
5.0
4.5
4.0
3.5
3.0
2.5
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV

XXLVLDLFCpctpercenttxt



XXLVLDLFCtxt



XXLVLDLLtxt



XXLVLDLPLpctpercenttxt



XXLVLDLPLtxt



XXLVLDLPtxt



XXLVLDLTGpctpercenttxt



XXLVLDLTGtxt