






MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-C_percent.txt'


























MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-HDL-PL.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'CLA.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-FC_percent.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-HDL-TG_percent.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs clumped' on 'TotCho.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-C.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-C_percent.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XS-VLDL-C_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'HDL-TG.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-P.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-HDL-PL_percent.txt'















MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-TG.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-C_percent.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-TG_percent.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'FAw6.txt'















MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-C_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-CE_percent.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-LDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-PL.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-HDL-CE.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-L.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'IDL-PL_percent.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-HDL-FC_percent.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'TotFA.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-FC.txt'











MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-HDL-TG.txt'
























MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-PL.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'LabyFA.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-HDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-CE_percent.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-CE.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-C.txt'




















MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-C.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-CE.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-PL_percent.txt'












MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-LDL-C.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-LDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-FC_percent.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-VLDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-PL_percent.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-LDL-CE_percent.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-TG_percent.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-FC_percent.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'Ile.txt'




















MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'Serum-TG.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-PL.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'IDL-C_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'AcAce.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-FC.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'HDL2-C.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-VLDL-FC_percent.txt'











MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-LDL-PL.txt'














MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-C.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-CE_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-CE_percent.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'IDL-CE.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'IDL-C.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-P.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-VLDL-P.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-C_percent.txt'














MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-P.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XS-VLDL-L.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-PL_percent.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-CE.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-L.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-FC_percent.txt'























MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-VLDL-TG.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-TG_percent.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-PL_percent.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-C_percent.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'EstC.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-FC.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'Ace.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'MUFabyFA.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-TG.txt'






























MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-VLDL-TG.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-FC.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-VLDL-C_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-C.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'Lac.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-HDL-PL.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'S-LDL-CE.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'VLDL-C.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XXL-VLDL-FC.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-HDL-TG.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'DHA.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'XL-HDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-HDL-FC.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-VLDL-CE.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'L-HDL-CE.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHR EU sex combined 26 SNPs clumped' on 'M-LDL-PL.txt'