AcAcetxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

Acetxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
2
1
1/SE_IV
−2
−1
0
1
β_IV

Alatxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


Albtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV


ApoA1txt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

ApoBbyApoA1txt




ApoBtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−5.0
−2.5
0.0
β_IV

CLAbyFAtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

CLAtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

Creatxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

DAGbyTGtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

DAGtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


DHAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

DHAtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV


EstCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−6
−4
−2
0
β_IV

FALentxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
0
1
2
3
1/SE_IV
β_IV

FAw3byFAtxt



FAw3txt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

FAw6byFAtxt



FAw6txt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV


FreeCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV

Glctxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

GIntxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV


GlycAtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
1.5
β_IV

Glytxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
1.5
β_IV


HDL2Ctxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
β_IV

HDL3Ctxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV


HDLCtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
β_IV


HDLDtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
β_IV


HDLTGtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

Histxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

IDLCEpctpercenttxt



IDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
β_IV


IDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV

IDLCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
β_IV


IDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

IDLFCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV


IDLLtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−5.0
−2.5
0.0
β_IV

IDLPLpctpercenttxt



IDLPLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
β_IV

IDLPtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
β_IV

IDLTGpctpercenttxt



IDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

Iletxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

LAbyFAtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

Lactxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

LAtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LDLCtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV

LDLDtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
4
β_IV


LDLTGtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−4
−3
−2
−1
0
1
β_IV

Leutxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

LHDLCEpctpercenttxt



LHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
0
2
4
β_IV

LHDLCpctpercenttxt




LHDLCtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
0
2
4
β_IV


LHDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV


LHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV


LHDLLtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
β_IV

LHDLPLpctpercenttxt




LHDLPLtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV


LHDLPtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV


LHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

LHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV


LLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV


LLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV

LLDLCpctpercenttxt




LLDLCtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV


LLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
4
β_IV


LLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
4
β_IV


LLDLLtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV


LLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
0
2
4
6
8
β_IV

LLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
0
2
4
6
8
β_IV


LLDLPtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
0
2
4
6
8
β_IV


LLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
β_IV

LLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
β_IV


LVLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV


LVLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

LVLDLCpctpercenttxt




LVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV


LVLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


LVLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


LVLDLLtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


LVLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV


LVLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV


LVLDLPtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV

LVLDLTGpctpercenttxt



LVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


MHDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
β_IV

MHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
β_IV


MHDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
β_IV


MHDLCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
β_IV

MHDLFCpctpercenttxt




MHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
1.5
β_IV


MHDLLtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV


MHDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV

MHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV


MHDLPtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV

MHDLTGpctpercenttxt




MHDLTGtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

MLDLCEpctpercenttxt



MLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV


MLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−5.0
−2.5
0.0
β_IV


MLDLCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV


MLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV


MLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV

MLDLLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV

MLDLPLpctpercenttxt




MLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV

MLDLPtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV


MLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

MLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

MUFAbyFAtxt



MUFAtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

MVLDLCEpctpercenttxt



MVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MVLDLCpctpercenttxt



MVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MVLDLFCpctpercenttxt



MVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

MVLDLPLpctpercenttxt



MVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

MVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

MVLDLTGpctpercenttxt



MVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
β_IV

PCtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

Phetxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

PUFAbyFAtxt




PUFAtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

Pyrtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

RemnantCtxt




SerumCtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−4
−2
0
β_IV


SerumTGtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−2
−1
0
1
β_IV

SFAbyFAtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

SFAtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

SHDLCEpctpercenttxt



SHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV


SHDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV


SHDLCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−2
0
β_IV

SHDLFCpctpercenttxt



SHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
4
β_IV

SHDLLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SHDLPLpctpercenttxt



SHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0
2
4
6
β_IV

SHDLPtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0
2
4
6
β_IV


SHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
β_IV

SHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
β_IV

SLDLCEpctpercenttxt



SLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV

SLDLCpctpercenttxt



SLDLCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV

SLDLFCpctpercenttxt




SLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV

SLDLLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−7.5
−5.0
−2.5
0.0
β_IV


SLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV

SLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV


SLDLPtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
0.0
2.5
5.0
7.5
β_IV

SLDLTGpctpercenttxt



SLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

SMtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

SVLDLCEpctpercenttxt



SVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

SVLDLCpctpercenttxt



SVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

SVLDLFCpctpercenttxt



SVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−3
−2
−1
0
1
β_IV


SVLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
4
β_IV

SVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
4
β_IV


SVLDLPtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
2
3
4
β_IV

SVLDLTGpctpercenttxt



SVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
β_IV

TGbyPGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV


TotChotxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV


TotFAtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−3
−2
−1
0
1
β_IV

TotPGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
1
β_IV

Tyrtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


UnsatDegtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

Valtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.8
−0.4
0.0
0.4
0.8
β_IV


VLDLCtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV


VLDLDtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

VLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XLHDLCEpctpercenttxt



XLHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−3
−2
−1
0
1
β_IV

XLHDLCpctpercenttxt



XLHDLCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−4
−3
−2
−1
0
1
β_IV

XLHDLFCpctpercenttxt




XLHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
β_IV

XLHDLLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−1
0
1
β_IV

XLHDLPLpctpercenttxt



XLHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
4
β_IV


XLHDLPtxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−1
0
1
2
3
4
β_IV


XLHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
β_IV

XLHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−2
−1
0
β_IV


XLVLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

XLVLDLCEtxt




XLVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


XLVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


XLVLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

XLVLDLFCtxt




XLVLDLLtxt
MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−2
−1
0
1
β_IV


XLVLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV

XLVLDLPLtxt



XLVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV


XLVLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

XLVLDLTGtxt



XSVLDLCEpctpercenttxt



XSVLDLCEtxt



XSVLDLCpctpercenttxt



XSVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−0.5
0.0
0.5
β_IV

XSVLDLFCpctpercenttxt



XSVLDLFCtxt



XSVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
10.0
7.5
5.0
2.5
1/SE_IV
−4
−2
0
β_IV

XSVLDLPLpctpercenttxt



XSVLDLPLtxt



XSVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
12
10
8
6
4
2
1/SE_IV
−3
−2
−1
0
1
β_IV

XSVLDLTGpctpercenttxt



XSVLDLTGtxt



XXLVLDLCEpctpercenttxt



XXLVLDLCEtxt



XXLVLDLCpctpercenttxt



XXLVLDLCtxt




XXLVLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1
0
1
2
β_IV

XXLVLDLFCtxt



XXLVLDLLtxt




XXLVLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
10
8
6
4
2
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XXLVLDLPLtxt



XXLVLDLPtxt



XXLVLDLTGpctpercenttxt



XXLVLDLTGtxt