





MR leave–one–out sensitivity analysis for 'S_LDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'





MR leave-one-out sensitivity analysis for 'S_LDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'











































rs9989419


'Remnant_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'








rs1050556


MR leave—one—out sensitivity analysis for 'M_VLDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'






















































rs78980904 -


'HDL_TG_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'
















































rs7742369


MR leave—one—out sensitivity analysis for 'HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'















rs12708454


MR leave—one—out sensitivity analysis for 'S_HDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'



















MR leave–one–out sensitivity analysis for
'XS_VLDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'

































































































































'ApoA1_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'







rs42132 -











MR leave–one–out sensitivity analysis for 'bOHbutyrate_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'




































rs174528 -


'M_LDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'













































rs78980904


'XL_VLDL_PL_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'
































































rs55776558 -



















































































































MR leave–one–out sensitivity analysis for 'L_HDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'




	Ir.	nsufficient nu	mber of SNF	'S	


	Ir.	nsufficient nu	mber of SNF	'S	

	Ir.	nsufficient nu	mber of SNF	'S	








MR leave-one-out sensitivity analysis for 'Total_BCAA_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'





MR leave–one–out sensitivity analysis for
'Total_BCAA_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'




























































rs17729097 -


MR leave—one—out sensitivity analysis for 'XL_VLDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'













































rs550057 -


'IDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'


























































































rs34342646


'ApoB_by_ApoA1_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'







































rs624698 -


INR leave—one—out sensitivity analysis for "XS_VLDL_TG_int_imputed.txt_snps.txt" on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'




























MR leave-one-out sensitivity analysis for 'S_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'

































rs72740858


'XL_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'



































































MR leave–one–out sensitivity analysis for 'L_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'



























rs151330717 -


MR leave—one—out sensitivity analysis for 'Total_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'






































































'XL_HDL_PL_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'










































































'S_LDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'








rs174528 -


MR leave—one—out sensitivity analysis for 'M_HDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'

















































'LDL_TG_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'

































rs174528 -

MR leave—one—out sensitivity analysis for 'L_HDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'














MR leave–one–out sensitivity analysis for 'SFA_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'














































'S_VLDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'











































rs146390218 -




















rs4970829 -


M_LDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'











MR leave—one—out sensitivity analysis for 'L_LDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'
























rs283811 -


MR leave–one–out sensitivity analysis for
'XL_VLDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'





































MR leave–one–out sensitivity analysis for 'L_HDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'


















rs7873635


MR leave–one–out sensitivity analysis for 'M_VLDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'














































MR leave–one–out sensitivity analysis for 'PUFA_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'




































rs79787170 -

MR leave—one—out sensitivity analysis for 'L_LDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'












rs4970824








rs378114


'XL_VLDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'





































'S_VLDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'


























































































rs12721046 -


MR leave–one–out sensitivity analysis for 'M_LDL_PL_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'












































rs7412 -


'S_HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'





MR leave-one-out sensitivity analysis for 'S_HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'















rs56266464





rs4970829


































'M_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'





























rs4970829


Total_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'







rs17729097 -














'Omega_3_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'




















































MR leave–one–out sensitivity analysis for 'L_HDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'

















































'LDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'



















































MR leave–one–out sensitivity analysis for 'HDL_size_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'





'HDL_size_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'
















'M_VLDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'































'Phosphatidylc_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'



















MR leave-one-out sensitivity analysis for 'LDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'















































































rs79787170
































MR leave–one–out sensitivity analysis for 'XL_HDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'

